


GROUP 1.000

COOLING SYSTEM—RADIATOR—OIL SYSTEM

Arrestor, Crankcase Ventilation . . . . .	1.745
Baffle, Radiator . . . . .	1.272
Belts, Fan-Power Steering-C.A.C.-A.I.R. . . . .	1.066
Brace, Radiator Core . . . . .	1.270
Cap, Engine Oil Filler . . . . .	1.758
Cap, Radiator Filler . . . . .	1.203
Clamp, Hose . . . . .	1.166
Coolant, Radiator & Engine . . . . .	1.175
Core & Tank, Radiator . . . . .	1.219
Deflector, Radiator . . . . .	1.272
Drain Cock, Water . . . . .	1.229
Emblem, Radiator Grille or Front End Panel . . . . .	1.303
Fan Belt . . . . .	1.066
Fan Blade . . . . .	1.064
Fan Clutch . . . . .	1.050
Fan Pulley . . . . .	1.062
Fan Shroud . . . . .	1.277
Gasket, Cyl. Block Water Outlet . . . . .	1.154
Gasket, Engine Oil Pump Cover . . . . .	1.724
Gasket, Oil Filter Mounting . . . . .	1.844
Gasket Set, Oil Pan . . . . .	1.429
Gasket, Water Pump Mounting . . . . .	1.079
Gauge, Water Temp. (Dash Unit) . . . . .	1.148
Gear, Oil Pump Drive . . . . .	1.639
Grille and Parts, Radiator. . . . .	1.266 thru 1.269
Grommet, Crankcase Ventilation . . . . .	1.745
Hose, Crankcase Ventilation . . . . .	1.745
Hose, Engine Coolant By-Pass . . . . .	1.097
Hose, Radiator Inlet (upper) . . . . .	1.159
Hose, Radiator Outlet (lower) . . . . .	1.173
Hose, Radiator Drain & Overflow . . . . .	1.240
Hub, Engine Fan & Water Pump . . . . .	1.062
Indicator, Engine Oil Level . . . . .	1.516
Oil Filter . . . . .	1.835
Oil Pan . . . . .	1.426
Oil Pump . . . . .	1.652
Outlet, Engine Block Water . . . . .	1.153
Panel, Front End . . . . .	1.263
Positive Crankcase Ventilating Package . . . . .	1.745
Pump Assy., Engine Water . . . . .	1.069
Radiator, Engine Cooling . . . . .	1.219
Seal, Radiator Baffle & Support . . . . .	1.274
Spring, Radiator Hose . . . . .	1.160
Support, Radiator Core . . . . .	1.270
Switch, Water Temperature . . . . .	1.150
Switch, Oil Pressure . . . . .	1.800
Thermostat, Engine Water Temperature . . . . .	1.246
Valve, Engine Oil Pump Pressure . . . . .	1.609
Water Pump . . . . .	1.069



## 1.050 CLUTCH ASSY.-STUD, FAN BLADE CLUTCH

61	C.A.C. exc. F85 .....	580027	1	47.95	CLUTCH .....
62	F85 C.A.C., Spec. Cool exc. J/Fire .....	587667	1	42.75	CLUTCH .....
62	F85 J/Fire C.A.C., Spec. Cool .....	587668	1	42.75	CLUTCH .....
62	C.A.C. exc. F85 .....	585440	1	47.95	CLUTCH .....
63	F85 C.A.C., Spec. Cool. exc. J/Fire .....	587696	1	42.75	CLUTCH .....
63	F85 J/Fire C.A.C. or Spec. Cool. ....	587697	1	42.75	CLUTCH .....
63-64	C.A.C. or Spec. Cool. exc. F85 .....	587268	1	42.75	CLUTCH (1st type - 3½" thick) .....
64	C.A.C., Spec. Cool. exc. F85, J88 .....	387700	1	44.50	CLUTCH (2nd type - 2½" thick) .....
64-65	V6 C.A.C., Spec. Cool. ...	1357707	1	42.60	CLUTCH .....
64-65	F85 V8 C.A.C. or Spec. Cool. exc. 442 Opt. ...	382546	1	44.50	CLUTCH .....
65	442 Opt. C.A.C. or Spec. Cool. ....	387700	1	44.50	CLUTCH (2nd type - 2½" thick) .....
65	C.A.C., Spec. Cool. exc. F85 (*1) .....	391910	1	45.40	CLUTCH .....
(*1) NOTE - When replacing original equipment clutch 386211 or 381910 also use 4 pieces 382919 stud and 4 hex nuts size 5/16"-18.					
66	Tor. C.A.C. or H.D. Cool. .	391191	1	45.40	CLUTCH .....
66-68	L6 C.A.C. or H.D. Cool. .	391910	1	45.40	CLUTCH .....
66-67	F85 V8 C.A.C., H.D. Cooling exc. 1967 400 cu. in. Eng. ....	391191	1	45.40	CLUTCH .....
66-67	C.A.C. exc. F85 or Tor. ...	391191	1	45.40	CLUTCH .....
66-67	H.D. cool. exc. F85, Tor. or Calif. Hwy. Patrol ...	395057	1	48.40	CLUTCH (no. stamped on) .....
67	F85 400 cu. in. Eng. C.A.C. or H.D. Cool. ....	392849	1	44.70	CLUTCH .....
67	5669 Calif. Hwy. Patrol ...	398904	1	48.50	CLUTCH .....
67	Tor. C.A.C. or H.D. Cool. .	392849	1	44.70	CLUTCH .....
68	F85 V8 C.A.C. exc. Y72 ..	400273	1	46.85	CLUTCH .....
68	350 Eng. O.A.I. ....	400273	1	46.85	CLUTCH .....
68	F85 V8 Y72 .....	401797	1	46.85	CLUTCH .....
68	400 Eng. O.A.I. ....	401797	1	46.85	CLUTCH .....
68	C.A.C. or Y72 exc. F85 or Tor. ....	401797	1	46.85	CLUTCH .....
68	Tor. C.A.C. exc. Y72 .....	401798	1	47.10	CLUTCH .....
68	Tor. Y72 .....	401290	1	46.00	CLUTCH .....
69-71	L6 C.A.C. or Y72 .....	4939900	1	30.15	CLUTCH .....
69	F85 V8 C.A.C. exc. Y72 ..	403982	1	48.75	CLUTCH .....
69-70	F85 V8 Y72 .....	401797	1	46.85	CLUTCH .....
69-70	F85 350 Eng. O.A.I. ....	403982	1	48.75	CLUTCH .....
69	4400 400 Perf. Eng. T.H. O.A.I. (W 32 opt.) .....	403982	1	48.75	CLUTCH .....
69-70	Y72 exc. F85 or Tor. ....	401797	1	46.85	CLUTCH .....
69-70	5400, 6400, 6600, 98 455 Eng. C.A.C. exc. Y72 .....	403983	1	48.75	CLUTCH .....
69	Tor. C.A.C. exc. Y72 .....	403984	1	48.95	CLUTCH .....
69	Tor. Y72 .....	401798	1	47.10	CLUTCH .....
70	3200, 3600, 4200 C.A.C. exc. Y72 or 455 Perf. Eng. ....	403982	1	48.75	CLUTCH .....
70	4257-67 455 Perf. Eng. C.A.C. exc. Y72 .....	4949861	1	48.40	CLUTCH .....
70	4400, 4800 C.A.C. exc. Y72 or O.A.I. ....	4949861	1	48.40	CLUTCH .....
70-71	4400 O.A.I. ....	4949861	1	48.40	CLUTCH .....
70	Tor. C.A.C. or Y72 .....	4949864	1	47.25	CLUTCH .....
71-72	3200, 3600, 4200, 4800 350 Eng. C.A.C. exc. Y72 .....	410137	1	45.05	CLUTCH .....
71-72	V8 C.A.C. or Y72 exc. F85 350 Eng. or Tor. ...	4950788	1	45.05	CLUTCH .....
71	Tor. C.A.C. or Y72 .....	4964317	1	45.05	CLUTCH .....
72	O.A.I. ....	4949861	1	48.40	CLUTCH .....
72	Tor. C.A.C. or Y72 .....	4974166	1	43.95	CLUTCH .....
62-63	F85 C.A.C. or Spec. Cool. .	1364760	4	.17	STUD, fan clutch & pulley to hub .....
64	V8 C.A.C. or H.D. Cool (3.901) .....	402720	4	.10	STUD, fan clutch to hub .....

65	F85 V8 C60 or Y72 (3-901)	402720	4	.10	STUD, fan clutch to hub
66-68	C.A.C. or Y72 exc. F85 or Tor. (3.901)	402720	4	.10	STUD, fan clutch to hub
67-68	L6 C60 or Y72 (3.901)	402720	4	.10	STUD, fan clutch to hub
69-71	V8 (3.901)	402720	4	.10	STUD, fan clutch to hub
71	4400 O.A.I. exc. C60 (3.901)	402720	4	.10	STUD, fan clutch to hub
72-73	V8 C.A.C. or Y72	402720	4	.10	STUD, fan clutch to hub
72	O.A.I.	402720	4	.10	STUD, fan clutch to hub

### 1.062 HUB, ENGINE FAN & WATER PUMP

49-62	Exc. F85 or 1961-62 C.A.C.	578783	1	1.95	HUB (w/5/8" hole)
61-62	C.A.C. exc. F85	583094	1	1.85	HUB (w/3/4" hole)
61-63	F85 exc. 1962 C.A.C.	588041	1	1.33	HUB
63	Exc. C.A.C., Spec. Cool. or F85	588041	1	1.33	HUB
63	C.A.C. or Spec. Cool. exc. F85	399394	1	1.74	HUB
64-69	V8 exc. C.A.C., H.D. Cool., O.A.I. or 400 Perf. Eng.	588041	1	1.33	HUB
64-70	V8 C.A.C., Y72 or 55 Amp. Delcotron	399394	1	1.74	HUB
68	F85 Hurst	399394	1	1.74	HUB
68-71	F85 O.A.I.	399394	1	1.74	HUB
69	442 T.H. 400 Perf. Eng.	399394	1	1.74	HUB
70-72	F85 V8 exc. C60, Y72, O.A.I.	588041	1	1.33	HUB
70	F85 V8 C60, Y72, O.A.I. or Perf. Eng.	406098	1	1.54	HUB
70	5400, 6400, 6600, 98	406098	1	1.54	HUB
70-72	Tor. exc. C.A.C., Y72	588041	1	1.33	HUB
71	F85, Tor. C.A.C. or Y72	399394	1	1.74	HUB
71	3200, 3600, 4200 w/3.73 Perf. Axle exc. D.A.I.	399394	1	1.74	HUB
71	4400 O.A.I. exc. C.A.C.	399394	1	1.74	HUB
71	Exc. F85 or Tor.	399394	1	1.74	HUB
72	F85 350 Eng. C.A.C.	399394	1	1.74	HUB
72	F85 455 Eng. C.A.C. or O.A.I.	399394	1	1.74	HUB
72	5400, 6400 350 Eng.	399394	1	1.74	HUB
72	5400, 6400, 6800, 98 455 Eng.	399394	1	1.74	HUB
72	Tor. C.A.C.	399394	1	1.74	HUB
73	350, 455 Eng.	399394	1	1.74	HUB

### 1.062 PULLEY, ENGINE FAN & WATER PUMP

52-62	P.S. exc. F85 (*2)	571396	1	8.00	PULLEY (2 grooves)
(*2) When replacing single groove pulley with 2 groove pulley on 1952-53 Models idler pulley should be discarded.					
61	F85	579997	1	3.08	PULLEY (1 groove)
61-62	C.A.C. exc. P.S. & F85	582056	1	8.20	PULLEY (2 grooves)
62	F85 exc. C.A.C. 1st type or J/Fire	579997	1	3.08	PULLEY (1 groove - 6 5/64" O.D.)
62	F85 exc. C.A.C. 2nd type	1194887	1	3.59	PULLEY (1 groove - 6 3/4" O.D.)
62	F85 C.A.C., Spec. Cool. exc. J/Fire	585112	1	4.25	PULLEY (1 groove)
63	F85 exc. C.A.C. or Spec. Cool.	1194887	1	3.59	PULLEY (1 groove)
63	F85 C.A.C., Spec. Cool. exc. J/Fire	1348229	1	4.56	PULLEY (1 groove)
63	88, S88 exc. P.S., C.A.C.	587284	1	4.20	PULLEY (1 groove)
63-64	Exc. C.A.C., F85 or J88	587285	1	4.72	PULLEY (2 grooves)
64	D88, S88 exc. P.S., C.A.C.	587284	1	4.20	PULLEY (1 groove)
63	C.A.C. exc. F85	587260	1	8.45	PULLEY (3 grooves)
64	C.A.C. or 55 Amp. Delcotron exc. F85, J88	587260	1	8.45	PULLEY (3 grooves)
64	F85 V8 C.A.C. & P.S.	587260	1	8.45	PULLEY (3 grooves)
64	F85 V8, J88 exc. P.S. or C.A.C.	382420	1	3.38	PULLEY (1 groove)
64	F85 V8, J88 P.S. exc. C.A.C.	382417	1	4.31	PULLEY (2 grooves)

64-65	F85 V6 exc. C.A.C. or Spec. Cool. ....	1359065	1	2.41	PULLEY (1 groove) .....
64-65	F85 V6 C.A.C. or Spec. Cool. ....	1380956	1	3.90	PULLEY (2 grooves) .....
65	V8 C.A.C., Spec. Cool. ....	587260	1	8.45	PULLEY (3 grooves) .....
65	V8 exc. C.A.C., P.S. or Spec. Cool. ....	382420	1	3.38	PULLEY (1 groove) .....
65	V8 exc. C.A.C. or Spec. Cool. ....	382417	1	4.31	PULLEY (2 grooves) .....
66	L6 A.I.R. exc. C.A.C. or P.S. ....	3790356	1	4.56	PULLEY (2 groove) .....
66	L6 P.S. exc. C.A.C. or H.D. Cool. ....	3790356	1	4.56	PULLEY (2 groove) .....
66	L6 exc. P.S., C.A.C. H.D. Cool. or A.I.R. (*1) ....	3905995	1	2.61	PULLEY (1 groove) .....
66	(*1) NOTE When installing on 1966 models also use (1) 3720616 reinforcement.				
66	Tor. exc. C.A.C. or H.D. cool. ....	390207	1	6.90	PULLEY (2 groove) .....
66-67	F85 V8, 5200, 5600, 5800 exc. C.A.C., P.S., H.D. cool or A.I.R. ....	391113	1	3.38	PULLEY (1 groove) .....
66-67	F85 V8, 5200, 5400, 5600, 5800, 98 P.S. exc. C.A.C. H.D. Cool A.I.R. ....	390207	1	6.90	PULLEY (2 groove) .....
66-67	F85 V8, 5200, 5400, 5600, 5800, 98 A.I.R. exc. C.A.C. or H.D. cool ....	391433	1	8.60	PULLEY (3 groove) .....
66-67	V8 A.I.R. C.A.C., Spec. Cool. or H.D. Cool. exc. Tor. ....	391435	1	10.00	PULLEY (4 groove) .....
66-67	Tor. C.A.C. or H.D. cool. ....	389644	1	4.36	PULLEY (2 groove) .....
66-68	L6 C.A.C. or H.D. cool. ....	3906657	1	4.31	PULLEY (2 groove) .....
67	L6 A.I.R. exc. C.A.C., H.D. cool. or P.S. ....	3900434	1	4.51	PULLEY (2 groove) .....
73	L6 ....	483611	1	5.50	FAN (4 blades-17 <sup>5</sup> / <sub>8</sub> "") .....
73	All X 350 Eng. exc. C60 .	405442	1	6.40	FAN (4 blades-19" dia.) .....
73	All A, B, C 455 Eng. exc. C.A.C. or Y72 ....	405443	1	6.45	FAN (4 blades-19 <sup>1</sup> / <sub>2</sub> " dia.) .....
73	All E C.A.C. or Y72 ....	407999	1	18.75	FAN (7 blades-19" dia.) .....
67-68	L6 P.S. exc. C.A.C. or H.D. cool. ....	3900434	1	4.51	PULLEY (2 groove) .....
67-68	L6 exc. C.A.C. P.S. or A.I.R. ....	3905995	1	2.61	PULLEY (1 groove) .....
68-69	V8 exc. C.A.C., P.S., H.D. cool or O.A.I. ....	399399	1	3.69	PULLEY (1 groove) .....
68-69	V8 P.S. exc. C.A.C., H.D. cool. or O.A.I. ....	399401	1	4.92	PULLEY (2 groove) .....
68-69	V8 C.A.C., H.D. Cool. or Gen. ....	399404	1	7.50	PULLEY (3 groove) .....
68-69	F85 V8 O.A.I. or H.D. rad. ....	401462	1	14.65	PULLEY (2 groove) .....
69	L6 exc. C.A.C. or H.D. Cool. ....	3927796	1	4.46	PULLEY (1 groove) .....
69	L6 C.A.C. or H.D. cool. ....	3995648	1	4.41	PULLEY (2 groove) .....
69	L6 P.S. exc. C.A.C. or H.D. cool. ....	3927796	1	4.46	PULLEY (2 groove) .....
70-71	L6 exc. C.A.C. or H.D. Cool. ....	3995648	1	4.41	PULLEY (2 groove) .....
70	F85 V8 exc. C.A.C. H.D. Cool., H.D. Rad. or O.A.I. ....	405462	1	5.75	PULLEY (2 groove-7 <sup>5</sup> / <sub>16</sub> " dia.) .....
70	3200, 3600, 4200 H.D. Rad. ....	405461	1	4.82	PULLEY (2 grooves) .....
70	4400 O.A.I. exc. C.A.C. ....	405461	1	4.82	PULLEY (2 grooves) .....
70	V8 C.A.C., H.D. Cool. or Gen. exc. Tor. ....	399404	1	7.50	PULLEY (3 groove-6 1/8") .....
70-71	F85 V8 exc. C.A.C., P.S., H.D. Cool., O.A.I. or Perf. Eng. ....	391113	1	3.38	PULLEY (1 groove) .....
70-71	Exc. F85, Tor. C.A.C. or H.D. Cool. ....	405461	1	4.82	PULLEY (2 grooves) .....
70	Tor. exc. C.A.C. or H.D. Cool. ....	399401	1	4.92	PULLEY (2 groove) .....
70	Tor. C.A.C. or H.D. Cool. ....	406091	1	11.00	PULLEY (3 groove-5" dia.) .....
70-71	L6 C.A.C. or H.D. Cool. ....	3995646	1	4.61	PULLEY .....
71	3200, 3600 O.A.I. ....	405461	1	4.82	PULLEY (2 grooves) .....

71	3200, 3600, 4200 3.73 Perf. Axle exc. O.A.I. ....	405461	1	4.82	PULLEY (2 grooves) .....
71-72	F85 V8, Tor. P.S. exc. C.A.C., H.D. Cool or O.A.I. ....	405462	1	5.75	PULLEY (2 grooves-7 <sup>5</sup> / <sub>16</sub> " dia.) .....
71	4400 O.A.I. ....	405461	1	4.82	PULLEY (2 groove) .....
71	V8 C.A.C. or H.D. Cool ...	407534	1	7.45	PULLEY (3 grooves) .....
72	F85 V8 exc. C.A.C., P.S. or H.D. Cool. ....	391113	1	3.38	PULLEY (1 groove) .....
72	O.A.I. ....	405461	1	4.82	PULLEY (2 groove) .....
72	5400, 6400, 6800, 98 exc. C.A.C. or Y72 ....	405461	1	4.82	PULLEY (2 groove-7.37" dia.) .....
72	V8 C.A.C. or H.D. Cool. ...	409807	1	7.45	PULLEY (3 groove-5.75" dia.) .....
73*	All X 6 cyl. Opt. N47 ...	329671	1		PULLEY .....
73	All X, A, B, C, E 350, 455 Eng. exc. C.A.C. or Y72 .....	405461	1	4.82	PULLEY (2 groove-7.37" dia.) .....
73*	All X V8 Opt. C60 .....	412235	1		PULLEY (3 groove-7.89" dia.) .....
73*	All X 350 Eng. C.A.C. ....	412232	1		PULLEY (3 groove-5.67" dia.) .....
73*	All A Opt. C60 or Y72 ...	412235	1		PULLEY (3 groove-7.89" dia.) .....
73*	All A Opt. C60 or Y72 ...	412232	1		PULLEY (3 groove-5.67" dia.) .....
73*	BL, BN 350 Eng. exc. C.A.C. or Y72 .....	412234	1		PULLEY (3 groove-6.23" dia.) .....
73*	BL, BN 350 Eng. exc. C.A.C. or Y72 .....	412231	1		PULLEY (3 groove-7.32" dia.) .....
73*	BL, BN 350 Eng. C.A.C. or Y72 .....	412233	1		PULLEY (3 groove-5.67" dia.) .....
73*	BL, BN 350 Eng. C.A.C. or Y72 .....	412752	1		PULLEY (4 groove-7.949" dia.) .....
73*	All B, C 455 Eng. C.A.C., Y72 .....	412232	1		PULLEY (3 groove-5.67" dia.) .....
73*	All B, C 455 Eng. C.A.C., Y72 .....	412235	1		PULLEY (3 groove-7.89" dia.) .....
73	All E C.A.C. or Y72 .....	409807	1	7.45	PULLEY (3 groove-5.75" dia.) .....

### 1.062 BOLT-REINFORCEMENT, ENGINE FAN & WATER PUMP

70	L6 C.A.C. (8.900) .....	186634	4		BOLT, hub to clutch (5/16"-24 x 1") .....
70	F85 O.A.I., H.D. Cool. or Perf. Eng. (8.900) .....	186634	4		BOLT, hub to clutch (5/16"-24 x 1") .....
71	L6 C.A.C. or H.D. Cool (8.900) .....	186634	4		BOLT, hub to clutch .....
71	3200, 3600 O.A.I. (8.900) .....	186634	4		BOLT, hub to clutch .....
69	Exc. F85 or Tor. (8.900) .	180075	2		BOLT, crankshaft pulley to hub .....
70	V8 (8.900) .....	180075	2		BOLT, crankshaft pulley to hub .....

66-68	L6 exc. C.A.C., H.D. cool. or 1968 P.S. ....	3720616	1	.46	REINF., pulley (3 1/2" O.D. x 5/8" I.D.) .....
-------	---	---------	---	-----	--

### 1.062 PULLEY, FAN IDLER

59-60	C.A.C. ....	577217	1	13.70	PULLEY (3 3/4" dia. w/brg. & shaft) .....
-------	-------------	--------	---	-------	---

### 1.064 FAN ASSY., RADIATOR FAN

53	D.F. ....	575153	1	15.75	FAN (6 blades) .....
54-60	C.A.C. exc. 1957 .....	575153	1	15.75	FAN (6 blades) .....
59-62	Exc. C.A.C., Spec. Cool. or F85 .....	573389	1	5.85	FAN (4 blades) .....
61	F85 C.A.C. or Spec. Cool. ....	582755	1	16.15	FAN (7 blades) .....
61-62	Spec. Cool. exc. F85 .....	575153	1	15.75	FAN (6 blades) .....
61-63	F85 exc. C.A.C. or Spec. Cool. ....	1196736	1	4.31	FAN (4 blades) .....
61-63	C.A.C., Spec. Cool. exc. F85 .....	401372	1	17.95	FAN (6 blades) .....
62-63	F85 C.A.C. or Spec. Cool. ....	1239013	1	15.50	FAN (7 blades) .....
63-65	Exc. C.A.C., F85, or J88 .....	406016	1	6.00	FAN (4 blades) .....
64-65	V8 C.A.C., Spec. Cool. ...	401372	1	17.95	FAN (6 blades) .....
64-65	V6 exc. C.A.C. or Spec. Cool. ....	1353768	1	4.41	FAN (4 blades) .....
64-65	V6 C.A.C. or Spec. Cool. ....	1352344	1	16.55	FAN (7 blades) .....
64-65	330 Eng. exc. C.A.C. or Spec. Cool. ....	384089	1	4.72	FAN (4 blades) .....
65	F85 V8, J88 exc. C.A.C. or Spec. Cool. ....	406016	1	6.00	FAN (4 blades) .....
66-67	F85 V8 exc. 400 cu. in. Eng. C.A.C. or H.D. cool. ....	406016	1	6.00	FAN (4 blades-18" dia.) .....
66-67	V8 C.A.C., H.D. cool. W/A.I.R. exc. Tor. ....	401372	1	17.95	FAN (6 blades-19" dia.) .....

66-68	Tor. exc. C.A.C., H.D. Cool or Spec. Cool	401564	1	19.35	FAN (5 blades-17½" dia.)
66-67	Tor. C.A.C. or Y72	393996	1	17.30	FAN (7 blades-18" dia.)
66-67	L6 exc. C.A.C. or Y72	406016	1	6.00	FAN (4 blades-18" dia.)
66-68	L6 C.A.C. or Y72	3871276	1	9.95	FAN (5 blades-18" dia.)
66-69	400, 425, 455 Eng. exc. C.A.C., Y72, O.A.I., or Perf. Eng.	406016	1	6.00	FAN (4 blades-18" dia.)
68	L6 exc. C.A.C. or Y72	406016	1	6.00	FAN (4 blades-18" dia.)
68-69	F85 350 Eng. exc. C.A.C., Y72 or O.A.I.	406016	1	6.00	FAN (4 blades-18" dia.)
68-69	F85 V8 exc. C.A.C., Y72, 400 Eng. or O.A.I.	401564	1	19.35	FAN (5 blades-17½" dia.)
68-69	F85 O.A.I. exc. 455 Eng.	401372	1	17.95	FAN (6 blades-19" dia.)
68-70	V8 C.A.C., Y72 exc. Tor.	401372	1	17.95	FAN (6 blades-19" dia.)
68-70	Tor. C.A.C. or Y72	401371	1	19.55	FAN (7 blades-19" dia.)
69	L6 exc. C.A.C. or Y72	3927791	1	5.15	FAN (4 blades)
69	4400 T.H. 400 Perf.	401372	1	17.95	FAN (6 blades-19" dia.)
69	V.C. 400 Eng. exc. C.A.C. or Y72	406016	1	6.00	FAN (4 blades-18" dia.)
69	455 Eng. exc. C.A.C. or Y72	406016	1	6.00	FAN (4 blades-18" dia.)
69-71	L6 C.A.C. or Y72	393996	1	17.30	FAN (7 blades)
69	400 Eng. exc. C.A.C., Y72, O.A.I. or Perf. Eng.	406016	1	6.00	FAN (4 blades-18" dia.)
70-71	L6 exc. C.A.C. or Y72	483611	1	5.50	FAN (4 blades-17½" dia.)
70	F85 350 Eng. exc. C.A.C., Y72 or O.A.I.	405442	1	6.40	FAN (4 blades-19" dia.)
70	3200, 3600, 4200 350 Eng. Y72 exc. O.A.I.	401372	1	17.95	FAN (6 blades-19")
70	3200, 3600, 4400 O.A.I.	401372	1	17.95	FAN (6 blades-19" dia.)
70	4200, 4400, 4800 455 Eng. exc. C.A.C. or Y72	405443	1	6.45	FAN (4 blades-19½" dia.)
70	Exc. F85, Tor. C.A.C. or Y72	405443	1	6.45	FAN (4 blades-19½" dia.)
70	Tor. exc. C.A.C. or Y72	406016	1	6.00	FAN (4 blades-18" dia.)
71	350 Eng. exc. C.A.C., Y72 or 3.73 Perf. Axle	405442	1	6.40	FAN (4 blades-19" dia.)
71	4400 C.A.C., Y72 or O.A.I.	409740	1	17.70	FAN (6 blades-19½" dia.)
71	5400 350 Eng. C.A.C. or Y72	409740	1	17.70	FAN (6 blades—19½" dia.)
71	4800 2 BC 455 Eng. exc. C60 or Y72	405443	1	6.45	FAN (4 blades-19½" dia.)
71	4200, 4800 4 BC 455 Eng. exc. C60 or Y72	405443	1	6.45	FAN (4 blades-19½" dia.)
71	4400 exc. C60, Y72 or O.A.I.	405443	1	6.45	FAN (4 blades-19½" dia.)
71	V8 C.A.C. or Y72 exc. Tor. or 4400	405762	1	17.95	FAN (6 blades-19½" dia.)
71-73	Tor. exc. C.A.C. or Y72	409109	1	5.78	FAN (5 blades-19" dia.)
71-72	Tor. C.A.C. or Y72	407999	1	18.75	FAN (7 blades-19" dia.)
72	F85 455 Eng. C60 or Y72	409740	1	17.70	FAN (6 blades-19½" dia.)
72	3200, 3600, 4200 455 Eng. O.A.I.	409740	1	17.70	FAN (6 blades-19½" dia.)
72	350 Eng. exc. C.A.C. or Y72	405442	1	6.40	FAN (4 blades-19" dia.)
72	5400, 6400 350 Eng. C.A.C. or Y72	409740	1	17.70	FAN (6 blades-19½" dia.)
72	455 Eng. exc. Tor., O.A.I., C.A.C. or Y72	405443	1	6.45	FAN (4 blades-19½" dia.)
72	455 Eng. C.A.C., Y72 exc. F85 or Tor.	405762	1	17.95	FAN (6 blades-19½" dia.)

### 1.064 BOLT-SPACER-STUD, RADIATOR FAN ATTACHING

61-62	Spec. Cool. exc. F85 (0.349)	566658	4	.20	BOLT
67-68	Tor. exc. H.D. cool., C.A.C. or A.I.R. (8.900)	181351	4	.10	BOLT, fan to hub
68	F85 V8 exc. H.D. cool. or C.A.C. (8.900)	181351	4	.10	BOLT, fan to hub
69-70	V8 exc. C.A.C., H.D. Cool. or O.A.I. (8.900)	181351	4	.10	BOLT, fan to hub (5/16"-24 x 3")
70	5400, 6400, 6600, 98 (8.900)	433099	4	.30	BOLT, fan to hub

71-72	F85, Tor V8 exc. C.A.C., H.D. Cool or O.A.I. (8- 900) .....	181351	4	.10	BOLT, fan to hub .....
71-72	5400, 6400, 6800, 98 exc. C.A.C. or H.D. Cool (8.900) .....	433099	4	.30	BOLT, fan to hub .....
68-72	C.A.C., H.D. Cool. (8.900)	9422550	4	.10	BOLT, fan to clutch ( $\frac{5}{16}$ "-18 x $\frac{1}{16}$ ") .....
73*	All A exc. C60 or Y72 .....	273010	4		BOLT, fan, spacer & pulley to hub- $\frac{5}{16}$ "-24 x $5\frac{1}{2}$ " .....
63-65	Exc. C.A.C., F85, J88 .....	587320	1	2.05	SPACER ( $1\frac{55}{64}$ " thick) .....
64	V6 .....	1361930	1	1.95	SPACER ( $2\frac{23}{64}$ " O.D.) .....
64-65	F85 V8 exc. C.A.C. or Spec. Cool. ....	382521	1	1.44	SPACER ( $2\frac{1}{2}$ " O.D.) .....
65	J88 exc. C.A.C. or Spec. Cool. ....	587320	1	2.05	SPACER ( $1\frac{55}{64}$ " thick) .....
65	V6 exc. C.A.C. ....	1361930	1	1.95	SPACER ( $2\frac{23}{64}$ " O.D.) .....
66	All exc. C.A.C. or H.D. cool. ....	587320	1	2.05	SPACER ( $1\frac{55}{64}$ " thick) .....
67	V8 A.I.R. exc. C.A.C. or H.D. cool. ....	587320	1	2.05	SPACER ( $1\frac{55}{64}$ " thick) .....
67-68	L6 exc. C.A.C. or H.D. cool. ....	587320	1	2.05	SPACER ( $1\frac{55}{64}$ " thick) .....
67-68	V8 exc. C.A.C., H.D. cool., A.I.R. or 1968 O.A.I. ....	397668	1	2.26	SPACER ( $2\frac{7}{64}$ " thick) .....
69-71	L6 exc. C.A.C. or H.D. Cool. ....	3927794	1	1.85	SPACER .....
69	V8 exc. C.A.C., H.D. Cool., O.A.I. or 400 Perf., Eng. ....	403635	1	2.67	SPACER ( $2\frac{7}{64}$ " thick) .....
70	F85 V8, Tor. exc. C.A.C., H.D. Cool., O.A.I. or 400 Perf. Eng. ....	403635	1	2.67	SPACER ( $2\frac{7}{64}$ " thick) .....
70-72	Exc. F85, Tor. C.A.C. or H.D. Cool. ....	405023	1	2.77	SPACER ( $3\frac{3}{32}$ " thick) .....
71	F85 V8 exc. C.A.C., H.D. Cool O.A.I. or 3.73 Perf. Axle .....	403635	1	2.67	SPACER .....
71	Tor. exc. C.A.C., H.D. Cool .....	403635	1	2.67	SPACER .....
72	F85 V8, Tor. exc. C.A.C., H.D. Cool. or O.A.I. ....	403635	1	2.67	SPACER .....
73	All X, E V8 exc. C.A.C. or Y72 .....	403635	1	2.67	SPACER .....
73*	All A exc. Opt. C60, Y72 .....	413061	1		SPACER .....
73	All B, C exc. C.A.C. or Y72 .....	405023	1	2.77	SPACER .....
62-63	F85 C.A.C. or Spec. Cool (1.050) .....	1364760	4	.17	STUD, fan clutch to hub .....
64	V8, C.A.C., Spec. Cool. (*1) (3.901) .....	402720	4	.10	STUD, fan clutch to hub ( $\frac{5}{16}$ " x $1\frac{1}{4}$ ") .....
65	F85 V8 C.A.C. (3.901) .....	402720	4	.10	STUD, fan clutch to hub ( $\frac{5}{16}$ " x $1\frac{1}{4}$ ") .....
(*1) Used on all 1964-F85 V8 series and 1964 2nd type D88, S88, J/Star I, S/Fire and 98 series.					
<b>1.066 BELTS, FAN &amp; DELCOTRON DRIVE</b>					
52-58	Exc. 55-58 w/C.A.C. ....	399628	1	4.25	BELT ( $\frac{3}{8}$ " x $57\frac{1}{2}$ ") .....
59-60	Exc. C.A.C. ....	384423	1	4.56	BELT, Code LF ( $\frac{3}{8}$ " x $58\frac{1}{2}$ ") .....
61	F85 2nd type .....	582057	1	2.87	BELT ( $\frac{3}{8}$ " x $42\frac{7}{8}$ "-use w/ $6\frac{5}{64}$ " fan pulley) .....
61-62	Exc. C.A.C. or F85 .....	579488	1	3.18	BELT ( $\frac{3}{8}$ " x $59\frac{1}{2}$ ") .....
61-62	88 Police w/60 Amp. Delcotron .....	401475	1	4.56	BELT ( $\frac{3}{8}$ " x $60\frac{3}{4}$ ") .....
62	F85 exc. C.A.C. 1st type .....	582057	1	2.87	BELT ( $\frac{3}{8}$ " x $42\frac{7}{8}$ "-use w/ $6\frac{5}{64}$ " fan pulley) .....
62	F85 J/Fire C.A.C. ....	582057	1	2.87	BELT ( $\frac{3}{8}$ " x $42\frac{7}{8}$ "-use w/ $6\frac{5}{64}$ " fan pulley) .....
62	394 Eng. Police w/52 Amp. Delcotron .....	384423	1	4.56	BELT, Code LF ( $\frac{3}{8}$ " x $58\frac{1}{2}$ ") .....
62	F85 exc. C.A.C. or Spec. Cool. 2nd type .....	587000	1	3.49	BELT ( $\frac{3}{8}$ " x $44$ "-notched-use w/ $6\frac{3}{4}$ " fan pulley) .....
62	F85 C.A.C., Spec. Cool. exc. J/Fire .....	585113	1	3.28	BELT ( $\frac{3}{8}$ " x $41\frac{7}{8}$ ") .....
63	F85 exc. C.A.C. or Spec. Cool. ....	587199	1	3.74	BELT ( $\frac{3}{8}$ " x $43\frac{3}{16}$ ") .....
63	F85 C.A.C., Spec. Cool. exc. J/Fire .....	587694	1	3.74	BELT ( $\frac{3}{8}$ " x $41\frac{3}{8}$ ") .....
63	F85 J/Fire C.A.C. or Spec. Cool. ....	587695	1	2.97	BELT ( $\frac{3}{8}$ " x $42\frac{7}{16}$ ") .....
63	394 Eng. exc. C.A.C. ....	3932330	1	3.38	BELT ( $52\frac{1}{2}$ ") .....



64	394 Eng. exc. C.A.C. or 52 Amp. Delcotron	3932330	1	3.38	BELT (52 1/2")
64	394 Eng. 55 Amp. Delcotron exc. C.A.C.	386210	1	4.10	BELT (3/8" x 53 1/4")
64-65	V6	3935421	1	4.20	BELT (3/8" x 44)
64-65	330 Eng. exc. C.A.C., Spec. Cool. or 1965 442 Opt.	3887104	1	3.18	BELT, Code LA (3/8" x 49")
64	F85 V8 C.A.C. & Spec. Cool w/P.S.	3909819	1	3.33	BELT (49 1/2")
64	F85 V8 C.A.C. exc. P.S.	384424	1	6.65	BELT, Code LE (3/8" x 49 3/4")
64	J88 C.A.C., Spec. Cool.	3909819	1	3.33	BELT (49 1/2")
65	330 Eng. Spec. Cool.	3909819	1	3.33	BELT (49 1/2")
65	425 Eng. C.A.C. & P.S.	3909819	1	3.33	BELT (49 1/2")
65	400 Eng. C.A.C. & P.S.	3909819	1	3.33	BELT (49 1/2")
65	F85 330 Eng. C.A.C. exc. P.S.	386060	1	7.05	BELT, Code LL (3/8" x 48 3/16")
65	400 Eng. C.A.C. exc. P.S.	384424	1	6.65	BELT, Code LE (3/8" x 49 3/4")
65	F85 330 Eng. C.A.C. & P.S.	539130	1	3.38	BELT
65	J88 C.A.C.	539130	1	3.38	BELT
65	400, 425 Eng. exc. Spec. Cool. or C.A.C.	386062	1	3.43	BELT, Code LI (3/8" x 50 13/16")
65	400, 425 Eng. Spec. Cool.	3881871	1	3.38	BELT
66	F85 400 cu. in. Eng. A.I.R. exc. C.A.C. or H.D. cool.	406083	1	4.25	BELT, Code LS (48 3/4")
66	F85 400 cu. in. eng. H.D. cool. w/A.I.R.	3909819	1	3.33	BELT (49 1/2")
66	F85 400 cu. in. eng. P.S. w/C.A.C. & A.I.R.	3909819	1	3.33	BELT (49 1/2")
66	F85 400 cu. in. eng. C.A.C. w/A.I.R.	3909819	1	3.33	BELT (49 1/2")
66	F85 400 cu. in. eng. P.S. w/C.A.C.	3909819	1	3.33	BELT (49 1/2")
66-69	L6 exc. C.A.C. or H.D. Cool.	9778556	1	3.64	BELT (38 7/8")
66-70	L6 C.A.C., H.D. Cool. exc. P.S. or A.I.R.	3850801	1	3.18	BELT
66-70	L6 C.A.C. w/P.S. or A.I.R.	3946009	1	2.82	BELT (31 1/8") (delcotron only)
66-67	F85 330 cu. in. Eng. or A.I.R.	391445	1	3.95	BELT, Code LO (47")
66-67	F85 330 Eng. C.A.C. & P.S.	391445	1	3.95	BELT, Code LO (47")
66-67	F85, 5200 330 cu. in. Eng. H.D. cool. W/A.I.R.	391445	1	3.95	BELT, Code LO (47")
66-67	F85 330 cu. in. Eng. C.A.C. exc. A.I.R. or P.S.	391444	1	6.90	BELT SET, Code LP (matched 47")
66-67	330 Eng. A.I.R. exc. C.A.C. or H.D. cool.	391210	1	3.95	BELT, Code LR (46")
66-67	F85, 5200 330 cu. in. eng. H.D. cool. exc. A.I.R.	3909819	1	3.33	BELT (49 1/2")
66-67	330 Eng. P.S. exc. C.A.C. or A.I.R.	3909819	1	3.33	BELT (49 1/2")
66-67	330 Eng. w/A.I.R. & C.A.C. or H.D. Cool.	391445	1	3.95	BELT, Code LO (47")
66-67	F85 5200 330 cu. in. eng. std. car	3909819	1	3.33	BELT (49 1/2")
66-67	F85 400 cu. in. Eng. P.S. exc. C.A.C. or A.I.R.	3881871	1	3.38	BELT
66-67	F85 400 cu. in. Eng. std. car	3881871	1	3.38	BELT
66-67	5200 C.A.C.	391445	1	3.95	BELT, Code LO (47")
66-67	5200 A.I.R. exc. C.A.C. or H.D. cool.	3881871	1	3.38	BELT
66-67	5400, 5600, 5800, 98 H.D. cool. w/A.I.R. exc. 1967 Calif. hwy. patrol	3909819	1	3.33	BELT (49 1/2")
66-67	5400, 5600, 5800, 98 A.I.R. exc. C.A.C. or H.D. Cool.	406083	1	4.25	BELT, Code LS (48 3/4")
66-67	5400, 5600, 5800, 98 std. car or P.S. only	3881871	1	3.38	BELT

66-67	5400, 5600, 5800, 98 H.D. cool. exc. A.I.R. ....	3881871	1	3.38	BELT .....
66-67	5400, 5600, 5800, 98 P.S. w/C.A.C. ....	3909819	1	3.33	BELT (49 $\frac{1}{2}$ "') .....
66-67	Tor. exc. C.A.C. ....	3881871	1	3.38	BELT .....
66-67	Tor. C.A.C. ....	6263720	1	3.95	BELT (50"') .....
67	F85 400 cu. in. Eng. H.D. cool. W/A.I.R. ....	3921934	1	2.82	BELT .....
67	F85 400 cu. in. Eng. C.A.C. exc. P.S. or A.I.R. ....	395886	1	6.65	BELT SET, Code MK (matched 48"') .....
67	F85 400 cu. in. Eng. C.A.C. W/P.S. or A.I.R. ....	3921934	1	2.82	BELT .....
67	F85 400 cu. in. Eng. A.I.R. exc. C.A.C. or H.D. cool. ....	395883	1	3.90	BELT, Code MG (47 $\frac{1}{4}$ "') .....
67	5669 Calif. Hwy. Patrol ..	399486	1	6.30	BELT SET, Code ML (49 $\frac{5}{8}$ "') .....
68-70	350 Eng. exc. C.A.C. or H.D. Cool .....	399596	1	4.10	BELT, Code MO (49"') .....
68-70	F85 350 Eng. C.A.C. exc. P.S. ....	391213	1	4.10	BELT (54 $\frac{19}{32}$ "') .....
68-69	350 Eng. C.A.C. W/P.S. ....	3878292	1	4.10	BELT (55 $\frac{1}{4}$ "') .....
68-69	350 Eng. H.D. cool. exc. C.A.C. ....	399597	1	4.10	BELT, Code MP (49 $\frac{7}{8}$ "') .....
68-72	400, 455 Eng. exc. C.A.C., H.D. Cool or E.W.D. ....	9779019	1	3.74	BELT (51 $\frac{1}{2}$ "') .....
68-69	400 Eng. C.A.C. exc. P.S. ....	399628	1	4.25	BELT, Code MU (57 $\frac{1}{2}$ "') .....
68-69	455 Eng. C.A.C. exc. E.W.D. ....	399628	1	4.25	BELT, Code MV (57 $\frac{1}{2}$ "') .....
68-69	400 Eng. C.A.C., P.S. ....	399628	1	4.25	BELT, Code MV (57 $\frac{1}{2}$ "') .....
68-69	400, 455 Eng. H.D. Cool exc. C.A.C. or 98 & Tor. w/E.W.D. ....	399599	1	4.10	BELT, Code MR (52 $\frac{1}{4}$ "') .....
69	Tor. C.A.C. & E.W.D. ....	405089	1	4.25	BELT (57 9/16"') .....
69	98, Tor. H.D. Cool & E.W.D. exc. C.A.C. ....	405153	1	4.10	BELT, Code MB (52 $\frac{17}{64}$ "') .....
69-71	455 Eng. E.W.D. exc. C.A.C. or H.D. Cool. ....	406084	1	4.46	BELT, Code LV (51 $\frac{3}{8}$ "') .....
70-71	L6 exc. C.A.C., H.D. Cool or E.W.D. ....	3845644	1	2.99	BELT (39"') .....
70	F85 350 Eng. w/P.S. & C.A.C. ....	406086	1	4.51	BELT, Code LY (55"') .....
70	455 Eng. Police C.A.C. ....	399628	1	4.25	BELT, Code MV (57 $\frac{1}{2}$ "') .....
70	F85 455 Eng. C.A.C., P.S. ....	399628	1	4.25	BELT, Code MV (57 $\frac{1}{2}$ "') .....
70	F85 455 Eng. C.A.C. exc. P.S. ....	399628	1	4.25	BELT, Code MU (57 $\frac{1}{2}$ "') .....
70	F85 350 Eng. H.D. Cool. exc. C.A.C. ....	399597	1	4.10	BELT, Code MP (49 $\frac{7}{8}$ "') .....
70	5400 350 Eng. H.D. Cool. exc. C.A.C. or Police .....	406083	1	4.25	BELT, Code LW (49"') .....
70	5400 350 Eng. C.A.C. exc. Police .....	405596	1	4.36	BELT, Code LG (55 $\frac{1}{2}$ "') .....
70	5400 350 Eng. E.W.D. exc. C.A.C. or H.D. Cool. ....	405593	1	4.25	BELT, Code LB (48 $\frac{3}{4}$ "') .....
70	5400 350 Eng. Police exc. C.A.C. ....	399597	1	4.10	BELT, Code MP (49 $\frac{7}{8}$ "') .....
70	5400 350 Eng. Police w/C.A.C. ....	406086	1	4.51	BELT, Code LY (55"') .....
70	F85 455 Eng. H.D. Cool. exc. C.A.C. ....	399599	1	4.10	BELT, Code MR (52 $\frac{1}{4}$ "') .....
70	5400, 6400, 6600, 98 455 Eng. H.D. Cool. exc. C.A.C. or Police ...	405595	1	4.36	BELT, Code LE (53 $\frac{3}{8}$ "') .....
70	5400, 6400, 6600, 98 455 Eng. C.A.C. exc. Police .....	405600	1	4.61	BELT, Code LM (57 $\frac{1}{8}$ "') .....
70	455 Eng. Police H.D. Cool. exc. C.A.C. ....	399599	1	4.10	BELT, Code MR (52 $\frac{1}{4}$ "') .....
70-71	Tor. H.D. Cool. exc. C.A.C. ....	406084	1	4.46	BELT, Code LV (51 $\frac{3}{8}$ "') .....
70-71	Tor. C.A.C. ....	406082	1	4.61	BELT, Code LX .....

71	L6 H.D. Cool. exc. C.A.C.	409069	1	3.33	BELT, Code LS (37 <sup>39</sup> / <sub>64</sub> " )
71	L6 E.W.D. exc. C.A.C. or Y72	409068	1	3.33	BELT, Code LR (38 <sup>39</sup> / <sub>64</sub> " )
71	L6 C.A.C. exc. P.S.	409069	1	3.33	BELT, Code LS (37 <sup>39</sup> / <sub>64</sub> " )
71	L6 C.A.C. & P.S.	409070	1	3.02	BELT, Code LT (31")
71-72	350 Eng. exc. C.A.C., Y72 or C49	399596	1	4.10	BELT, Code LG (49")
71	F85 350 Eng. Y72 exc. C.A.C. or C49	406085	1	4.10	BELT, Code MT (49 <sup>1</sup> / <sub>4</sub> " )
71	F85 455 Eng. Y72 exc. C.A.C. or C49	395884	1	3.90	BELT, Code MJ (51 <sup>41</sup> / <sub>64</sub> " )
71	F85 350 Eng. C.A.C. exc. C49	391213	1	4.10	BELT (54 <sup>19</sup> / <sub>32</sub> " )
71	F85 455 Eng. C.A.C. exc. C49	399628	1	4.25	BELT, Code MU (57 <sup>1</sup> / <sub>2</sub> " )
71-72	F85 455 Eng. C.A.C., Y72 & C49	406082	1	4.61	BELT, Code LX
71	3200, 3669-77-87, 4239-57, 5400 350 Eng. C49 exc. C.A.C. or Y72	405593	1	4.25	BELT, Code LB (48 <sup>3</sup> / <sub>4</sub> " )
71	3200, 3600, 4200 350 Eng. Y72 & C49 exc. C.A.C.	408312	1	4.10	BELT, Code MF (49")
71	3200, 3600, 4200 350 Eng. C.A.C. or Y72 & C49	408313	1	4.31	BELT, Code MG (54 <sup>3</sup> / <sub>8</sub> " )
71	5400 350 Eng. C.A.C. exc. 60 Amp. gen.	408313	1	4.31	BELT, Code MG (54 <sup>3</sup> / <sub>8</sub> " )
71	5400 350 Eng. Y72 exc. C.A.C. or 60 Amp. gen.	408312	1	4.10	BELT, Code MF (49")
71	5400 350 Eng. Y72 & 60 Amp. gen. exc. C.A.C.	406085	1	4.10	BELT, Code MT (49 <sup>1</sup> / <sub>4</sub> " )
71	5400 350 Eng. C.A.C. & 60 Amp. gen.	391213	1	4.10	BELT (54 <sup>19</sup> / <sub>32</sub> " )
71	5400, 6400, 6600, 6800, 98 455 Eng. Y72 & 60 Amp. gen. exc. C.A.C.	395884	1	3.90	BELT, Code MJ (51 <sup>41</sup> / <sub>64</sub> " )
71	5400, 6400, 6600, 6800, 98 455 Eng. C.A.C. & 60 Amp. Gen.	399628	1	4.25	BELT, Code MU (57 <sup>1</sup> / <sub>2</sub> " )
71	455 Eng. C.A.C. exc. F85, Tor. or 60 Amp. Gen.	406082	1	4.61	BELT, Code LX (56 <sup>17</sup> / <sub>16</sub> " )
71	455 Eng. C49 exc. C.A.C., Y72	406084	1	4.46	BELT, Code LV (51 <sup>3</sup> / <sub>8</sub> " )
71	455 Eng. Y72 exc. F85, Tor., C.A.C. or 60 Amp. Gen.	406084	1	4.46	BELT, Code LV (51 <sup>3</sup> / <sub>8</sub> " )
72	F85 350 Eng. C49 or C60	411234	1	4.31	BELT, Code LP (58 <sup>1</sup> / <sub>2</sub> " )
72	F85 350 S.T. C49 & Y72 exc. C60	411233	1	4.05	BELT, Code LN (49 <sup>3</sup> / <sub>4</sub> " )
72	F85 350 Eng. C49 & C60 exc. 3.23 axle	408310	1	3.79	BELT (56 <sup>3</sup> / <sub>8</sub> " )
72	F85, 5400, 6400 350 Eng. w/C49 exc. C60 or Y72	405593	1	4.25	BELT (48 <sup>3</sup> / <sub>4</sub> " )
72	350 Eng. w/Y72 or C49 exc. C.A.C.	6263720	1	3.95	BELT (50")
72	3200, 3600, 4200 455 Eng. C49 exc. C60 or Y72	406084	1	4.46	BELT
72	F85 455 Eng. T.H. C49 & Y72 exc. C.A.C. or 3.23 axle	411232	1	4.10	BELT, Code LL (52 <sup>1</sup> / <sub>2</sub> " )
72	F85 455 Eng. Y72 exc. C.A.C. or C49	411232	1	4.10	BELT, Code LL (52 <sup>1</sup> / <sub>2</sub> " )
72	F85 C60 & 455 Eng. exc. C49	411236	1	4.51	BELT, Code LU (58 <sup>1</sup> / <sub>2</sub> " )
72	F85 455 Eng. 4/S S.T. Y72 & C49 exc. C.A.C.	405153	1	4.10	BELT (52 <sup>17</sup> / <sub>64</sub> " )
72	F85 3.23 axle, T.H. 400, C49 & Y72 exc. C.A.C.	405153	1	4.10	BELT (52 <sup>17</sup> / <sub>64</sub> " )
72	F85 3.23 Axle & T.H. 400, C.A.C. & C49	411234	1	4.31	BELT, Code LP (58 <sup>1</sup> / <sub>2</sub> " )

72	5400, 6400, 6800, 98 w/63 Amp. Gen. & C.A.C. ....	411234	1	4.31	BELT, Code LP (58½") .....
72	5400, 6400 350 Eng. Y72 & 63 Amp. Gen. exc. C.A.C. ....	411233	1	4.05	BELT, Code LN (49¾") .....
72	5400, 6400 350 Eng. C.A.C. exc. 63 Amp. Gen. ....	408310	1	3.79	BELT (56⅝") .....
72	5400, 6400 350 Eng. Y72 exc. C.A.C. or 60 Amp. Gen. ....	408312	1	4.10	BELT (49") .....
72	5400, 6400, 6800, 98 Y72 exc. C.A.C. ....	405153	1	4.10	BELT (52 <sup>17</sup> / <sub>64</sub> ") .....
72	5400, 6400 350 Eng. C.A.C. exc. 60 Amp. Gen. ....	408313	1	4.31	BELT (54⅜") .....
72	5400, 6400 350 Eng. C.A.C. & 60 Amp. Gen.	391213	1	4.10	BELT (54 <sup>19</sup> / <sub>32</sub> ") .....
72	455 Eng. E.W.D. exc. C.A.C., Y72 or 60 Amp. Gen. ....	406084	1	4.46	BELT .....
72	5400, 6400, 6800, 98 455 Eng. Y72 exc. C.A.C. or 63 Amp. Gen.	411232	1	4.10	BELT, Code LL (52½") .....
72	5400, 6400, 6800, 98 455 C.A.C. Eng. exc. Pol. ....	411236	1	4.51	BELT, Code LU (58½") .....
72	6800 C.A.C. exc. C49 ...	411234	1	4.31	BELT, Code LP (58½") .....
72	Tor. Y72 exc. C.A.C. ....	411232	1	4.10	BELT, Code LL (52½") .....
72	Tor. C.A.C. ....	411236	1	4.51	BELT, Code LU (58½") .....
73*	All X L6 .....	329654	1		BELT .....
73	All X, A 350 Eng. exc. C49, C60 or Y72 .....	399596	1	4.10	BELT (49") .....
73	All X 350 Eng. Opt. C60 ..	408310	1	3.79	BELT (56⅝") .....
73	All A Opt. L34 & Y72 exc. C60 .....	6263720	1	3.95	BELT (50") .....
73	AF, AG, AJ 29-57 350 Eng. Opt. C49 exc. C60, Y72 .....	405593	1	4.25	BELT (48 <sup>3</sup> / <sub>4</sub> ") .....
73	All A 350 Eng. Opt. C60 ..	408310	1	3.79	BELT (56⅝") .....
73	All A 350 Eng. Opt. C49, Y72, M15, M20 exc. C60 .....	411233	1	4.05	BELT (49 <sup>3</sup> / <sub>4</sub> ") .....
73	All A 455 Eng. 4 BC Opt. Y72 exc. C60 .....	411232	1	4.10	BELT, Code LL (52½") .....
73	AF, AG, AJ29-57, B, C, E 455 Eng. Opt. C49 exc. C60, C61, Y72 .....	406084	1	4.46	BELT (51 <sup>3</sup> / <sub>8</sub> ") .....
73	All A 455 Opt. M40 exc. G91 .....	411236	1	4.51	BELT, Code LU (58½") .....
73	BL, BN Opt. L33 exc. C49, C60, C61 or Y72 ..	391213	1	4.10	BELT (54 <sup>19</sup> / <sub>32</sub> ") .....
73	BL, BN Opt. L33 & C49 exc. C60, C61 or Y72 ..	405596	1	4.36	BELT .....
73	BL, BN Opt. L33 & C60, C61 or Y72 .....	408310	1	3.79	BELT (56⅝") .....
73	All B, C 455 Eng. 4 BC Opt. Y72 exc. C60, C61 .....	411232	1	4.10	BELT, Code LL (52½") .....
73	455 Eng. exc. Opt. C49, C60, C61 or Y72 .....	9779019	1	3.74	BELT (51½") .....
73	All B, C, E 455 Eng. ....	411236	1	4.51	BELT, Code LU (58½") .....
73	All E Opt. Y72 exc. C60, C61 .....	411232	1	4.10	BELT, Code LL (52½") .....

### 1.066 BELTS, POWER STEERING PUMP DRIVE

52	P.S. ....	3861952	1	4.00	BELT (⅜" x 56¼") .....
53-56	P.S. ....	399628	1	4.25	BELT (⅜" x 57½") .....
57	P.S. ....	3861952	1	4.00	BELT (⅜" x 56¼") .....
5B	P.S., C.A.C. exc. Air/R ..	384423	1	4.56	BELT, Code LF (⅜" x 58½") .....
58	P.S. exc. C.A.C. ....	3861952	1	4.00	BELT (⅜" x 56¼") .....
59-60	P.S., C.A.C. exc. Air/R ..	587259	1	4.25	BELT (⅜" x 66½") .....
59-60	P.S. exc. C.A.C. or Air/R ..	574570	1	4.46	BELT (⅜" x 64") .....
61-62	P.S. exc. F85, C.A.C. or Spec. Cool. ....	579619	1	3.49	BELT (⅜" x 64½") .....
61-62	P.S., C.A.C. exc. F85 .....	574570	1	4.46	BELT (⅜" x 64") .....
61-63	F85 P.S. ....	3935421	1	4.20	BELT (⅜" x 44") .....

61-63	F85	3935421	1	4.20	BELT (44")
63-65	394,425 Eng. P.S. exc. C.A.C. or Spec. Cool.	9782709	1	4.61	BELT, Code LM (3/8" x 61 1/8")
63-64	394 Eng. P.S. C.A.C.	386064	1	4.25	BELT, Code LK (3/8" x 64")
64	J88 P.S. exc. C.A.C.	382618	1	3.18	BELT (3/8" x 50 3/8")
64	J88 P.S., C.A.C. or 55 Amp. Delcotron	382619	1	3.59	BELT (3/8" x 52 3/8")
64-65	V6 P.S.	1375404	1	4.36	BELT (29/64" x 53")
64	F85 V8 P.S. exc. C.A.C., Spec. Cool.	382644	1	3.69	BELT, Code LC (3/8" x 59 1/2")
64	F85 V8 P.S., C.A.C., Spec. Cool.	382645	1	4.10	BELT, Code LD (3/8" x 61")
65	400, 425 Eng. C.A.C. or Spec. Cool.	386066	1	4.36	BELT, Code LL (3/8" x 63 1/2")
65	400 Eng. P.S. exc. C.A.C. or Spec. Cool.	9782709	1	4.61	BELT
66-71	L6 P.S.	3909819	1	3.33	BELT (49 5/8")
65-67	330 Eng. exc. C.A.C. or H.D. cool	382644	1	3.69	BELT, Code LC (59 1/2")
65-67	330 Eng. P.S. W/C.A.C. or H.D. cool	382645	1	4.10	BELT, Code LD (61")
66-67	F85 400 cu. in. Eng. P.S. exc. C.A.C. or H.D. cool.	9782709	1	4.61	BELT
66-67	400 Eng. P.S. W/C.A.C. or H.D. cool	386066	1	4.36	BELT, Code LL (63 1/2")
66-67	5400, 5600, 5800, 98 P.S. exc. C.A.C. or H.D. cool.	9782709	1	4.61	BELT
66-67	5400, 5600, 5800, 98 P.S. W/C.A.C. or H.D. cool.	386066	1	4.36	BELT, Code LL (63 1/2")
66-67	Tor. P.S. exc. C.A.C. H.D. cool. or A.I.R.	3861956	1	3.64	BELT
66-67	Tor. P.S. C.A.C. or H.D. cool. exc. A.I.R.	401475	1	4.56	BELT, Code MZ (60 1/2")
68-72	V8 exc. C.A.C. or H.D. Cool.	3935421	1	4.20	BELT (44")
68-69	V8 C.A.C. or H.D. cool	1374979	1	3.13	BELT (45")
70	L6 C.A.C., H.D. Cool.	3887104	1	3.18	BELT (48 1/2")
70	V8 C.A.C., H.D. Cool. exc. Tor.	1374979	1	3.13	BELT (45")
70	Tor. C.A.C. or H.D. Cool.	3851318	1	2.97	BELT, Code LA (44 1/2")
71	L6 P.S. & C.A.C. or H.D. Cool.	3845648	1	2.90	BELT
71	L6 P.S. exc. C.A.C. or H.D. Cool.	3850994	1	2.80	BELT
71	V8 C.A.C. or H.D. Cool.	3851318	1	2.97	BELT, Code LA (44 1/2")
72	V8 C.A.C. or H.D. Cool.	1374979	1	3.13	BELT (45")
73*	All X 6 cyl.	9433647	1		BELT
73	V8 exc. C.A.C. or Y72	3935421	1	4.20	BELT (44")
73	V8 C.A.C. or Y72	1374979	1	3.13	BELT (45")

### 1.066 BELTS, C.A.C., COMPRESSOR DRIVE

57-61	C.A.C. exc. F85	569995	1	9.75	BELT (3/8" x 65 29/32")
58-60	C.A.C.	572409	1	9.75	BELT SET (3/8" x 68")
61-63	F85 C.A.C.	580262	1	2.97	BELT (3/8" x 37 1/2")
62	C.A.C. w/Generator exc. F85	583962	1	9.75	BELT (3/8" x 66 1/2")
62	C.A.C. w/Delcotron exc. F85	585448	1	9.75	BELT (3/8" x 67 1/2")
63-64	394 Eng. C.A.C.	585448	1	9.75	BELT (3/8" x 67 1/2")
64	V6 C.A.C.	1363785	1	5.35	BELT (29/64" x 57 2/64")
64	J88 C.A.C.	382617	1	4.61	BELT (3/8" x 59 7/8")
64-65	F85 330 Eng.	384423	1	4.56	BELT, Code LF (3/8" x 58 1/2")
64-67	F85 330 cu. in. Eng.	384423	1	4.56	BELT, Code LF (58 1/2")
65	V6 C.A.C.	6263716	1	4.96	BELT
65	400 Eng.	382645	1	4.10	BELT, Code LD (3/8" x 61")
65	J88 C.A.C.	398929	1	4.61	BELT, Code LI (63")
65	425 Eng.	390424	1	5.02	BELT, Code LK (3/8" x 65 1/4")
66-67	L6 C.A.C.	3861946	1	3.54	BELT (53 3/8")
66-67	F85 400 cu. in. Eng.	382645	1	4.10	BELT, Code LD (61")
66-67	5200 C.A.C.	398929	1	4.61	BELT, Code LI (63")
66-67	5400, 5600, 5800, 98	386064	1	4.25	BELT, Code LK (64")
66-67	Tor. C.A.C.	390540	1	3.95	BELT, Code LV (53 3/4")
68-71	L6 C.A.C.	3861946	1	3.54	BELT (53 3/8")
68-70	F85 350 Eng. C.A.C.	384423	1	4.56	BELT, Code LF (58 1/2")
68-69	Tor. C.A.C.	401475	1	4.56	BELT, Code MZ (60 1/2")
68-69	C.A.C. exc. F85 or Tor.	398929	1	4.61	BELT, Code MY (63")

68-69	400 Eng. C.A.C. ....	401475	1	4.56	BELT, Code MZ (60½")
70	F85 455 Eng. C.A.C. ....	401475	1	4.56	BELT, Code MZ (60½")
70	C.A.C. exc. F85 or Tor. ....	405590	1	4.41	BELT, Code LD (63")
70	Tor. C.A.C. ....	405599	1	4.10	BELT, Code LK (60⅞")
71	F85, Tor. 455 Eng. & C.A.C. ....	405599	1	4.10	BELT, Code LK (60⅞")
71	3200, 3600, 4200, 4800 350 Eng. C.A.C. ....	408314	1	4.51	BELT, Code MH (57 <sup>45</sup> / <sub>64</sub> ")
71	Exc. F85 or Tor. ....	408315	1	3.33	BELT, Code ML (62 <sup>21</sup> / <sub>32</sub> ")
72	F85 350 Eng. C.A.C. ....	411236	1	4.51	BELT, Code LU (58½")
72	F85 455 Eng. C.A.C. ....	411237	1	4.10	BELT, Code LZ (61")
72	5400, 6400 350 Eng. ....	398929	1	4.61	BELT (63")
72	5400, 6400, 98 455 Eng. C.A.C. ....	411239	1	3.33	BELT, Code L0 (64")
72	6800 C.A.C. ....	411240	1	3.33	BELT, Code LW (64½")
72	Tor. C.A.C. ....	401475	1	4.56	BELT (60½")
73*	All X, A 350 Eng. ....	398928	1		BELT
73	All A 455 Eng. 4 BC ....	411240	1	3.33	BELT, Code LW (64½")
73*	All B 350 Eng. ....	398927	1		BELT
73	BL, BN, C 455 Eng. 4 BC	411239	1	3.33	BELT, Code L0 (64")
73	BQ, BR ....	411240	1	3.33	BELT, Code LW (64½")
73	All E ....	401475	1	4.56	BELT (60½")

### 1.066 BELT, AIR INJECTION REACTOR PUMP

66	F85 330 Eng. A.I.R. exc. C.A.C. or H.D. Cool. ....	3881871	1	3.38	BELT
66	F85 400 Eng. A.I.R. exc. C.A.C. or H.D. Cool. ....	390540	1	3.95	BELT (53¼")
66	F85 400 Eng. A.I.R. w/C.A.C. or H.D. Cool. .	391213	1	4.10	BELT (54¾")
66-67	L6 A.I.R. W/P.S. ....	3880802	1	2.97	BELT (30")
66-67	L6 A.I.R. exc. P.S. C.A.C. or H.D. cool. ....	392905	1	3.74	BELT (48¾")
66-67	5200 A.I.R. exc. C.A.C. or H.D. Cool. ....	3881871	1	3.38	BELT
66-67	F85, 5200 330 Eng. A.I.R. w/C.A.C. or H.D. Cool. ....	3861946	1	3.54	BELT (53 7/8")
66-67	5400, 5600, 5800, 98 A.I.R. exc. C.A.C. or H.D. cool. ....	390540	1	3.95	BELT, Code LV (53¼")
66-67	5400, 5600, 5800, 98 A.I.R. W/C.A.C. or H.D. cool. ....	391213	1	4.10	BELT, Code LW (54¾")
66-67	Tor. P.S., A.I.R. exc. C.A.C. or H.D. cool. ....	382645	1	4.10	BELT, Code LD (61")
66-67	Tor. A.I.R. exc. C.A.C. or H.D. cool. ....	382645	1	4.10	BELT, Code LD (61")
66-67	Tor. A.I.R. W/C.A.C. or H.D. cool. ....	398929	1	4.61	BELT, Code LI (63")
67	F85 V8 A.I.R. exc. C.A.C. or H.D. cool. ....	3881871	1	3.38	BELT
67	F85 400 Eng. A.I.R. w/C.A.C. or H.D. Cool. .	395885	1	4.10	BELT (53½")
67	5200 H.D. Cool. ....	3861946	1	3.54	BELT (53¾")
67	5200 C.A.C. ....	390540	1	3.95	BELT (53¼")
73*	All X 6 cyl. ....	9433653	1		BELT
73*	BL, BN 350 Eng. C.A.C. Y72 ....	412337	1		BELT
73*	BL, BN Opt. L33 exc. C.A.C. & Y72 ....	396D29	1		BELT

### 1.066 BELT, AIR RIDE COMPRESSOR

59	C.A.C. ....	585448	1	9.75	BELT, matched (⅜" x 67¼")
----	-------------	--------	---	------	---------------------------

### 1.069 PUMP ASSY., ENGINE WATER PUMP

49-62	Exc. C.A.C. or F85 (*1) ...	382690	1	23.05	PUMP (inc. mtg. gasket)
(*1) When replacing original production type pumps on 1949 thru 1952 models also order 4 hub bolts 18DD75, Group 8.900. When replacing on 1953 all & 1954 1st type models also order 4 hub bolts 566375.					
54-62	C.A.C. exc. F85 ....	382691	1	23.05	PUMP (inc. mtg. gasket)
61	F85 ....	1389457	1	2D.30	PUMP (inc. mtg. gasket)
62	F85 C.A.C. or Spec. Cool.	382694	1	21.80	PUMP (inc. mtg. gasket)
62-63	F85 exc. C.A.C. or Spec. Cool. ....	1389457	1	20.30	PUMP (inc. mtg. gasket)
63	F85 C.A.C. or Spec. Cool.	1388513	1	20.30	PUMP (inc. mtg. gasket)
63-64	394 Eng. exc. C.A.C., Spec. Cool. ....	382692	1	26.15	PUMP (inc. mtg. gasket)

63-64	394 Eng. C.A.C., Spec. Cool.	382693	1	23.05	PUMP (inc. mtg. gasket)
64	330 Eng.	384471	1	24.00	PUMP (inc. mtg. gasket)
64-65	V6	1396876	1	23.00	PUMP (inc. mtg. gasket)
66-73	L6	3947042	1	17.15	PUMP (w/mtg. gasket)
65-67	V8 exc. C.A.C. or H.D. cool.	388182	1	26.65	PUMP (w/mtg. gasket)
65-67	V8 C.A.C., H.D. cool.	388183	1	32.55	PUMP (w/mtg. gasket)
68-69	V8 C.A.C., H.D. Cool., O.A.I.	230900	1	37.30	PUMP (w/gasket)
68-69	V8 exc. C.A.C. or H.D. Cool.	230899	1	30.15	PUMP (w/gasket)
68-69	4400 T.H. 400 Perf. Eng.	230900	1	37.30	PUMP (w/gasket)
70	F85 V8, Tor. exc. C.A.C., H.D. Cool. or Rad., O.A.I.	230899	1	30.15	PUMP (w/gasket)
70	F85 V8 C.A.C., H.D. Cool. or Rad., O.A.I.	230900	1	37.30	PUMP (w/gasket)
70	5400, 6400, 6600, 98	230900	1	37.30	PUMP (w/gasket)
70	Tor. C.A.C. or H.D. Cool.	230901	1	36.40	PUMP (w/gasket)
71-72	F85 V8 exc. C.A.C., H.D. Cool., O.A.I. or Perf. Axle	231065	1	32.30	PUMP (w/gasket)
71-72	3200, 3600, 4200, 4400 O.A.I. or Perf. Axle	231066	1	32.30	PUMP (w/gasket)
71-72	5400, 6400, 6600, 6800, 98 exc. C.A.C. or H.D. Cool.	231066	1	32.30	PUMP (w/gasket)
71-72	V8 C.A.C. or H.D. Cool.	231073	1	32.30	PUMP (w/gasket)
71-72	Tor. exc. C.A.C. or H.D. Cool.	231065	1	32.30	PUMP (w/gasket)
73*	V8 exc. C.A.C. or Y72	231461	1		PUMP (w/gasket)
73*	V8 C.A.C. or Y72	231462	1		PUMP (w/gasket)

### 1.070 CAP, CAR HEATER HOSE INLET (RUBBER)

61-63	F85	1191141	1	.36	CAP (3/4" I.D. x 1 1/16" O.D. x 1 5/8")
64	F85 V8	1191141	1	.36	CAP (3/4" I.D. x 1 1/16" O.D. x 1 5/8")
65	All	1191141	1	.36	CAP (3/4" I.D. x 1 1/16" O.D. x 1 5/8")
66-67	Exc. Heater	1191141	1	.36	CAP

### 1.073 BOLT-PIN-SCREW, WATER PUMP TO TIMING CHAIN COVER

61-63	F85	1195617	5	.10	BOLT, pump to cover-1/4"-20 x 1" wsh. face
63-64	394 Eng.	380863	1	.20	BOLT, pump to cover-w/stud end
64	330 Eng.	382934	4	.10	BOLT, pump to cover-5/16"-18 x 1 1/2" wsh. face
66-71	L6 (8.900)	180080	1	.10	BOLT, water pump L.H. upper hole to block
66-71	L6 (8.900)	443899	1	.10	BOLT, water pump L.H. lower hole to block
66-71	L6 (8.900)	179822	2		BOLT, pump to block R.H. upper & lwr. holes-5/16"-18 x 1 1/2"
72	V8 (8.900)	179822	AR		BOLT, pump to block-5/16"-18 x 1 1/2"
61-63	F85 (8.939)	443767	2	.10	PIN, pump to cover dowel
63-64	394 Eng. (0.293)	585927	2	.15	PIN, pump to cover dowel
65-73	V8 (0.293)	585927	2	.15	PIN, frt. cover to block
64-72	V8 (8.977)	9428097	4	.10	SCREW, pump to cover

### 1.079 GASKET, ENGINE WATER PUMP MOUNTING

49-62	Exc. F85	555749	1	.25	GASKET
61-63	F85	1358410	1	.25	GASKET
63-64	394 Eng.	587539	1	.30	GASKET
64	330 Eng.	382929	1	.25	GASKET
64-65	V6	1358410	1	.25	GASKET
66-71	L6	3788478	1	.15	GASKET
65-70	V8 exc. 1970 Tor. C.A.C. or H.D. Cool.	385936	1	.30	GASKET
70	Tor. C.A.C. or Y72	410791	1	.30	GASKET
71-73	V8 exc. C.A.C. or Y72	385936	1	.30	GASKET
71-72	V8 C.A.C. or H.D. Cool.	410791	1	.30	GASKET
73	All A, BL, BN, C, E C.A.C. or Y72	410791	1	.30	GASKET

### 1.097 HOSE-CLAMP, ENGINE COOLANT BY PASS HOSE

61-63	F85	1195030	1	.51	HOSE, T/stat by-pass
64-65	V6	1241054	1	.65	HOSE PKG., T/stat by-pass (w/clamps)
66	F85 Tri-Carb.	393733	1	1.59	HOSE, by-pass
66-67	F85 400 Eng. A.I.R.	393508	1	.97	HOSE, by-pass
66-67	A.I.R. & C.A.C. exc. F85 or 5200	393508	1	.97	HOSE, by-pass (upper)

64-72	(*1) (*2) .....	409042	1	.36	HOSE, by-pass (straight) .....
	(*2) 1972 2nd type-used with cast iron outlet 409037 or as replacement hose for outlet package 231256. Cut to length.				
70	Marine or Irrig. (*1) .....	231040	1	1.13	HOSE, by-pass (formed) .....
	(*1) NOTE: Formed by-pass hoses were used as original production parts. Replace these hoses with Outlet Package 231256 Group 1.153.				
73	V8 .....	409042	1	.36	HOSE .....
61-63	F85 (8.962) .....	8885155	AR		HOSE (5/8" I.D.-50 ft. roll) .....
50-70	All (8.962) .....	482420	AR	RL/51	HOSE (3/4" x 50 ft.) .....
64	F85, J88 (1.166) .....	1470030	2	.51	CLAMP, water by-pass hose .....
65-68	V8 (1.166) .....	1470030	2	.51	CLAMP, water by-pass hose .....
67	Calif. K21 Opt. (1.166) ..	1470030	4	.51	CLAMP, water by-pass hose .....
70	V8 (1.166) .....	1470030	2	.51	CLAMP, water by-pass hose .....
71	Exc. F85 or Tor. (1.166) ..	1470030	1	.51	CLAMP, hose to heater .....
72	All .....	1470030	1	.51	CLAMP, by-pass. ....

### 1.105 SHAFT & BEARING, WATER PUMP

49-62	Exc. 1953, 1961-62 C.A.C. or F85 .....	567336	1	5.02	SHAFT & BEARING .....
-------	---	--------	---	------	-----------------------

### 1.109 IMPELLER, WATER PUMP

49-62	Exc. F85 .....	555795	1	2.46	IMPELLER .....
-------	----------------	--------	---	------	----------------

### 1.123 SEAL, WATER PUMP

49-62	Exc. F85 .....	570354	1	1.38	SEAL ASSY. (spring loaded type) .....
64	330 Eng. ....	570354	1	1.38	SEAL ASSY. (spring loaded type) .....
65	V8 exc. C.A.C. or Spec. Cool. ....	570354	1	1.38	SEAL ASSY. (spring loaded type) .....

### 1.148 GAUGE ASSY., ENGINE WATER TEMPERATURE (DASH UNIT)

66-67	F85 Rally Pack .....	6402805	1	13.70	GAUGE (w/resistor & spacer) .....
66-67	Tor. ....	6402297	1	9.50	GAUGE .....
68-69	F85 exc. Rally Pack (3.108) .....	6459769	1	26.35	GAUGE (comp.-inc. fuel & oil) .....
68-69	F85 Rally Pack (3.108) ..	6459771	1	47.40	GAUGE (comp.-inc. fuel & oil) .....
70-71	F85 exc. Rally Pack .....	6492942	1	32.95	GAUGE (comp.-brake-hot-gen.-oil) .....
70-72	F85 Rally Pack .....	6492944	1	54.55	GAUGE (comp.-fuel-temp.-oil) .....
70	F85 Rally Pack (3.108) ..	6496528	1	22.80	GAUGE PKG. (comp.-fuel-temp.-oil-inc. resistors) .....
72	F85 exc. Rally Pack (*1) ..	6492942	1	32.95	GAUGE, w/tell tale .....
	(*1) 1972 1st type.				
72	F85 exc. Rally Pack (*2) ..	6497711	1	31.10	GAUGE, w/tell tale .....
	(*2) 1972 2nd type-with seat belt warning.				

### 1.150 SWITCH, ENGINE WATER TEMPERATURE

53-55	All .....	1512678	1	3.36	SWITCH .....
57-58	Exc. C.A.C. ....	1998181	1	4.14	SWITCH, gauge .....
57-58	C.A.C. ....	1993350	1	3.52	SWITCH, gauge .....
59-62	Exc. F85 .....	1998741	1	4.23	SWITCH, gauge .....
61-65	F85 .....	1993588	1	3.49	SWITCH, gauge .....
63-65	Exc. F85 .....	1993316	1	4.27	SWITCH, gauge .....
66	F85 Exc. Rally Pack .....	1993588	1	3.49	SWITCH (on engine) .....
66	5200, 5400, 5600, 5800, 98 .....	1993316	1	4.27	SWITCH (on engine) .....
66-67	Tor. ....	6402383	1	3.44	SWITCH (on engine) .....
66-72	F85 Rally Pack .....	6402383	1	3.44	SWITCH (on engine) .....
67-70	F85 exc. Rally Pack or 70 L6 .....	1993582	1	3.49	SWITCH (on engine) .....
67-70	Exc. F85 or Tor. ....	1993444	1	3.60	SWITCH (on engine) .....
68-70	Tor. ....	1993582	1	3.49	SWITCH ("Hot" warning-on int. manifold) .....
68-70	Tor. ....	6489435	1	3.49	SWITCH (mounts to cyl. head bolt) .....
70-71	L6 .....	6489600	1	3.65	SWITCH .....
71	V8 exc. Rally Pack .....	1993582	1	3.49	SWITCH, water temp. gauge .....
71-72	Tor. ....	6489395	1	3.82	SWITCH, water temp. ....
72	F85 exc. H.D. Cool. or Rally Pack .....	6489766	1	4.97	SWITCH .....
72	F85 H.D. Cool. exc. Rally Pack .....	6489395	1	3.82	SWITCH .....
72	5400, 6400, 6800, 98 exc. H.D. Cool. ....	6489766	1	4.97	SWITCH, water temp. ....
72	5400, 6400, 6800, 98 H.D. Cool. ....	6489395	1	3.82	SWITCH .....



### 1.152 CABLE ASSY.-CLIP, CYLINDER BLOCK HEATER

59-65	All	2987064	2	10.55	CABLE
64-65	All	385163	1-2	.51	CLIP, cable to tie bar

### 1.153 COVER-NIPPLE-OUTLET-OUTLET PKG.-BOLT-WASHER, ENGINE WATER (ON ENGINE)

57-63	All (*1)	570349	1	1.18	COVER (R.H.-w/heater)
(*1) 1958 2nd type-use w/heaters which have Dole type heat control valve.					
64	394 Eng. C.A.C.	570349	1	1.18	COVER (R.H.-w/heater)
65	V8 (8.866)	397291	1	.25	NIPPLE, by-pass hose
65-69	V8 (8.866)	397291	1	.25	NIPPLE, by-pass hose
69-70	Irrigation & Marine Eng. (8.866)	397291	1	.25	NIPPLE
70-71	V8 (8.866)	404561	1	.36	NIPPLE
49-56	8 Cylinder	567874	1	3.54	OUTLET (on intake manifold)
57-58	Exc. J/2 or 2 BC	567874	1	3.54	OUTLET (on intake manifold)
57-58	J/2, 2 BC	571146	1	3.59	OUTLET (on intake manifold)
59-63	2 BC exc. F85	574814	1	2.67	OUTLET
59-64	4 BC exc. F85, J88	574815	1	2.67	OUTLET
61-63	F85	1194041	1	2.05	OUTLET
64	D88 2 BC	574814	1	2.67	OUTLET
64	330 Eng. (*5)	409037	1	2.05	OUTLET
64-65	V6	1194041	1	2.05	OUTLET
65	V8 (*5)	409037	1	2.05	OUTLET
66	Tri-Carb. exc. C.A.C.	386129	1	1.74	OUTLET
66	Tri-Carb. C.A.C.	392099	1	1.95	OUTLET
66-67	A.I.R.	386129	1	1.74	OUTLET
66-67	V8 exc. Tri-Carb. & A.I.R. (*5)	409037	1	2.05	OUTLET
(*5) Use this outlet for replacing outlets using formed by-pass hose or previously installed By-Pass Package 231256.					
66-71	L6	3789162	1	1.95	OUTLET
68-72	V8 (*5)	409037	1	2.05	OUTLET (cast iron)
73	V8	409037	1	2.05	OUTLET (cast iron)
64	330 Eng. (*2)	231256	1	5.07	OUTLET PKG.
65-70	V8 (*2)	231256	1	5.07	OUTLET PKG.
(*2) When used on 330 or 350 Engines cut 1 inch off by-pass hose.					
65-67	V8 (8.900)	443899	2	.10	BOLT, outlet to manifold
66-69	L6 (8.900)	454905	2	.10	BOLT, outlet to thermostat hsg.
67	L6 (8.900)	179839	2	.06	BOLT, outlet to thermostat hsg. (3/8"-16 x 1")
68-70	V8 (8.900)	179817	2	.06	BOLT, outlet to manifold (3/8"-18 x 3/8")
53-57	All (3.275)	555698	2-4	.15	WASHER, water outlet cover

### 1.154 GASKET, ENGINE WATER OUTLET MOUNTING

49-56	All	567875	1	.30	GASKET
57-63	2 BC or J/2	571150	1	.30	GASKET
57-64	4 BC exc. F85, J88	567875	1	.30	GASKET
61-63	F85	1194629	1	.30	GASKET
64	D88 2 BC	571150	1	.30	GASKET
64	330 Eng.	382544	1	.10	GASKET
64-65	V6	1194629	1	.30	GASKET
66-71	L6	3701777	1	.15	GASKET
65-69	V8	382544	1	.10	GASKET
64-72	V8 (*1)	404633	1	.10	GASKET
(*1) Use with 409037 cast iron outlet.					
73	V8	404633	1	.10	GASKET

### 1.159 HOSE, RADIATOR INLET (UPPER)

53	Exc. D.F. or C.A.C. (*2)	230001	1	3.33	HOSE (upper) (2nd type)
(*2) NOTE - 1953 2nd type use with 3130604 radiator core & tank.					
54-56	All	230001	1	3.33	HOSE (upper)
57-58	4 BC	569333	1	2.67	HOSE (upper)
59-60	2 BC	574789	1	2.56	HOSE (upper)
59-60	4 BC	230001	1	3.33	HOSE (upper)
61	Exc. F85 (*1)	230004	1	4.31	HOSE (upper)
61-63	F85 exc. J/Fire or 1963 C.A.C.	1349724	1	2.77	HOSE (upper)
62	88 2 BC (*1)	230004	1	4.31	HOSE (upper)
62	4 BC exc. F85 (*1)	230004	1	4.31	HOSE (upper)
62-63	F85 J/Fire	585964	1	4.56	HOSE (upper)
63	88 2 BC	587189	1	2.87	HOSE (upper)
63	F85 C.A.C.	585964	1	4.56	HOSE (upper)
63-64	394 Eng. 4 BC	587189	1	2.87	HOSE (upper)

64	D88 2 BC	587189	1	2.87	HOSE (upper)
64	J88	384188	1	3.02	HOSE (upper)
64-65	V6	1362549	1	3.64	HOSE (upper)
64-65	F85 V8 exc. C.A.C.	385972	1	3.08	HOSE (upper)
64-65	F85 V8 C.A.C.	384188	1	3.02	HOSE (upper)
65	Exc. F85 or C.A.C.	387577	1	3.59	HOSE (upper)
65	C.A.C., Spec. Cool. exc. F85 (*1)	390437	1	3.75	HOSE (upper)
66	L6	394287	1	3.28	HOSE (inlet-upper)
66	F85 Tri-Carb.	393664	1	4.61	HOSE (inlet-upper)
66	Exc. F85 & Tor. (*1)	390437	1	3.75	HOSE (inlet-upper)
66-67	F85 V8 exc. Tri-Carb.	390921	1	4.10	HOSE (inlet-upper)
66-67	Tor. exc. H.D. cool.	387577	1	3.59	HOSE (inlet-upper)
66-67	Tor. H.D. cool.	395056	1	5.45	HOSE (inlet-upper)
66-67	L6	394287	1	3.28	HOSE (inlet-upper)
67	Exc. C.A.C., H.D. Cool., A.I.R. F85 or Tor. (*1)	390437	1	3.75	HOSE (inlet-upper)
(*1) NOTE - This is a semi-universal type hose, it may be necessary to reposition or trim a portion off end of hose to make proper installation.					
67	C.A.C. or A.I.R. exc. H.D. cool. F85 or Tor.	394884	1	4.46	HOSE (inlet-upper)
67-68	H.D. cool. exc. F85 or Tor.	394884	1	4.46	HOSE (inlet-upper)
68-71	L6	1382435	1	4.56	HOSE (inlet-upper)
68-72	F85 V8	402153	1	4.56	HOSE (inlet-upper)
68	Exc. F85, Tor. or H.D. cool.	394884	1	4.46	HOSE (inlet-upper)
68-70	Tor.	399310	1	5.45	HOSE (inlet-upper)
69-70	Exc. Tor.	402153	1	4.56	HOSE (inlet-upper)
71-72	Exc. F85 or Tor.	408656	1	4.36	HOSE (inlet-upper)
71	Tor.	408622	1	4.87	HOSE (inlet-upper)
72	Tor. exc. C.A.C.	408622	1	4.87	HOSE (inlet-upper)
72	Tor. C.A.C.	411390	1	4.87	HOSE (inlet-upper)
73	All X V8	413485	1		HOSE
73*	All A	410668	1		HOSE
73	All B, C	402153	1	4.56	HOSE
73	All E exc. C.A.C.	408622	1	4.87	HOSE
73	All E C.A.C.	411390	1	4.87	HOSE

### 1.166 CLAMP, RADIATOR HOSE

57-68	V8	2465814	1	.48	CLAMP, rad. inlet & outlet hose
63	Exc. F85	9420048	1	.15	CLAMP (for 3/16" hose)
62-72	All	2494772	AR	.48	CLAMP (adj. type 3/32" to 5/8")
49-73	All	1470029	AR	.51	CLAMP (adj. type 1/2" to 1")
62-71	All C.A.C.	3909030	1	.77	CLAMP (adj. type 1/16" to 1 13/64") (w/spacing tab)
49-72	All	1470030	AR	.51	CLAMP (adj. type 1/16" to 1 1/4")
59-71	All	2471945	AR	.59	CLAMP (adj. type 13/16" to 1 1/2")
49-69	All	2468878	AR	.59	CLAMP (adj. type 1 1/16" to 2 1/4")
49-69	All	2465814	AR	.48	CLAMP (adj. type 1 1/16" to 2 1/2")
69	Exc. F85 or Tor.	2465814	1	.48	CLAMP, rad. inlet & outlet hose
71-72	Exc. F85	3786275	1	.10	CLAMP, hose 9/16"-yellow
71	All	2465814	1	.48	CLAMP, rad. inlet & outlet hose
71	Tor.	2465814	1	.48	CLAMP, hose to water pump

### 1.166 BRACKET-CLAMP-SPACER-SPRING-SUPPORT, RADIATOR HOSE

68	F85 V8 C.A.C., H.D. Cool.	399420	1	.72	BRACKET, upper hose support
68-69	Tor.	399420	1	.72	BRACKET, upper hose support
66-67	Exc. Tor.	392756	1	.20	CLAMP, upper hose supt. (plastic)
68-70	Exc. F85 or 1968 Tor.	392756	1	.20	CLAMP, upper hose supt. (plastic)
68-72	F85	398890	1	.30	CLAMP, upper hose supt. (plastic)
71-72	Exc. F85 or Tor.	392756	1	.20	CLAMP, upper hose supt. (plastic)
71	Tor.	408725	1	.36	CLAMP, upper hose supt. (plastic)
72-73	Tor. exc. C.A.C.	408725	1	.36	CLAMP, rad. inlet hose supt.
73	All X V8, E	408725	1	.36	CLAMP, rad. inlet hose supt.
73	All A	398890	1	.30	CLAMP, upper hose supt. (plastic)
73	All B, C	392756	1	.20	CLAMP, upper hose supt. (plastic)
65	Exc. F85	9771859	1	.72	SPACER, upper hose (3/4" O.D. sponge rubber)
41-63	Exc. F85	381387	1	.15	SPRING, lower hose (16")
61-63	F85	583437	1	.20	SPRING (12"-use w/583436 hose)
64-65	V8	381387	1	.15	SPRING
66-67	L6	381387	1	.15	SPRING
68	L6	1382607	1	1.08	SPRING, lower hose (16")
68-70	L6 exc. H.D. Cool.	401273	1	.20	SPRING, lower hose (16")
68-70	L6	401273	1	.20	SPRING, upper hose (16")
68-70	L6 H.D. Cool.	381387	1	.15	SPRING, lower hose (16")

68-70	V8	401275	1	.30	SPRING, upper hose (26")
64-70	V8	381387	1	.15	SPRING, lower hose (16")
70	Tor. C.A.C. or H.D. Cool.	401273	1	.20	SPRING, lower hose (16")
71-72	V8 exc. F85	401273	1	.20	SPRING, lower hose (16")
71	F85 V8 C.A.C.	401273	1	.20	SPRING, outlet (16")
71	F85 V8 exc. C.A.C.	405029	1	.25	SPRING, outlet
71	L6	401273	1	.20	SPRING, outlet (16")
71-72	V8 exc. Tor.	401275	1	.30	SPRING, inlet hose (26")
72	F85 V8 exc. C60 or Y72	405029	1	.25	SPRING, outlet
72	F85 C.A.C. or Y72	401273	1	.20	SPRING, outlet (16")
73	All X V8	405029	1	.25	SPRING, outlet
73	All A, B, C	401275	1	.30	SPRING, inlet (26")
73	All A, B, C, E	401273	1	.20	SPRING, outlet (16")

62-63	F85 J/Fire or 63 C.A.C.	585965	1	.30	SUPPORT, upper hose to fan shield
-------	-------------------------	--------	---	-----	-----------------------------------

**1.173 HOSE, RADIATOR OUTLET (LOWER)**

53-56	All	564361	1	2.87	HOSE
57-62	Exc. F85 (*1)	230003	1	4.77	HOSE
61-63	F85 exc. J/fire, C.A.C. or H.D. Cool.	583436	1	2.51	HOSE (use w/583437 spring)
62	J/fire	587981	1	2.41	HOSE
63	F85 C.A.C. or H.D. Cool.	587981	1	2.41	HOSE
63-64	394 Eng.	587144	1	2.87	HOSE
64	F85 V8	380823	1	3.02	HOSE
64	J88	587144	1	2.87	HOSE
64-65	V6	1362550	1	4.66	HOSE (inc. spring)
65	F85 V8	389066	1	2.82	HOSE
71-72	V8 H.D. Cool.	1235153	1	1.08	CAP, rad. coolant reservoir
71-72	Tor. w/JL9	1235153	1	1.08	CAP, rad. coolant reservoir
65-66	Exc. F85 or Tor.	394883	1	3.54	HOSE
66-70	Tor.	402155	1	3.59	HOSE
66-67	L6	391946	1	3.59	HOSE
66-69	F85 V8	402155	1	3.59	HOSE
67	Exc. F85, Tor. or Calif. Hwy. Patrol	394883	1	3.54	HOSE
67	5669 Calif. Hwy. Patrol	399087	1	14.50	HOSE (18 1/4" flexible)
68	Exc. F85 or Tor.	394883	1	3.54	HOSE
68-70	L6 exc. H.D. Cool.	1382605	1	4.82	HOSE (w/spring)
68-70	L6 H.D. Cool.	402809	1	4.36	HOSE
69-70	Exc. F85 or Tor.	402155	1	3.59	HOSE
70	F85 V8 exc. H.D. Cool. or Rad.	405031	1	3.18	HOSE
70	F85 V8 C.A.C., H.D. Cool. or Rad.	402155	1	3.59	HOSE
70	Tor. C.A.C. or H.D. Cool.	405033	1	3.33	HOSE
71	L6	1382605	1	4.82	HOSE, lower formed (w/spring)
71-72	Exc. F85 or Tor.	408617	1	3.33	HOSE
71-72	Tor.	408624	1	3.59	HOSE
71	F85 V8 exc. C.A.C.	406382	1	3.08	HOSE
71	F85 V8 C.A.C.	404951	1	3.33	HOSE
72	F85 V8 exc. C60, Y72	406382	1	3.08	HOSE
72	F85 C.A.C. or Y72	404951	1	3.33	HOSE
73*	All X V8	413488	1		HOSE
73*	All A	410669	1		HOSE
73*	All B, C	413457	1		HOSE
73*	All E	413483	1		HOSE

**1.203 CAP-RESERVOIR & CAP-BRACKET-LABEL-SPACER, RADIATOR FILLER CAP (PRESSURE TYPE)**

49-56	8 Cylinder	6410458	1	1.79	CAP (7 lb.)
53-55	All H.D.	6410457	1	1.79	CAP (13 lb.)
57-60	Exc. C.A.C.	6410457	1	1.79	CAP (13 lb.)
57-60	C.A.C.	6410456	1	1.79	CAP (15 lb.)
61-67	All	6410456	1	1.79	CAP (15 lb.)
68-70	All	6410390	1	1.90	CAP (15 lb.)
71-72	F85	6410427	1	2.13	CAP (15 lb.)
71-72	Tor.	6410427	1	2.13	CAP (15 lb.-closed system)
71-72	Exc. Y72 or Tor.	6410390	1	1.90	CAP (15 lb.)
71-72	Y72 exc. Tor.	6410427	1	2.13	CAP (15 lb.-closed system)
71-72	V8 Y72 (1.240)	410008	1	3.02	RESERVOIR & CAP
71-72	Tor. w/Wh. Lock Cont. (1.240)	410008	1	3.02	RESERVOIR & CAP
73*	All A exc. Opt. Y72	413390	1		RESERVOIR & CAP
73	All B; C Opt. Y72 (1.240)	410008	1	3.02	RESERVOIR & CAP
73*	All E	413197	1		RESERVOIR & CAP

71-72	F85 V8 Y72 .....	410734	1	1.65	BRACKET, reservoir .....
71	Y72 exc. F85 or Tor. ....	410804	1	.97	BRACKET, joint line reinf. to reservoir .....
71	Y72 exc. F85 or Tor. ....	410805	1	1.79	BRACKET, brace to reservoir .....
71-72	Tor. w/Wh. Lock Cont. ....	410009	1	1.49	BRACKET, side baffle to reservoir .....
71-72	Tor. w/Wh. Lock Cont. ....	410010	1	.30	BRACKET, tie bar to reservoir .....
72	5400, 6400, 6800, 98 w/Y72 .....	411527	1	1.69	BRACKET, reservoir to filler plate .....
73*	All A .....	413420	1		BRACKET, res. ....
73*	All B, C Opt. Y72 .....	413569	1		BRACKET, res.-upper .....
73*	All B, C Opt. Y72 .....	413570	1		BRACKET, res.-lower .....
73*	All E .....	413199	1		BRACKET .....
69-70	All .....	404360	1	.15	LABEL, rad. cap alignment .....
71	Exc. Tor. ....	404360	1	.15	LABEL, rad. cap alignment .....

72	F85 Y72 (6.606) .....	404353	1	.15	SPACER, res. to fdr. ....
----	-----------------------	--------	---	-----	---------------------------

### 1.219 RESERVOIR OVERFLOW PKG., RADIATOR

71-73	Exc. Tor. ....	9B1766	1	10.20	RESERVOIR PKG. ....
-------	----------------	--------	---	-------	---------------------

### 1.219 RADIATOR ASSY., ENGINE COOLING (LESS CAP)

61-63	394 Eng. exc. C.A.C., Spec. Cool. ....	3003445	1	119.75	RADIATOR (w/overflow hose) .....
61-64	394 Eng. C.A.C. or Spec. Cool. ....	3155346	1	149.45	RADIATOR (w/overflow hose) .....
64	394 Eng. H.T. exc. C.A.C., Spec. Cool. ....	3003445	1	119.75	RADIATOR (w/overflow hose) .....
64	F85 V8 exc. C.A.C. or Spec. Cool. ....	3001445	1	101.65	RADIATOR (w/overflow hose) .....
64	F85 V8 C.A.C. ....	3001446	1	132.85	RADIATOR (w/overflow hose) .....
64	J88 exc. C.A.C. or Spec. Cool. ....	3001441	1	94.35	RADIATOR (w/overflow hose) .....
64	J88 C.A.C. or Spec. Cool. ....	3001449	1	107.80	RADIATOR (w/overflow hose) .....
64	394 Eng. S.T. C.A.C. or Spec. Cool. ....	3002444	1	88.05	RADIATOR .....
64-65	V6 exc. C.A.C. or Spec. Cool. ....	3000122	1	84.95	RADIATOR (w/overflow hose) .....
64-65	V6 C.A.C. or Spec. Cool. ....	3000126	1	93.75	RADIATOR (w/overflow hose) .....
65	330 Eng. exc. C.A.C., Spec. Cool. ....	3005245	1	110.55	RADIATOR (w/overflow hose) .....
65	F85 V8 C.A.C. exc. Spec. Cool. ....	3005343	1	154.80	RADIATOR (w/overflow hose) .....
65	F85 V8 Spec. Cool. exc. C.A.C. ....	3005347	1	142.00	RADIATOR (w/overflow hose) .....
65	400 Eng. 442 Opt. exc. C.A.C. or Spec. Cool. ....	3005341	1	120.55	RADIATOR (w/overflow hose) .....
65	J88 exc. C.A.C. or Spec. Cool. ....	3003241	1	98.20	RADIATOR .....
65	425 Eng. exc. C.A.C. or Spec. Cool. ....	3003242	1	106.40	RADIATOR .....
65	C.A.C. or Spec. Cool. exc. F85 .....	3005246	1	111.95	RADIATOR (w/overflow hose) .....
66	5200, 5400, 5600, 5800, 98 Spec. Perf. Axle, C.A.C. exc. H.D. Cool. ....	300B646	1	129.40	RADIATOR (less overflow hose) .....
66	5200, 5400, 5600, 5800, 98 C.A.C. W/H.O. Cool. exc. A.I.R. ....	3021970	1	184.85	RADIATOR (w/overflow hose) .....
66-67	Exc. C.A.C., H.D. cool., F85, 5200 or Tor. ....	3003242	1	106.40	RADIATOR (less overflow hose) .....
66-67	5200 exc. C.A.C. or H.D. Cool. ....	3003241	1	98.20	RADIATOR (less overflow hose) .....
66-67	L6 .....	3005B42	1	94.25	RADIATOR (less overflow hose) .....
66-67	F85 V8 exc. C.A.C. or H.D. Cool. ....	3007448	1	103.95	RADIATOR (less overflow hose) .....
66-67	F85 V8 C.A.C. or H.D. Cool. ....	3005745	1	132.65	RADIATOR (less overflow hose) .....
66-67	Tor. exc. C.A.C. or H.D. Cool. (*1) .....	3006143	1	108.75	RADIATOR (w/overflow hose) .....
66-67	Tor. C.A.C. exc. H.D. cool. (*1) .....	3005243	1	129.40	RADIATOR (w/overflow hose) .....
66-67	Tor. Y72 .....	3005247	1	214.85	RADIATOR (w/overflow hose) .....
67	5200, 5400, 5600, 5800, 98 Y72 .....	3021970	1	184.85	RADIATOR (w/overflow hose) .....
67	5200, 5400, 5600, 5800 C.A.C. or Perf. axle exc. Y72 .....	3008646	1	129.40	RADIATOR .....
67	98 C.A.C. exc. H.D. Cool. ....	3008646	1	129.40	RADIATOR .....

68-69	F85 Hurst	3017108	1	149.45	RADIATOR
68-70	L6 exc. Y72 or C60	3017258	1	129.15	RADIATOR
68-70	L6 Y72	3014745	1	117.90	RADIATOR
68-69	F85, 350 Eng. exc. Y72 or VO1	3014745	1	117.90	RADIATOR
68-69	F85 V8 Y72 or VO1	3017108	1	149.45	RADIATOR
68	350 Eng. exc. Y72 or F85	3014609	1	118.60	RADIATOR
68	455 exc. C.A.C., Y72 or Tor.	3014609	1	118.60	RADIATOR
68	455 Eng. C.A.C. exc. Y72 or Tor.	3017166	1	130.25	RADIATOR
68-69	Y72 exc. F85 or Tor.	3021970	1	184.85	RADIATOR
68	Tor. Perf. Eng.	3017185	1	161.10	RADIATOR
68-69	Tor. exc. 1968 Perf. Eng.	3017184	1	150.00	RADIATOR
68-69	400 Eng. exc. C.A.C., Y72 or VO1	3014745	1	117.90	RADIATOR
68-69	400 Eng. C.A.C. exc. Y72 or VO1	3017108	1	149.45	RADIATOR
69	L6 C60 exc. Y72	3014619	1	91.70	RADIATOR
69	350 Eng. exc. F85 or Y72	3020543	1	124.20	RADIATOR
69	455 Eng. S.T. exc. C.A.C. or Y72	3020543	1	124.20	RADIATOR
(*1) NOTE - When using on 1st type jobs it is necessary to install 3/8" pipes & connectors listed in group 4.128.					
69-70	5400, 6400, 6600, 98 455 Eng. A.T. exc. Y72	3017166	1	130.25	RADIATOR
70	L6 C.A.C. exc. Y72	3014619	1	91.70	RADIATOR (w/overflow hose)
70	F85 V8 exc. C60, Y72 or VO1	3014745	1	117.90	RADIATOR
70	F85 350 Eng. C60 exc. Y72	3014745	1	117.90	RADIATOR
70	3200, 3600, 4200, 4400 H.D. Rad.	3014745	1	117.90	RADIATOR (VO2 opt.-3.42 Ratio)
70	F85 V8 Y72	3017108	1	149.45	RADIATOR
70	F85 455 Eng. C60 exc. Y72	3017108	1	149.45	RADIATOR (VO1 opt.-3.91 Ratio)
70	F85 V8 H.D. Rad exc. V.C.	3017108	1	149.45	RADIATOR
70	5400 350 Eng. C.A.C.	3020543	1	124.20	RADIATOR (w/overflow hose)
70	5400 350 Eng. A.T. exc. C.A.C. or Y72	3020543	1	124.20	RADIATOR (w/overflow hose)
70	5400, 6400, 6600 455 Eng. S.T. exc. C.A.C. or Y72	3020543	1	124.20	RADIATOR (w/overflow hose)
70	5400, 6400, 6600, 98 Y72	3021970	1	184.85	RADIATOR (w/overflow hose)
70	Tor. exc. C.A.C. or Y72	3020532	1	124.60	RADIATOR (w/overflow hose)
70	Tor. C.A.C. exc. Y72	3020533	1	153.40	RADIATOR (w/overflow hose)
70	Tor. Y72	3022066	1	154.05	RADIATOR (w/overflow hose)
71	L6 exc. C.A.C.	3017258	1	129.15	RADIATOR
71	L6 C.A.C.	3014619	1	91.70	RADIATOR
71	F85 350 Eng. exc. C.A.C.	3014619	1	91.70	RADIATOR
71	F85 350 Eng. C.A.C.	3017258	1	129.15	RADIATOR
71	F85 350 or 455 Eng. w/3.42 Axle	3017258	1	129.15	RADIATOR
71	F85 455 Eng. T.H. exc. C.A.C.	3014619	1	91.70	RADIATOR
71	F85 455 Eng. C.A.C. exc. 4400	3017282	1	119.80	RADIATOR
71	4400 C.A.C. exc. Y72 (*2)	3020579	1	160.20	RADIATOR (w/2 3/4" core)
71	4400 w/3.73 Axle (*2)	3020579	1	160.20	RADIATOR (w/2 3/4" core)
(*2) When used for 2nd type radiator 3025763 also order 2-407122 insulators 1/16" thick, in place of thick insulators.					
71	F85 350, 455 Eng. w/3.42 axle	3017258	1	129.15	RADIATOR
71	F85 350, 455 Eng. Y72	3023883	1	186.00	RADIATOR (Y72 Opt.)
71	4400 3/S S.T. exc. C.A.C., O.A.I., Y72, 3.42 or 3.73 axle	3024631	1	103.90	RADIATOR
71	F85 455 Eng. S.T. exc. C.A.C.	3024632	1	111.55	RADIATOR
71	5400 350 Eng. exc. C.A.C., Y72 or S.T.	3014754	1	111.95	RADIATOR
71	5400, 6400 350 Eng. C.A.C.	3019205	1	113.90	RADIATOR

71	5400, 6400, 6600, 6800 S.T. ....	3023917	1	113.15	RADIATOR .....
71	5400, 6400 455 Eng. exc. Y72 .....	3020585	1	131.95	RADIATOR .....
71	6600, 6800, 98 exc. Y72 or S.T. ....	3020585	1	131.95	RADIATOR .....
71	5400, 6400, 6600, 6800, 98 455 Eng. Y72 .....	3023777	1	185.65	RADIATOR .....
71	Tor. exc. Y72 .....	3024806	1	176.05	RADIATOR .....
71	Tor. Y72 .....	3024808	1	238.70	RADIATOR .....
72	F85 350 Eng. exc. C60 or Y72 .....	3025243	1	107.05	RADIATOR .....
72	F85 455 Eng. exc. C60 or Y72 .....	3025247	1	109.55	RADIATOR .....
72	F85 Y72 .....	3025132	1	182.30	RADIATOR .....
72	F85 350 Eng. C60 exc. Y72 .....	3025230	1	129.10	RADIATOR .....
72	F85 455 Eng. w/3.42 axle .....	3025230	1	129.10	RADIATOR .....
72	F85 w/O.A.I. ....	3025794	1	156.35	RADIATOR .....
72	F85 455 Eng. C60 exc. 4800 or Y72 .....	3025794	1	156.35	RADIATOR .....
72	4800 455 Eng. C60 exc. Y72 .....	3027015	1	156.35	RADIATOR .....
72	5400, 6400, 6800, 98 exc. C.A.C. or Y72 .....	3025166	1	105.80	RADIATOR .....
72	5400, 6400, 98 C.A.C. exc. Y72 .....	3025159	1	113.90	RADIATOR .....
72	5400, 6400, 6800, 98 Y72 .....	3025330	1	181.95	RADIATOR .....
72	6800 455 Eng. C.A.C. exc. Y72 .....	3025911	1	137.90	RADIATOR .....
72	Tor. exc. Y72 .....	3027002	1	172.55	RADIATOR .....
72	Tor. Y72 .....	3026186	1	172.55	RADIATOR .....

### 1.219 DRAIN COCK, RADIATOR

41-63	Exc. 1963 J/Fire or F85 C.A.C. (8.951) .....	9427524	1	.56	DRAIN COCK .....
65-67	Exc. F85 (8.951) .....	9427524	1	.56	DRAIN COCK (type CS) .....
63	F85 C.A.C. or Spec. Cool. (8.951) .....	134519	1	.36	DRAIN COCK .....
63	F85 J/Fire (8.951) .....	134519	1	.36	DRAIN COCK .....
64-67	F85 (8.951) .....	455883	1	.87	DRAIN COCK .....
68-72	All (8.951) .....	9427524	1	.56	DRAIN COCK (type CS) .....

### 1.240 BRACKET-CLIP-HOSE-RESERVOIR, RADIATOR OVERFLOW

71-72	Tor. exc. Whl. Lock Cont. ....	409917	1	1.03	BRACKET, reservoir to tie bar .....
61-66	All .....	580659	AR	.10	CLIP, hose to radiator supt. ....
67-68	Tor. ....	580659	AR	.10	CLIP, hose to rad. supt. ....
55-58	All .....	563123	2	.15	HOSE (drain & overflow) (4½" long) .....
59-61	Exc. F85 .....	563123	1	.15	HOSE (drain) .....
59-69	Exc. J/fire C.A.C. ....	575968	1	.46	HOSE (overflow) (36¼" long) .....
62	J/fire C.A.C. ....	563123	1	.15	HOSE (drain) .....
65	Exc. F85 .....	563123	1	.15	HOSE (drain) .....
70	Exc. Tor. ....	575968	1	.46	HOSE (⅜" I.D. x 36¼" long) .....
71-72	All .....	575968	1	.46	HOSE (⅜" I.D. x 36¼" long) .....
73	All X, A, B, C .....	575968	1	.46	HOSE (⅜" I.D. x 36¼" long) .....
71-72	Tor. exc. Whl. Lock Cont. ....	1234290	1	3.79	RESERVOIR, rad. coolant .....
71-72	V8 H.D. Cool. ....	410008	1	3.02	RESERVOIR & CAP, rad. coolant .....
71-72	Tor. J/L9 Opt. ....	410008	1	3.02	RESERVOIR & CAP, rad. coolant .....
73	All B, C Opt. Y72 .....	410008	1	3.02	RESERVOIR & CAP, rad. coolant .....

### 1.246 THERMOSTAT, ENGINE WATER TEMPERATURE

41-59	All .....	3749086	1	3.79	THERMOSTAT (180 degrees) .....
49-59	All .....	563219	1	3.79	THERMOSTAT (160 degrees) .....
60-62	Exc. F85 .....	3749085	1	3.79	THERMOSTAT (170 degrees) .....
61-63	F85 .....	1199784	1	3.79	THERMOSTAT (170 degrees) .....
63	Exc. F85 .....	3749086	1	3.79	THERMOSTAT (180 degrees) .....
64-65	V6 .....	1366373	1	3.79	THERMOSTAT (180 degrees) .....
64-67	V8 .....	3749086	1	3.79	THERMOSTAT (180 degrees) .....
66	L6 .....	3749086	1	3.79	THERMOSTAT (180 degrees) .....
67	L6, 5400, 5600, 5800 2 BC exc. A.I.R. ....	3885009	1	3.79	THERMOSTAT (195 degrees) .....

68-73	V8	3885009	1	3.79	THERMOSTAT (195 degrees)
69-71	L6	3027868	1		THERMOSTAT (190 degrees)
71-73	Irrigation Eng.	3749086	1	3.79	THERMOSTAT (180 degrees)
<b>1.251 HOUSING, ENGINE WATER TEMPERATURE THERMOSTAT</b>					
66	L6	3789160	1	2.26	HOUSING
67-68	L6	3880856	1	2.46	HOUSING
69-71	L6	3789160	1	2.26	HOUSING
<b>1.252 GASKET, ENGINE WATER TEMPERATURE THERMOSTAT HOUSING</b>					
66-71	L6	3789161	1	.10	GASKET
<b>1.263 PANEL ASSY., FRONT END PANEL</b>					
66	Tor.	391227	1	49.15	PANEL (inc. braces, brkts., reinf. & stops)
67	Tor.	396331	1	42.55	PANEL (inc. braces, reinf. & stops)
70	Exc. F85 or Tor.	404750	1	59.45	PANEL
71	5400, 6400, 6600, 6800, 98	407339	1	48.70	PANEL
72	5400, 6400, 6800, 98	410285	1	55.85	PANEL
73*	All X	413583	1		PANEL
73*	All A	413018	1		PANEL
73*	AJ	413394	1		PANEL
73*	All B, C	412038	1		PANEL
<b>1.263 PANEL, FRONT END VALANCE</b>					
73*	AF, AG	411852	1		PANEL, center
73*	AF, AG	412018	RH		PANEL, outer
73*	AF, AG	412019	LH		PANEL, outer
73*	AJ	411907	1		PANEL, center
73*	AJ	412016	RH		PANEL, outer
73*	AJ	412017	LH		PANEL, outer
73*	All B, C	412015	1		PANEL
<b>1.263 BAFFLE-BAR-BRACKET-DECAL-GASKET-NUT-"J" NUT-"U" NUT-RIVET-STRUT-STUD, FRONT END PANEL</b>					
66	Tor.	393516	RH	1.18	BAFFLE, headlamp (panel to side supt.)
66	Tor.	393517	LH	1.18	BAFFLE, headlamp (panel to side supt.)
67	Tor.	394730	RH	1.23	BAFFLE, headlamp (panel to side supt.)
67	Tor.	394731	LH	1.23	BAFFLE, headlamp (panel to side supt.)
73*	All X	413070	1		BAR, frt. end panel tie
72	5400, 6400, 6800, 98	411729	1	1.69	BRACKET, center supt. to frt. end panel
73*	All X	413362	RH		BRACKET, frt. end panel to fdr-upper
73*	All X	413363	LH		BRACKET, frt. end panel to fdr-upper
73*	AF, AG37 Opt. W29	413345	1		DECAL (White)
73*	AF, AG37 Opt. W29	413346	1		DECAL (Black)
73*	AF, AG37 Opt. W29	413347	1		DECAL (Blue)
73*	AF, AG37 Opt. W29	413348	1		DECAL (Green)
73*	AF, AG37 Opt. W29	413349	1		DECAL (Neutral)
73*	AF, AG37 Opt. W29	413350	1		DECAL (Brown)
73*	AF, AG37 Opt. W29	413351	1		DECAL (Maroon)
72	5400, 6400, 6800, 98	411500	2	.41	GASKET, frt. end panel to fdr.
73*	All B, C	413582	2		GASKET, frt. end panel to fdr.
72	5400, 6400, 6800, 98 (8.921)	9419845	AR	.10	NUT, frt. end panel to grille or supt.
72	6400, 6800 (8.921)	9420185	1	.10	NUT, midg. to frt. end panel
66	Tor. (8.921)	1196207	6	.15	J NUT, panel to fender
70-71	3100, 3200, 3600, 4200, 4400 (7.347)	391359	6	.15	J NUT, front end panel to stone shield
70	Exc. F85 or Tor. (1.266)	404756	16	.10	U NUT, door to frt. end panel
73*	All B, C	412098	4		LATCH, frt. end panel to grille
66-67	Tor. (8.967)	9423923	8	.05	RIVET, baffle to panel
73*	All B, C	412994	1		STRUT, support to valance panel
72	5400, 6400, 6800, 98	410708	21	.20	STUD, frt. end panel-double end stud
73	All X, A, B, C	410708	AR	.20	STUD, frt. end panel-double end stud
73*	All A, B, C	412097	4		STUD, frt. end panel to grille

**1.266 GRILLE, RADIATOR GRILLE**

60	All	577364	1	23.50	GRILLE (R.H.)
60	All	577365	1	23.50	GRILLE (L.H.)
61	F85	579473	1	21.25	GRILLE
61	88, S88	579841	1	34.10	GRILLE
61	98, S/Fire	580844	1	41.95	GRILLE
62	F85	584050	1	21.25	GRILLE (R.H.)
62	F85	584051	1	21.25	GRILLE (L.H.)
62	Exc. F85	583522	1	24.85	GRILLE (R.H.)
62	Exc. F85	583523	1	24.85	GRILLE (L.H.)
63	F85	587041	1	27.40	GRILLE
63	88, S88	587400	1	24.10	GRILLE (R.H.)
63	88, S88	587401	1	24.10	GRILLE (L.H.)
63	S/Fire	587082	1	22.80	GRILLE (R.H.)
63	S/Fire	587083	1	22.80	GRILLE (L.H.)
63	98	586678	1	22.50	GRILLE (R.H.)
63	98	586679	1	22.50	GRILLE (L.H.)
64	F85	588652	1	27.40	GRILLE ASSY.
64	J88, D88, S88	588760	1	59.95	GRILLE ASSY.
64	J/Star I	589601	1	62.25	GRILLE ASSY.
64	S/Fire	589186	1	69.65	GRILLE ASSY.
64	98	588761	1	75.35	GRILLE ASSY.
65	F85	589789	1	46.05	GRILLE ASSY.
65	J/Star I, S/Fire	589978	1	70.65	GRILLE ASSY.
65	D88, J88, Delta	589912	1	59.95	GRILLE ASSY.
65	98	387488	1	75.35	GRILLE ASSY.
66	F85 exc. 442	390434	1	27.60	GRILLE
66	5400	390870	1	86.35	GRILLE
66	5200, 5600, 5800	390650	1	65.10	GRILLE
66	98	390815	1	75.35	GRILLE
66	Tor.	391943	1	46.05	GRILLE
67	F85 exc. 442	393980	1	15.10	GRILLE
67	F85 442	394796	1	4.05	GRILLE
67	Exc. F85 or Tor.	394498	1	37.65	GRILLE (center)
67	5400, 5800	396482	RH	8.95	GRILLE (at inner headlamp)
67	5400, 5800	396483	LH	8.95	GRILLE (at inner headlamp)
67	Tor.	394493	1	51.20	GRILLE
68	F85 exc. 442	400794	1	19.75	GRILLE (center)
68	442	398640	1	9.50	GRILLE
68	5400, 6400, 6600	398690	RH	33.75	GRILLE
68	5400, 6400, 6600	398691	LH	33.75	GRILLE
68	98	397842	RH	37.65	GRILLE
68	98	397843	LH	37.65	GRILLE
68-69	Tor.	398878	RH	3.33	GRILLE (inner)
68-69	Tor.	398879	LH	3.33	GRILLE (inner)
68	Tor.	398316	RH	9.50	GRILLE (outer)
68	Tor.	398317	LH	9.50	GRILLE (outer)
69	F85 exc. 442	402182	RH	9.15	GRILLE
69	F85 exc. 442	402183	LH	9.15	GRILLE
69	442	402180	RH	12.25	GRILLE
69	442	402181	LH	12.25	GRILLE
69	5400, 6400	401956	RH	32.55	GRILLE
69	5400, 6400	401957	LH	32.55	GRILLE
69	6600	404000	RH	32.55	GRILLE
69	6600	404001	LH	32.55	GRILLE
69	98	401740	RH	32.55	GRILLE
69	98	401741	LH	32.55	GRILLE
69	Tor.	402166	RH	16.15	GRILLE (outer)
69	Tor.	402167	LH	16.15	GRILLE (outer)
70	F85 exc. 4200, 4400	404690	RH	9.15	GRILLE
70	F85 exc. 4200, 4400	404691	LH	9.15	GRILLE
70	4200	407306	RH	12.25	GRILLE (painted)
70	4200	407307	LH	12.25	GRILLE (painted)
70	4400	404684	RH	8.15	GRILLE
70	4400	404685	LH	8.15	GRILLE
70	5400, 6400	404502	RH	43.30	GRILLE
70	5400, 6400	404503	LH	43.30	GRILLE
70	6600	405486	RH	36.85	GRILLE
70	6600	405487	LH	36.85	GRILLE



70	98	404714	RH	28.95	GRILLE
70	98	404715	LH	28.95	GRILLE
70	Tor.	405315	1	23.05	GRILLE
71	L6, 3200, 3600, 4800	231094	RH	11.20	GRILLE (inc. Alum. mldgs.-plastic)
71	L6, 3200, 3600, 4800	231095	LH	11.20	GRILLE (inc. alum. mldgs.-plastic)
71	4200	231278	RH	15.90	GRILLE, chrome (die cast)
71	4200	231279	LH	15.90	GRILLE, chrome (die cast)
71	4400	231280	RH	17.45	GRILLE, painted (plastic)
71	4400	231281	LH	17.45	GRILLE, painted (plastic)
71	5400, 6400	407348	RH	37.40	GRILLE, chrome
71	5400, 6400	407349	LH	37.40	GRILLE, chrome
71	6600	408564	RH	37.40	GRILLE
71	6600	408565	LH	37.40	GRILLE
71	6800, 98	407354	RH	37.40	GRILLE, chrome
71	6800, 98	407355	LH	37.40	GRILLE, chrome
71	Tor.	407458	RH	39.45	GRILLE
71	Tor.	407459	LH	39.45	GRILLE
72	3200, 3600 exc. W29	410794	RH	11.20	GRILLE
72	3200, 3600 exc. W29	231331	LH	11.20	GRILLE
72	3200, 3600, 4200 W29	411414	RH	17.45	GRILLE
72	3200, 3600, 4200 W29	231339	LH	17.45	GRILLE
72	4200, 4800 exc. W29	410796	RH	15.90	GRILLE
72	4200, 4800 exc. W29	231337	LH	15.90	GRILLE
72	5400, 6400	410140	RH	29.20	GRILLE (die cast)
72	5400, 6400	410141	LH	29.20	GRILLE (die cast)
72	6800, 98	410156	RH	29.20	GRILLE, outer (die cast)
72	6800, 98	410157	LH	29.20	GRILLE, outer (die cast)
72	6800, 98	410624	RH	4.61	GRILLE, inner
72	6800, 98	410625	LH	4.61	GRILLE, inner
72	Tor.	410116	RH	39.45	GRILLE
72	Tor.	410117	LH	39.45	GRILLE
73*	All X	412498	RH		GRILLE, lwr.
73*	All X	412499	LH		GRILLE
73*	AF, AG exc. Opt. W29	412988	RH		GRILLE
73*	AF, AG Opt. W29	412990	RH		GRILLE
73*	AF, AG Opt. W29	412991	LH		GRILLE
73*	AJ	412992	RH		GRILLE
73*	BL, BN	413572	RH		GRILLE
73*	BL, BN	413573	LH		GRILLE
73*	BQ, BR	413564	RH		GRILLE
73*	BQ, BR	413565	LH		GRILLE
73*	All E	412328	RH		GRILLE, upper
73*	All E	412329	LH		GRILLE, upper
73*	All E	412330	RH		GRILLE, lwr.
73*	All E	412331	LH		GRILLE, lwr.
73*	AF, AG	411862	1		BAR, grille-lwr. tie
73*	AJ	411941	1		BAR, grille-lwr. tie
<b>1.266 BAFFLE, GRILLE</b>					
73*	All E	413801	2		BAFFLE, upper
73*	All E	413817	2		BAFFLE, lower
<b>1.266 EXTENSION-EXTENSION PKG., RADIATOR GRILLE</b>					
60	All	577394	1	2.82	EXTENSION, grille (R.H.)
60	All	577395	1	2.82	EXTENSION, grille (L.H.)
61	Exc. F85	579936	1	6.10	EXTENSION, grille (R.H.)
61	Exc. F85	579937	1	6.10	EXTENSION, grille (L.H.)
64	Exc. F85, S/Fire, 98	588718	RH	10.00	EXTENSION, inner
64	Exc. F85, S/Fire, 98	588719	LH	10.00	EXTENSION, inner
64	Exc. F85, S/Fire, 98	588734	RH	8.45	EXTENSION, outer
64	Exc. F85, S/Fire, 98	588735	LH	8.45	EXTENSION, outer
64	S/Fire	588700	RH	7.05	EXTENSION, inner
64	S/Fire	588701	LH	7.05	EXTENSION, inner
64	S/Fire	588702	RH	6.15	EXTENSION, outer
64	S/Fire	588703	LH	6.15	EXTENSION, outer
64	98	588720	RH	7.30	EXTENSION, inner
64	98	588721	LH	7.30	EXTENSION, inner
64	98	588722	RH	6.45	EXTENSION, outer
64	98	588723	LH	6.20	EXTENSION, outer
65	J/Star I, S/Fire	387502	RH	4.51	EXTENSION, lower outer
65	J/Star I, S/Fire	387503	LH	4.51	EXTENSION, lower outer
65	D88, J88, Delta	589918	RH	6.50	EXTENSION, inner (between headlamp)
65	D88, J88, Delta	589919	LH	6.5D	EXTENSION, inner (between headlamp)
65	D88, J88, Delta	589894	RH	4.77	EXTENSION, lower outer

65	D88, J88, Delta	589895	LH	4.77	EXTENSION, lower outer
65	98	589888	RH	4.20	EXTENSION, inner (between headlamp)
65	98	589889	LH	4.20	EXTENSION, inner (between headlamp)
65	98	589960	RH	12.55	EXTENSION, lower bar
65	98	589961	LH	12.55	EXTENSION, lower bar
65	98	589962	RH	1.33	EXTENSION, upper outer
65	98	589963	LH	1.33	EXTENSION, upper outer
65	98	589964	RH	1.33	EXTENSION, lower outer
65	98	589965	LH	1.33	EXTENSION, lower outer
66	Exc. F85 or Tor.	391422	RH	4.87	EXTENSION, grille
66	Exc. F85 or Tor.	391423	LH	4.87	EXTENSION, grille
67	5200, 5600	230126	RH	10.00	EXTENSION PKG.
67	5200, 5600	230127	LH	10.00	EXTENSION PKG.
67	5400, 5800	230128	RH	1.59	EXTENSION PKG.
67	5400, 5800	230129	LH	1.59	EXTENSION PKG.
67	98	230124	RH	10.75	EXTENSION PKG.
67	98	230125	LH	10.75	EXTENSION PKG.
68	5400, 6400, 6600	230402	RH	5.07	EXTEN. PKG., grille (w/applique)
68	5400, 6400, 6600	230403	LH	5.07	EXTEN. PKG., grille (w/applique)
68	98	230398	RH	3.02	EXTEN. PKG., grille
68	98	230399	LH	3.02	EXTEN. PKG., grille
<b>1.266 DEFLECTOR-FILLER-INSULATOR-PANEL-SCREEN-BOLT-BRACKET-CLIP-NUT-"U" NUT-REINFORCEMENT-RETAINER-SCOOP-SCREW-SEAL-SUPPORT, RADIATOR GRILLE</b>					
63	88, S88	381994	2	.82	DEFLECTOR, grille air (at ctr. of grille)
69	Exc. F85 or Tor.	403936	RH	1.79	FILLER, grille to hood (Grey plastic)
69	Exc. F85 or Tor.	403937	LH	1.79	FILLER, grille to hood (Grey plastic)
72	5400, 6400, 6800, 98	410690	RH	4.31	FILLER, grille to bumper
72	5400, 6400, 6800, 98	410691	LH	4.31	FILLER, grille to bumper
72	5400, 6400, 6800, 98	411088	1	3.79	FILLER, grille to bumper-center (White)
72	5400, 6400, 6800, 98	411089	1	3.79	FILLER, grille to bumper-center (Silver Pewter)
72	5400, 6400, 6800, 98	411090	1	3.79	FILLER, grille to bumper-center (Dark Pewter)
72	5400, 6400, 6800, 98	411091	1	3.79	FILLER, grille to bumper-center (Black)
(*) When painting use Primer, Elastomeric Paint and Top Coat Paint listed in Group 8.800.					
72	5400, 6400, 6800, 98	411092	1	3.79	FILLER, grille to bumper-center (Bamboo)
72	5400, 6400, 6800, 98	411093	1	3.79	FILLER, grille to bumper-center (Med. Blue)
72	5400, 6400, 6800, 98	411094	1	3.79	FILLER, grille to bumper-center (Dark Blue)
72	5400, 6400, 6800, 98	411095	1	3.79	FILLER, grille to bumper-center (Med. Green)
72	5400, 6400, 6800, 98	411096	1	3.79	FILLER, grille to bumper-center (Dark Green)
72	5400, 6400, 6800, 98	411097	1	3.79	FILLER, grille to bumper-center (Lt. Covert)
72	5400, 6400, 6800, 98	411098	1	3.79	FILLER, grille to bumper-center (Med. Gold)
72	5400, 6400, 6800, 98	411099	1	3.79	FILLER, grille to bumper-center (Argent)
72	5400, 6400, 6800, 98	411100	1	3.79	FILLER, grille to bumper-center (Dark Covert)
72	5400, 6400, 6800, 98	411101	1	3.79	FILLER, grille to bumper-center (Tan)
72	5400, 6400, 6800, 98	411103	1	3.79	FILLER, grille to bumper-center (Nutmeg)
72	5400, 6400, 6800, 98	411104	1	3.79	FILLER, grille to bumper-center (Red)
73*	All B, C	412482	RH		FILLER, grille-vinyl-19"
73*	All B, C	412483	LH		FILLER, grille-vinyl-19"
72	5400, 6400, 6800, 98 (9.225)	1384774	4	.41	INSULATOR, filler to grille to deflector
68	Exc. F85 or Tor.	399236	1	3.90	PANEL, center
71-72	Tor.	409590	1	5.40	SCOOPE, rad. lower air
66	F85 442	391568	1	14.35	SCREEN, radiator (Black aluminum)
68	Tor.	398482	16	.10	BOLT, outer grille (8-32 x 1/2")
69	Tor.	402140	16	.15	BOLT, outer grille to mounting plate ("T" head)
63	F85	586967	2	.30	BRACKET, grille mtg.
63	Exc. F85	586506	RH	.51	BRACKET, grille to rad. supt.
63	Exc. F85	586507	LH	.51	BRACKET, grille to rad. supt.
63	Exc. F85	586508	RH	1.13	BRACKET, grille to tie bars
63	Exc. F85	586509	LH	1.13	BRACKET, grille to tie bars
64	Exc. F85	588762	1	1.33	BRACKET, center
64	Exc. F85	588662	RH	.62	BRACKET, side supt.
64	Exc. F85	588663	LH	.62	BRACKET, side supt.
64	Exc. F85	588694	RH	1.13	BRACKET, outer
64	Exc. F85	588695	LH	1.13	BRACKET, outer

65	J/Star I, S/Fire	386383	1	.72	BRACKET, center
66	F85 exc. 442	390435	1	.72	BRACKET (center)
66	F85 442	397730	RH	.15	BRACKET
66	F85 442	397731	LH	.15	BRACKET
66	5200, 5400, 5600, 5800	390828	1	.46	BRACKET (center)
66	5200, 5400, 5600, 5800	390830	RH	.82	BRACKET (outer)
66	5200, 5400, 5600, 5800	390831	LH	.82	BRACKET (outer)
66-67	Tor.	390248	1	.97	BRACKET (center)
67	F85 exc. 442	393981	1	.82	BRACKET (center)
67	F85	393982	2	2.00	BRACKET (outer)
67	Exc. F85 or Tor.	394535	1	2.61	BRACKET (center)
67	Tor.	394524	RH	.46	BRACKET (outer)
67	Tor.	394525	LH	.46	BRACKET (outer)
70	Tor.	405542	1	.51	BRACKET, grille to center support
71	F85	407357	2	.36	BRACKET, grille to side baffle
72	F85 exc. Opt. W29	410057	2	.36	BRACKET, grille to side baffle
71-72	Tor.	407394	4	.25	BRACKET, grille to lower bumper bar
72	3200, 3600, 4200	407357	2	.36	BRACKET, grille to side baffle
73*	BL, BN	413170	2		BRACKET, grille return
73*	BQ, BR, C	413171	2		BRACKET, grille return
61	Exc. F85	581221	6	.10	CLIP, grille ext. to fdr. tie bar
62	3500, 3800 (8.921)	9419761	AR	.10	NUT, rad. grille orn. to grille
66	F85 (8.921)	9419841	1	.05	NUT, center grille retainer to brkt.
66	442 (8.921)	9419841	2	.05	NUT, emblem to screen
66	98	390647	6	.10	NUT, grille to supt. (5/16" - 18 spring type)
61	Exc. F85 (8.921)	273811	4	.05	NUT, grille to grille ext.
63	Exc. F85	569796	9	.10	NUT, grille attaching lock
71	F85	390647	2	.10	NUT, rad. supt. to fdr.
71	F85	404756	4	.10	NUT, grille to liner
71	Exc. F85 or Tor.	404756	AR	.10	NUT, support to grille or stone shield
71	F85 (7.347)	391359	2	.15	NUT, hood latch supt. to grille
71-72	F85 (2.726)	407513	AR	.10	NUT, support to stone shield or grille
71	Exc. F85 or Tor. (8.921)	9424837	AR	.10	NUT, grille to liner or frt. end panel (spring type)
72	F85 (8.921)	9424837	4	.10	NUT, brkt. to grille
73	All A (2.726)	407513	AR	.10	NUT, grille tie bar to conn.
66	5200, 5400, 5600, 5800 (8.921)	445433	4	.05	U NUT, exten. to grille (8-15)
70	Tor.	404756	4	.10	U NUT, bracket to center support
68	Exc. F85 or Tor.	399238	1	4.46	REINF., center panel (rear)
68	Exc. F85 or Tor.	399240	1	1.79	REINF., center panel (lower)
66	F85 exc. 442	390663	1	5.07	RETAINER, grille (rocket emblem)
60	All (2.720)	577375	AR	.05	SCREW, grille to fender tie bar & shield (1/4"-20 x 7/8")
62	Exc. F85 (8.977)	9404955	3	.05	SCREW, R.H. to L.H. grille
64	F85 (8.977)	9420827	2	.10	SCREW, grille to baffle & supt.
66	5200, 5400, 5600, 5800 (8.977)	9414247	2	.10	SCREW, center bracket (1/4" - 20 x 5/8")
66	All (8.977)	9420721	4	.05	SCREW, stone shield or grille to extension
67	F85, 98 (8.977)	9414247	AR	.10	SCREW, grille to center brkt.
67	5200, 5600, 98 (8.977)	9414247	4	.10	SCREW, grille to baffle
71	Exc. F85 or Tor. (8.977)	9420491	4	.10	SCREW, grille to stone shield liner
72	6800, 98 (8.977)	9420491	13	.10	SCREW, inner grille to outer grille
72	6800, 98	411820	RH	1.08	SEAL, side baffle to grille
72	6800, 98	411821	LH	1.08	SEAL, side baffle to grille
65	Exc. F85	589900	1	.82	SUPPORT, grille center
67	Exc. F85 or Tor.	394440	RH	3.18	SUPPORT
67	Exc. F85 or Tor.	394441	LH	3.18	SUPPORT
68-69	Tor.	398888	1	2.00	SUPPORT, center grille
72	5400, 6400, 6800, 98	411631	1	.36	SUPPORT, grille to bumper filler
73*	All B, C	412484	2		SUPPORT, grille to bumper filter-18"
73*	All E	412489	2		TIE BAR, grille to bumper
<b>1.268 APPLIQUE-BAR-EXTENSION-MOLDING PKG.-BOLT-CLIP-RETAINER-SCREW-SPRING, RADIATOR GRILLE</b>					
68	98	230400	RH	4.87	APPLIQUE PKG., grille exten.
68	98	230401	LH	4.87	APPLIQUE PKG., grille exten.
63	98	586750	1	14.75	BAR, grille (upper)
63	98	586751	1	14.75	BAR, grille (lower)
65	J88, D88, Delta	387478	1	23.35	BAR, grille (inner)
65	J88, D88, Delta	387477	1	30.75	BAR, grille (outer upper)

65	J88, D88, Delta	391355	1	21.90	BAR, grille (outer lower)
66	F85 442	393714	RH	5.75	BAR PKG. (w/nuts)
66	F85 442	393715	LH	5.75	BAR PKG. (w/nuts)
67	F85 442	230320	1	14.10	BAR PKG.
63	98	586752	RH	1.85	EXTENSION, upper bar
63	98	586753	LH	1.85	EXTENSION, upper bar
63	98	586754	RH	1.69	EXTENSION, lower bar
63	98	586755	LH	1.69	EXTENSION, lower bar
62	Exc. F85	583451	1	10.45	MOLDING, rad. grille
63	88, S88, S/Fire	587300	1	9.10	MOLDING, rad. grille (upper)
67	5200, 5600	230054	RH	2.00	MOLDING PKG., grille extension
67	5200, 5600,	230055	LH	2.00	MOLDING PKG., grille extension
67	Exc. F85 or Tor.	230056	RH	26.75	MOLDING PKG., (above headlamps)
67	Exc. F85 or Tor.	230057	LH	26.75	MOLDING PKG., (above headlamps)
73*	All A	413000	4		BOLT, spring to grille brkt.
62	Exc. F85 (8.147)	519730	9	.10	CLIP, grille mldg. to tie bar
67	F85 442	397276	1	.41	RETAINER
63	Exc. F85 (8.977)	455380	AR	.05	SCREW, grille mldg. & bar attach.
63	98 (8.977)	448627	16	.05	SCREW, bar to headlamp hsg.
65	J88, D88, Delta	9704867	2	.20	SCREW, inner to outer bar
65	J88, D88, Delta (8.977)	9418270	8	.10	SCREW, inner to outer bar
67	Exc. F85 or Tor. (8.977)	9414247	4-6	.10	SCREW, mldg. to grille brkt. & baffle or baffle to grille ext.

73*	All A	413139	4		SPRING, grille
-----	-------	--------	---	--	----------------

**1.270 SUPPORT, RADIATOR CORE (COMPLETE ASSEMBLY)**

61	Exc. F85	580767	1	27.95	SUPPORT
62	Exc. F85	583960	1	22.80	SUPPORT
63-64	Exc. F85	588335	1	18.20	SUPPORT
64	F85	589017	1	37.15	SUPPORT (complete)
65	F85 V6	589970	1	37.15	SUPPORT (complete)
65	F85 V8	394672	1	43.80	SUPPORT (complete)
65	Exc. F85	387587	1	42.55	SUPPORT (complete)
66	F85	391134	1	37.15	SUPPORT (complete)
66	Exc. F85 or Tor.	391538	1	42.55	SUPPORT (complete)
66-67	Tor.	391174	1	47.90	SUPPORT (complete-less ctr. supt.)
67	F85	395387	1	33.05	SUPPORT (complete)
67	Exc. F85, Tor. or Calif. Hwy. Patrol (*1)	395449	1	42.55	SUPPORT (complete)
67	Exc. F85, Tor. or Calif. Hwy. Patrol (*2)	398758	1	42.55	SUPPORT (complete)
67	5669 Calif. Hwy. Patrol (*1)	399491	1	20.90	SUPPORT (complete)
67	5669 Calif. Hwy. Patrol (*2)	399493	1	21.95	SUPPORT (complete)
	(*1) 1967 1st type - Use with 1st type lift lever hood catch release mechanism.				
	(*2) 1967 2nd type - Use with 2nd type pull handle hood latch release mechanism.				
68	Exc. F85 or Tor.	398265	1	39.70	SUPPORT (comp. w/side baffles)
68	L6, F85 350 Eng. &/or C.A.C. exc. H.D. Cool. or H.D. Rad., 400 Eng. exc. C.A.C., H.D. Rad. or H.D. Cool. (*3) (*4)	402272	1	40.75	SUPPORT (comp. w/side baffles)
	(*3) When replacing 1st type Radiator Core Support by 2nd type support, order the following parts listed in Group 8.080. 1-402271 Bellcrank, 1-7003137 Clip, 1-399263 Clip, 1-402270 Handle, 1-392703 Retainer, 1-402269-Rod, 1-395175 Bushing.				
	(*4) 1968 2nd Type - with pull rod hood release.				
68	F85 350 Eng. H.D. Rad. or H.D. Cool. exc. C.A.C., 400 Eng. C.A.C., H.D. Rad. or H.D. Cool.	402274	1	42.30	SUPPORT (comp. w/side baffles)
68-69	Tor.	399110	1	43.00	SUPPORT (comp. w/side baffles)
69	L6	402706	1	46.90	SUPPORT (complete)
69	3200, 3600, 4200 exc. H.D. Cool. or H.D. Rad.	402706	1	46.90	SUPPORT (complete)

69	3200, 3600, 4200, 4400, 4800 H.D. Cool. or H.D. Rad. ....	402707	1	48.95	SUPPORT (complete) .....
69	V.C. 350 Eng. exc. H.D. cool .....	402706	1	46.90	SUPPORT (complete) .....
69	4400, 4800 exc. H.D. Cool. or H.D. Rad. ....	402706	1	46.90	SUPPORT (complete) .....
69	4400, 4800 400 Eng. C.A.C. exc. H.D. Cool. ...	402707	1	48.95	SUPPORT (complete) .....
69	Exc. H.D. cool. F85 or Tor. ....	402471	1	42.55	SUPPORT (complete) .....
69	H.D. cool. exc. F85 or Tor. ....	402473	1	42.55	SUPPORT (complete) .....
70	L6 .....	405118	1	52.30	SUPPORT (complete) .....
70	F85 V8 exc. C.A.C., H.D. Cool. or H.D. Rad. ....	405119	1	52.00	SUPPORT (complete) .....
70	F85 V8 C.A.C. ....	405118	1	52.30	SUPPORT (complete) .....
70	3200, 3600, 4200, 4400, 4800 H.D. Cool. or H.D. Rad. ....	405125	1	52.20	SUPPORT (complete) .....
70	4400 455 Eng. C.A.C. ...	405125	1	52.20	SUPPORT (complete) .....
70	5400, 6400, 6600, 98 exc. H.D. Cool. ....	404679	1	51.00	SUPPORT (complete) .....
70	5400, 6400, 6600, 98 H.D. Cool. ....	404680	1	48.1D	SUPPORT (complete) .....
70	Tor. ....	406603	1	43.05	SUPPORT (complete) .....
71	L6 .....	411272	1	49.15	SUPPORT (less upper support) .....
71	F85 V8 exc. C.A.C., H.D. Cool, O.A.I. or 3.73 Ratio .....	407239	1	49.15	SUPPORT (less upper support) .....
71	3200, 3600, 4200, 4800 C.A.C. exc. H.D. Cool. ...	411272	1	49.15	SUPPORT (less upper support) .....
71	3200, 3600, 4200, 4400, 4800 H.D. Cool.	407245	1	49.15	SUPPORT (less upper support) .....
71	4400 C.A.C. or 3.73 Axle exc. H.D. Cool. ....	407245	1	49.15	SUPPORT (less upper support) .....
71	5400, 6400, 6600, 6800, 98 exc. H.D. Cool. ....	407522	1	48.10	SUPPORT (complete) .....
71	5400, 6400, 6600, 6800, 98 H.D. Cool. ...	407524	1	48.10	SUPPORT (complete) .....
71-72	Tor. ....	411495	1	45.05	SUPPORT .....
72	F85 exc. C.A.C., Y72 or O.A.I. ....	411274	1	49.15	SUPPORT (complete) .....
72	3200, 3600, 4200 350 Eng. C.A.C. exc. H.D. Cool. ....	411272	1	49.15	SUPPORT (complete) .....
72	O.A.I. ....	411273	1	49.15	SUPPORT (complete) .....
72	F85 Y72 .....	411273	1	49.15	SUPPORT (complete) .....
72	F85 455 Eng. C.A.C. exc. Y72 .....	411273	1	49.15	SUPPORT (complete) .....
72	4800 C.A.C. exc. H.D. Cool. ....	411272	1	49.15	SUPPORT (complete) .....
72	5400, 6400, 6800, 98 exc. H.D. Cool. ....	410314	1	48.10	SUPPORT (complete) .....
72	5400, 6400, 6800, 98 H.D. Cool. ....	410325	1	48.10	SUPPORT (complete) .....
73*	All X .....	327515	1		SUPPORT .....
73*	All A .....	410721	1		SUPPORT .....
73*	All B, C .....	411901	1		SUPPORT .....
73*	All E .....	412179	1		SUPPORT .....

### 1.270 SUPPORT-PANEL, RADIATOR CORE (UPPER & LOWER)

65	Exc. F85 .....	386000	1	6.75	SUPPORT, lower .....
66	Exc. F85 or Tor. ....	391190	1	6.90	SUPPORT (lower) .....
66-67	L6 .....	391985	1	7.40	SUPPORT (upper) .....
66-67	L6 .....	393506	1	8.30	SUPPORT (lower) .....
66-67	F85 V8 .....	391429	1	7.05	SUPPORT (upper) .....
66-67	F85 V8 .....	393507	1	8.30	SUPPORT (lower) .....
66-67	Tor. ....	391336	1	5.02	SUPPORT (center) .....
67	Exc. C.A.C., Y72, A.I.R., F85 or Tor. ....	394412	1	7.35	SUPPORT (lower) .....
67	C.A.C. or A.I.R. exc. Y72, F85 or Tor. ....	394414	1	7.35	SUPPORT (lower) .....
67-68	Y72 exc. F85 or Tor. ....	396569	1	7.35	SUPPORT (lower) .....

68	Exc. Y72, F85 or Tor. ....	394414	1	7.35	SUPPORT (lower) .....
68	F85 exc. Y72 .....	398208	1	6.30	SUPPORT (upper) .....
68	F85 V8 Y72 .....	400824	1	6.75	SUPPORT (upper) .....
68	400 Eng. C.A.C. exc. Y72 .....	400824	1	6.75	SUPPORT (upper) .....
68-69	Tor. ....	399468	1	8.05	SUPPORT (front center lower) .....
70	Tor. ....	405343	1	7.95	SUPPORT (center) .....
69-70	L6 .....	407116	1	7.95	SUPPORT (upper) .....
69	442, V.C. exc. C60, Y72 .....	407116	1	7.95	SUPPORT (upper) .....
69	3200, 3600, 4200 exc. Y72 .....	407116	1	7.95	SUPPORT (upper) .....
69	V.C. 350 Eng. exc. Y72 .....	407116	1	7.95	SUPPORT (upper) .....
69-70	F85 V8 Y72 .....	407120	1	7.95	SUPPORT (upper) .....
69	400 Eng. C60 or Y72 .....	407120	1	7.95	SUPPORT (upper) .....
70	F85 V8 exc. Y72 or C60 .....	405038	1	6.75	SUPPORT (upper) .....
70	F85 350 Eng. C60 exc. Y72 .....	407116	1	7.95	SUPPORT (upper) .....
70	F85 455 Eng. C60 exc. Y72 .....	407120	1	7.95	SUPPORT (upper) .....
71	L6 .....	407116	1	7.95	SUPPORT (upper) .....
71	F85 V8 exc. C60, Y72, O.A.I. or 3.73 Ratio .....	407118	1	7.95	SUPPORT (upper) .....
71	F85 3.73 Ratio .....	407120	1	7.95	SUPPORT (upper) .....
71	F85 V8 exc. C60, Y72, O.A.I. or 3.73 axle .....	407118	1	7.95	SUPPORT (upper) .....
71	3200, 3600, 4200, 4400, 4800 Y72-1st Type .....	407120	1	7.95	SUPPORT (upper-used w/3020579 core-2 3/4") .....
71	F85 3.73 axle-1st Type .....	407120	1	7.95	SUPPORT (upper-used w/3020579 core-2 3/4") .....
72	F85 exc. C60, Y72 or O.A.I. ....	407118	1	7.95	SUPPORT (upper) .....
72	F85 C60 w/Y72 or O.A.I. ....	407120	1	7.95	SUPPORT (upper) .....
71-72	F85, V8, C60 exc. Y72 .....	407116	1	7.95	SUPPORT (upper) .....
73*	All A .....	410077	1		SUPPORT, upper .....
73*	All A .....	410081	1		SUPPORT, center .....
73*	All A .....	410087	1		SUPPORT, lower .....
73*	All X V8 .....	327520	1		PANEL, rad. upper mtg. ....

**1.270 BOLT-BRACE-BRACKET-CAP-CLIP-EXTENSION-FASTENER-INSULATOR-NUT-PLATE-SCREW-SEAL-SHIM-WASHER, RADIATOR CORE SUPPORT**

64	F85 (8.903) .....	9420885	2	.15	BOLT, lower supt. to frame .....
67	Exc. F85 or Tor. (8.900) .....	9419652	2	.46	BOLT, support to frame .....
69-71	Exc. F85 or Tor. (8.900) .....	100152	AR	.20	BOLT, rad. support to frame (7/16 - 14 x 3") .....
71	F85, Tor. (9.008) .....	396785	2	.20	BOLT, rad. supt. to frame .....
72	Exc. Tor. ....	1385671	2	.20	BOLT, rad. supt. to frame .....
72	Tor. (9.008) .....	396785	2	.20	BOLT, rad. supt. to frame .....
66-67	Tor. ....	390191	1	1.13	BRACE, ctr. supt. to upr. tie bar .....
71-72	Tor. ....	409413	1	2.31	BRACE, upper to lower tie bar .....
61	F85 exc. C.A.C., Police or Taxi .....	584568	1	2.87	BRACKET, rad. upper supt. ....
62	F85 exc. J/Fire .....	584568	1	2.87	BRACKET, upper supt. ....
62	Exc. C.A.C. or F85 .....	583234	1	2.97	BRACKET, upper supt. ....
62	C.A.C. exc. F85 .....	583236	1	3.43	BRACKET, upper supt. ....
62-63	F85 J/Fire .....	586206	1	1.13	BRACKET, upper supt. (R.H.) .....
62-63	F85 J/Fire .....	586207	1	1.13	BRACKET, upper supt. (L.H.) .....
63	C.A.C. ....	586206	1	1.13	BRACKET, upper supt. (R.H.) .....
63	C.A.C. ....	586207	1	1.13	BRACKET, upper supt. (L.H.) .....
63	F85 exc. J/Fire or C.A.C. ....	586644	1	3.08	BRACKET, upper supt. ....
63	Exc. C.A.C. or F85 .....	586440	1	2.46	BRACKET, upper supt. ....
63	C.A.C. Spec. Cool. exc. F85 .....	586604	1	2.97	BRACKET, upper supt. ....
64	Exc. F85, J88 or C.A.C. ....	380840	1	2.82	BRACKET, upper supt. ....
64	C.A.C., Spec. Cool. exc. F85 or J88 .....	380841	1	2.92	BRACKET, upper supt. ....
64-65	V6 exc. C.A.C. ....	1362180	1	2.20	BRACKET, upper supt. ....
64-65	V6 C.A.C. Spec. Cool .....	1362066	1	3.69	BRACKET, upper supt. ....
64-65	F85 V8 exc. C.A.C. ....	588651	1	2.56	BRACKET, upper supt. ....
64-65	F85 330 Eng. C.A.C., Spec. Cool. ....	588816	1	1.64	BRACKET, upper supt. ....
65	400 Eng. C.A.C. ....	390862	1	3.54	BRACKET, upper supt. ....
65	Exc. F85 .....	391314	RH	1.59	BRACKET ASSY., upper .....
65	Exc. F85 .....	391315	LH	1.59	BRACKET ASSY., upper .....
61-62	Exc. C.A.C. or F85 .....	579992	2	1.08	BRACKET, lower supt. ....
63	F85 exc. J/Fire or C.A.C. ....	588218	2	.60	BRACKET, lower supt. ....

63-64	Exc. C.A.C., Spec. Cool., F85	586279	2	1.18	BRACKET, lower supt.
63-64	394 Eng. C.A.C., Spec. Cool.	586607	2	1.33	BRACKET, lower supt.
63-64	Exc. F85	586510	2	1.95	BRACKET, supt. to frame
64	J88	586279	2	1.18	BRACKET, lower supt.
64-65	V6 exc. C.A.C., Spec. Cool.	589324	2	1.03	BRACKET, lower supt.
64-65	V6 C.A.C.	589326	2	1.03	BRACKET, lower supt.
64-65	F85 V8 exc. C.A.C.	588666	2	.46	BRACKET, lower supt.
64-65	F85 V8 C.A.C., Spec. Cool.	588670	2	.25	BRACKET, lower supt.
65-66	Exc. F85 or Tor.	391318	RH	.62	BRACKET, supt. lower
65-66	Exc. F85 or Tor. exc. 1966 H.D. Cool.	391319	LH	.62	BRACKET, supt. lower
66-70	Tor.	391318	RH	.62	BRACKET, supt. lower
66-70	Tor. exc. 1970 H.D. Cool.	391319	LH	.62	BRACKET, supt. lower
70	Tor. H.D. Cool.	391318	LH	.62	BRACKET, support lower
71-72	Tor.	407182	RH	.36	BRACKET, rad. support-lower
71	Tor. exc. H.D. Cool.	407183	LH	.36	BRACKET, rad. support-lower
71	Tor. H.D. Cool.	407182	LH	.36	BRACKET, rad. support-lower
72	Tor.	407183	LH	.36	BRACKET, rad. support-lower
73	All E	407182	RH	.36	BRACKET, support lower
73	All E	407183	LH	.36	BRACKET, support lower
68	F85	400838	1	.41	CAP, support center (plastic)
64-65	F85 (8.154)	587283	AR	.10	CLIP, seal to supt. & shroud
66-68	All (8.154)	587283	AR	.10	CLIP, seal attaching
73	All E	413064	RH		EXTEN., lwr. tie bar
61	Exc. F85 (12.269)	4801268	18	.10	FASTENER, seal to rad. supt.
59-61	Exc. F85	576169	2	.51	INSULATOR (2" sq. x 2 <sup>1</sup> / <sub>32</sub> " I.D.)
61	F85 C.A.C., Police, Taxi, Spec. Cool.	578373	2	.20	INSULATOR, upper brkt.
61-64	Exc. J/Fire, C.A.C., Police, Taxi or Spec. Cool.	578372	1	.25	INSULATOR, upper brkt.
61-63	F85 exc. J/Fire or 1963 C.A.C.	578373	2	.20	INSULATOR, lower brkt.
61-64	Exc. C.A.C., Spec. Cool. or F85	578372	4	.25	INSULATOR, upper & lower brkt.
61-62	C.A.C., Spec. Cool. exc. F85	580446	2-4	.25	INSULATOR, upper & lower brkt.
62	Exc. F85	586740	4	.38	INSULATOR, supt. to frame (2" O.D.)
62	Exc. F85	585244	2	.67	INSULATOR, supt. to frame (1 <sup>7</sup> / <sub>8</sub> " O.D.)
62-63	F85 J/Fire	580446	2-4	.25	INSULATOR, upper & lower brkt.
63-65	F85 C.A.C., Spec. Cool.	580446	2-4	.25	INSULATOR, upper & lower brkt.
63-65	Exc. F85	406594	1-2	.41	INSULATOR, supt. to frame (round)
64	394 Eng. C.A.C., Spec. Cool.	580446	4	.25	INSULATOR, upper brkt.
64	V6	1351470	1-2	.41	INSULATOR, upper brkt.
64-65	V6	588665	2	.30	INSULATOR, lower brkt.
64-65	F85	576169	2	.51	INSULATOR (2" sq. x 2 <sup>1</sup> / <sub>32</sub> " I.D.)
64-65	F85 V8 exc. C.A.C.	588667	2	.30	INSULATOR, lower brkt.
64-65	F85 V8 C.A.C., Spec. Cool.	588671	2	.36	INSULATOR, lower brkt.
65	F85 V8 exc. C.A.C.	578372	4	.25	INSULATOR, upper & lower brkt.
65	V6 C.A.C., Spec. Cool.	1351470	1-2	.41	INSULATOR, upper brkt.
65	Exc. F85	391320	RH	.51	INSULATOR, upper & lower
65	Exc. F85	391321	LH	.51	INSULATOR, upper & lower
66	F85	394230	2	.25	INSULATOR, side supt. (1 <sup>3</sup> / <sub>4</sub> " D.D. x 7 <sup>1</sup> / <sub>8</sub> " I.D. x 3 <sup>1</sup> / <sub>4</sub> " thick-round-rubber-40 durometer)
66	F85	394229	2	1.03	INSULATOR, side supt. (2" square x 1 3 <sup>1</sup> / <sub>8</sub> " thick x 5 <sup>1</sup> / <sub>8</sub> " I.D.-40 durometer)
63-66	Exc. F85 or Tor. (9.023)	380764	2	.56	INSULATOR, side supt. (2" square x 1 3 <sup>1</sup> / <sub>8</sub> " thick x 5 <sup>1</sup> / <sub>8</sub> " I.D.-50 durometer)
66-71	Exc. Tor.	406594	2	.41	INSULATOR, supt. to frame (1 <sup>3</sup> / <sub>4</sub> " O.D. x 7 <sup>1</sup> / <sub>8</sub> " I.D. x 3 <sup>1</sup> / <sub>4</sub> " thick-round rubber-50 durometer)
66-70	All	391320	RH	.51	INSULATOR, rad. brkt. (rubber-6 <sup>3</sup> / <sub>16</sub> " long)
66-70	All	391321	LH	.51	INSULATOR, rad. brkt. (rubber-5 <sup>5</sup> / <sub>8</sub> " long)
66-69	Tor.	576169	2	.51	INSULATOR, supt. to frame (2" square x 1" thick x 5 <sup>1</sup> / <sub>8</sub> " I.D.-50 durometer)
66-69	Tor.	576170	2	.20	INSULATOR, supt. to frame (1 <sup>3</sup> / <sub>4</sub> " O.D. x 7 <sup>1</sup> / <sub>8</sub> " I.D. x 7 <sup>1</sup> / <sub>16</sub> " thick-round rubber-50 durometer)

67	F85 (9.023)	380764	2	.56	INSULATOR, supt. to frame (2" square x 1 $\frac{1}{8}$ " thick x $\frac{5}{8}$ " I.D.-50 durometer)
67-68	F85	406594	2	.41	INSULATOR, supt. to frame (1 $\frac{1}{4}$ " O.D. x $\frac{7}{8}$ " I.D. x $\frac{3}{4}$ " thick-round rubber-50 durometer)
67-68	Exc. F85 or Tor.	397312	2	.30	INSULATOR, supt. to frame (1 $\frac{1}{4}$ " O.D. x $\frac{7}{8}$ " I.D. x $\frac{3}{4}$ " thick-round rubber-60 durometer)
67-70	Exc. F85 or Tor.	396739	2	1.08	INSULATOR, supt. to frame (2" square x 1 $\frac{1}{8}$ " thick x $\frac{5}{8}$ " I.D.-60 durometer)
68	F85	396739	2	1.08	INSULATOR, supt. to frame (2" square x 1 $\frac{1}{8}$ " thick x $\frac{5}{8}$ " I.D.-50 durometer)
69-72	F85	404105	2	1.13	INSULATOR, supt. to frame (2" square x 1 $\frac{1}{8}$ " thick x $\frac{7}{8}$ " I.D.)
70	Tor.	406592	RH	1.03	INSULATOR, supt. to frame (2" x 2" x 1 $\frac{1}{32}$ " thick-white-40 durometer)
70	Tor.	406593	LH	1.03	INSULATOR, supt. to frame (2" x 2" x 1 $\frac{1}{32}$ " thick-60 durometer)
70	Tor.	406594	2	.41	INSULATOR (1 $\frac{1}{4}$ " O.D. x $\frac{7}{8}$ " x $\frac{3}{4}$ " thick)
71	4400 C.A.C. or 3.73 Axle	411229	2	.41	INSULATOR, rad. supt.-thick foam
71	F85 V8 H.D. Cool	407122	4	.30	INSULATOR, rad. support or brkt. (5 x $\frac{3}{4}$ " x $\frac{7}{16}$ ")
71	Exc. F85, Tor. or H.D. Cool.	391320	RH	.51	INSULATOR, rad. core (use 2)
71	Exc. F85, Tor. or H.D. Cool.	391321	LH	.51	INSULATOR, rad. core (use 2)
71	H.D. Cool. exc. F85 or Tor.	391320	LH	.51	INSULATOR, rad. core (use 2)
71-72	Tor.	407122	RH	.30	INSULATOR, rad. support or brkt. (5 x $\frac{3}{4}$ " x $\frac{7}{16}$ "-lower)
71-72	Tor. H.D. Cool	407122	LH	.30	INSULATOR, rad. support or brkt. (5 x $\frac{3}{4}$ " x $\frac{7}{16}$ "-use 2)
71-72	Tor. H.D. Cool.	391320	LH	.51	INSULATOR, rad. core (upper)
71	Tor. H.D. Cool.	407122	LH	.30	INSULATOR, upper & lower
71	L6	407117	4	.25	INSULATOR, upper & lower (4 $\frac{3}{8}$ " x $\frac{3}{4}$ " x $\frac{7}{16}$ " thk.)
71-72	F85	406594	2	.41	INSULATOR, rad. side supt. to frame
71	F85 V8 exc. H.D. Cool., C.A.C. or 3.73 Axle	407117	4	.25	INSULATOR, upper & lower (4 $\frac{3}{8}$ " x $\frac{3}{4}$ " x $\frac{7}{16}$ " thk.)
71-72	Exc. F85	409696	2	.20	INSULATOR, rad. side supt. to frame
71-72	Exc. F85	409697	2	.97	INSULATOR, rad. supt. to frame
71	Tor. exc. H.D. Cool.	407117	4	.25	INSULATOR, upper & lower L.H. (4 $\frac{3}{8}$ " x $\frac{3}{4}$ " x $\frac{7}{16}$ " thk.)
71-72	Tor.	391320	RH	.51	INSULATOR, rad. core (upper)
71	Tor. H.D. Cool.	391320	LH	.51	INSULATOR, rad. core upper
71-72	Tor.	391321	LH	.51	INSULATOR, upper supt. brkt.
72	F85 350 Eng. C.A.C. exc. Y72	407117	4	.25	INSULATOR, upper & lower
72	F85 exc. H.D. Cool.	407117	2	.25	INSULATOR, upper
72	F85 C.A.C. or Y72	407122	4	.30	INSULATOR, rad. supt. or brkt.
72	F85 455 Eng. C.A.C. exc. Y72	411229	2	.41	INSULATOR, rad. supt. L.H.
72	O.A.I.	411229	2	.41	INSULATOR, rad. supt. L.H.
72	F85 exc. H.D. Cool. or C.A.C.	407117	2	.25	INSULATOR, upper & lower
72	O.A.I.	407122	AR	.30	INSULATOR, supt. or brkt.
72	5400, 6400, 6800, 98 exc. H.D. Cool.	391320	RH	.51	INSULATOR (2 used)
72	5400, 6400, 6800, 98 H.D. Cool.	407117	LH	.25	INSULATOR (2 used)
72	5400, 6400, 6800, 98	407122	LH	.30	INSULATOR (2 used)
72	5400, 6400, 6800, 98	407122	RH	.30	INSULATOR (2 used)
72	Tor.	407117	LH	.25	INSULATOR, lower
73	All A	407117	LH	.25	INSULATOR, rad. supt. or brkt. (2 used)
73	All A	409696	2	.20	INSULATOR, rad. side supt. to frame
73	All A	409697	2	.97	INSULATOR, rad. supt. to frame
73	All A 350 Eng. exc. Opt. Y72	411229	2	.41	INSULATOR, rad. supt.-LH-thick formed
73	All A 455 Eng. exc. C.A.C.	411229	2	.41	INSULATOR, rad. supt.-LH-thick formed
73	All A 455 Eng. C60 exc. Y72	407122	RH	.30	INSULATOR, rad. supt. or brkt. (2 used)
73	All A Opt. Y72	407122	RH	.30	INSULATOR, rad. supt. or brkt. (2 used)
73	All B, C exc. Opt. Y72 or C.A.C.	411229	2	.41	INSULATOR, rad. supt.-LH-thick formed
73	All B, C exc. Opt. Y72	411229	LH	.41	INSULATOR, rad. supt.-thick formed
73	All B, C 455 Eng. C.A.C., Y72	407122	2	.30	INSULATOR, rad. supt. or brkt.-5" x $\frac{3}{4}$ x $\frac{7}{16}$ "
73	All E	391320	RH	.51	INSULATOR, rad. baffle-upper
73	All E	391321	LH	.51	INSULATOR, rad. baffle-upper
73	All E	407117	LH	.25	INSULATOR, rad. supt. or brkt. (2 used)
73	All E	407122	RH	.30	INSULATOR, lower



73	All B, C, E	413360	2		INSULATOR, side supt. brkt. to frame-upper
73	All B, C, E	413359	2		INSULATOR, side supt. brkt. to frame-lwr.
63	All (8.143)	586522	AR	.10	NUT, supt. to bar & baffles
64-65	Exc. F85 (8.143)	384085	AR	.10	J NUT, supt. attach. (1/4"-14)
65	Exc. F85 (3.613)	3829086	4	.10	NUT, lower supt. to frame
65	Exc. F85 (9.011)	583066	2	.10	NUT, supt. to frame (cone lock 7/16"-14)
70-72	All (8.917)	9422299	2	.15	NUT, rad. core support to frame
71	Exc. Tor. (1.266)	390647	2	.10	NUT, radiator support to fender
63-64	Exc. F85	380796	2	.92	PLATE, frame supt. brkt. to supt.
50-58	All (8.977)	9419380	AR	.05	SCREW, baffle to supt. attach.
61	F85 (8.977)	9419380	4	.05	SCREW, supt. to cross bar
63	Exc. F85 (8.977)	9419380	AR	.05	SCREW, baffle to supt. attach.
70	Tor. (8.977)	9423284	2	.05	SCREW, seal to frame
64	F85 V8	588759	2	.25	SEAL, side supt. to rad.
64-65	V6	589281	2	1.13	SEAL, side supt. to shroud
64-65	V6 C.A.C.	589553	2	.62	SEAL, side supt. to rad.
65	Exc. F85	387353	1	2.51	SEAL, upper supt. to rad.
65	F85 V8	389254	2	.30	SEAL, supt. to rad.
66	L6 or 400 Eng. C.A.C. & H.D. Cool, 98 A.I.R. w/c. A.C. H.D. cool.	392049	1	1.33	SEAL, radiator lower supt. (36 3/4" x 6 1/4" rubber)
66	L6 C.A.C.	392903	1	.62	SEAL, side upper (13" x 5 1/4" rubber)
66-67	L6 C.A.C.	393309	1	2.15	SEAL, tie bar to rad.
66-67	L6 C.A.C.	392904	1	.38	SEAL, side lower (7" x 6 1/4" rubber)
66-67	Tor.	392329	1	6.50	SEAL, rad. lwr. supt. to bumper (78 1/2" rubber)
66-71	All (8.021)	393199	1	1.23	SEAL, supt. to rad. (45" x 5/8")
67	L6 C.A.C.	397536	1	.87	SEAL, supt. to rad.
68-72	F85	401665	2	.92	SEAL, side (13 1/2")
69	F85	403938	2	.82	SEAL, side lower (11 1/4" x 12 3/8")
71	4400	406326	2	.90	SEAL, side baffle to deflector
72	F85 455 Eng. w/422 Opt.	406326	2	.90	SEAL, side baffle to deflector
72	All	399814	2	1.38	SEAL, rad. top & bottom (33")
73*	All A	413536	RH		SEAL, rad. side
73*	All A	413537	LH		SEAL, rad. side
73	All A, B, C, E	399814	2	1.38	SEAL, rad.-top & bottom (33")
68	Tor.	400342	AR	.20	SHIM, support to fender (.030")
69-70	All	402248	AR	.15	SHIM, support to fender (.060")
71-72	F85	402248	AR	.15	SHIM, fender to tie bar or support
71-72	Exc. F85	408836	AR	.20	SHIM, fender to support
73	All B, C, E	408836	AR	.20	SHIM, support to fender
55-64	All (9.011)	560063	1	.10	WASHER, supt. to frame
67-70	Exc. F85 or Tor. (9.011)	560063	AR	.10	WASHER (1 1/8" O.D. x 1 5/32" I.D.)
71-72	All (9.011)	3833649	2	.10	WASHER, supt. to frame
72	All (9.011)	560063	AR	.10	WASHER, rad. supt. to frame
<b>1.271 BAR-BRACE-EXTENSION-NUT-SEAL, RADIATOR CORE SUPPORT TIE BAR</b>					
61	Exc. F85	580772	1	5.80	BAR (R.H.)
61	Exc. F85	579935	1	7.60	BAR (side baffle - upper)
61	Exc. F85	581720	1	3.54	BAR (side baffle - lower)
62	Exc. F85	583190	1	6.15	BAR (R.H.)
63	Exc. F85	380891	1	6.85	BAR
63	Exc. F85	586808	1	7.50	BAR (side baffle - upper)
63	Exc. F85	586809	1	5.75	BAR (side baffle - lower)
64	Exc. F85	589099	1	6.65	BAR, core supt. tie
64	Exc. F85	380754	1	7.70	BAR, side baffle lower tie
63-64	Exc. F85	588228	2	.92	BRACE, tie bar (rod type)
61	Exc. F85	580773	LH	2.41	EXTENSION, tie bar
61	Exc. F85	580310	RH	2.51	EXTENSION, side baffle upper bar
61	Exc. F85	580311	LH	2.51	EXTENSION, side baffle upper bar
62	Exc. F85	583192	LH	2.05	EXTENSION
61	Exc. F85 (8.921)	559736	7	.05	NUT, spring (lwr. tie bar to gravel defl.)
63	All (8.143)	586522	AR	.10	NUT, baffle to filler plate
64	Exc. F85 (8.143)	384085	AR	.10	J NUT, bar attach. (1/4"-14)
64	Exc. F85	589467	2	.77	SEAL, lower tie bar (rubber)

## 1.272 BAFFLE, RADIATOR CORE SUPPORT

60	Exc. C.A.C.	577534	RH	7.70	BAFFLE, side
61	F85 exc. C.A.C.	579428	RH	7.35	BAFFLE, side
61	F85 exc. C.A.C.	579429	LH	7.35	BAFFLE, side
61	Exc. F85	581219	LH	4.56	BAFFLE
62	F85 exc. J/Fire or C.A.C.	583734	RH	6.60	BAFFLE, side
62	F85 exc. J/Fire or C.A.C.	583735	LH	6.60	BAFFLE, side
62	F85 J/Fire exc. C.A.C.	586491	LH	5.60	BAFFLE
62	F85 C.A.C.	583737	LH	6.60	BAFFLE, side
62	Exc. F85	583300	RH	6.15	BAFFLE
62	Exc. F85	583301	LH	6.15	BAFFLE
62	Exc. F85	583339	1	5.50	BAFFLE, upper
62	Exc. F85	584301	1	6.35	BAFFLE, lower (rubber)
62-63	F85 J/Fire C.A.C.	585660	1	7.50	BAFFLE, lower
63	F85	586884	RH	5.40	BAFFLE, side
63	F85	586885	LH	5.40	BAFFLE, side
63-64	Exc. F85	587068	1	2.46	BAFFLE, lower
63	Exc. F85	586640	RH	9.45	BAFFLE, side
63	Exc. F85	586641	LH	9.45	BAFFLE, side
64	Exc. F85	588570	RH	11.40	BAFFLE, side
64	Exc. F85	588571	LH	11.80	BAFFLE, side
66	400 Eng. O.A.I.	396980	RH	80.00	BAFFLE, side
66	400 Eng. O.A.I.	396981	LH	80.00	BAFFLE, side
66	5200,5400,5600,5800, 98 exc. C.A.C. W/H.D. Cool	391292	1	6.95	BAFFLE, upper
66	C.A.C. W/H.D. Cool. exc. F85 & Tor.	394967	1	6.85	BAFFLE, upper
66-67	Tor. exc. C.A.C. W/H.D. Cool.	391753	1	5.70	BAFFLE, upper
66-67	Tor. C.A.C. W/H.D. Cool.	395054	1	7.50	BAFFLE, upper
67	5200, 5400, 5600, 5800, 98 exc. C.A.C., H.D. Cool. or A.I.R.	394406	1	7.00	BAFFLE (upper)
67	C.A.C. or A.I.R. exc. H.D. Cool. F85 or Tor.	394408	1	7.00	BAFFLE, rad. upper
67-68	H.D. Cool. exc. F85 or Tor.	396570	1	7.00	BAFFLE, rad. upper
68	Exc. Y72, F85 or Tor.	394408	1	7.00	BAFFLE, rad. upper
68-70	Tor. exc. 1970 Y72 (*1) (*1) When installing on 1968 models also order 1-392756 clamp.	398795	1	8.20	BAFFLE (upper)
69-70	Y72 exc. F85 or Tor.	405116	1	5.35	BAFFLE, upper
69-70	5400, 6400, 6600, 98 exc. Y72	405114	1	5.35	BAFFLE, upper
70	Tor. Y72	407202	1	7.90	BAFFLE, upper
71-72	5400, 6400, 6600, 6800, 98 exc. Y72	407184	1	7.95	BAFFLE, upper
71-72	5400, 6400, 6600, 6800, 98 Y72	407185	1	7.95	BAFFLE, upper
71	Tor. exc. Y72	408095	1	7.95	BAFFLE, upper
71	Tor. Y72	408096	1	7.95	BAFFLE, upper
72-73	Tor.	408095	1	7.95	BAFFLE, upper
73*	All X	485129	RH	.51	BAFFLE, rad to fdr.
73*	All X	485130	LH	.51	BAFFLE, rad. to fdr.
73*	All A	410094	RH		BAFFLE, side
73*	All A	410095	LH		BAFFLE, side
73*	All A	411946	RH		BAFFLE, lwr. tie bar to valance panel
73*	All A	411947	LH		BAFFLE, rad. to fdr.
73*	All B, C	407185	1	7.95	BAFFLE, rad.-upper

## 1.272 BRACKET-DEFLECTOR-EXTENSION-FILLER-SUPPORT-SPRING NUT-J NUT-SCREW, RADIATOR CORE SUPPORT

61-62	F85	583552	RH	1.23	BRACKET, baffle (outer)
61-62	F85	583553	LH	1.23	BRACKET, baffle (outer)
61-62	F85	579144	RH	1.33	BRACKET, baffle (lower)
61-62	F85	579145	LH	1.54	BRACKET, baffle (lower)
65	Exc. F85	387448	1	1.54	DEFLECTOR, air (lower plastic)
66	Exc. F85 & Tor.	391588	1	1.54	DEFLECTOR, lower (26½" x 4" plastic)
66-67	F85	390909	1	1.54	DEFLECTOR, lower (34" lg. plastic)
66-67	Tor.	389997	1	3.43	DEFLECTOR, lower (42" x 5" plastic)
66-67	Tor. exc. C.A.C. W/H.D. Cool.	389208	1	1.79	DEFLECTOR, L.H. side (16" x 4¾" steel)
67	Exc. F85 or Tor.	401073	1	5.20	DEFLECTOR, lower
68	F85	230587	1	4.25	DEFLECTOR, air (lower-plastic w/seal)
68-69	Tor.	398592	1	6.65	DEFLECTOR, air (lower-plastic)
68	Exc. F85 or Tor.	401073	1	5.20	DEFLECTOR, air (lower)

69	F85	230742	1	8.10	DEFLECTOR, air (lower-w/seal)
69	Exc. F85 or Tor.	230664	1	6.15	DEFLECTOR, air (lower w/seal)
70	F85	230847	1	5.70	DEFLECTOR, air (lower-w/seal)
70	5400, 6400, 6600, 98	230848	1	6.45	DEFLECTOR, air (lower-w/seal)
70	Tor.	405647	1	6.65	DEFLECTOR, air (lower)
71-72	F85	231083	1	5.65	DEFLECTOR, air (lower-w/seal)
71	Exc. F85 or Tor.	407104	1	10.20	DEFLECTOR, rad. lower air
71-72	Tor.	407974	1	6.50	DEFLECTOR, rad. lower air
71-72	Tor.	409410	RH	1.28	DEFLECTOR, rad upper air
71-72	Tor.	409411	LH	1.28	DEFLECTOR, rad upper air
72	5400, 6400, 6800, 98	410195	1	10.20	DEFLECTOR, rad. lower air
73*	All X Opt. C60	413489	1		DEFLECTOR, rad. lower air
73*	All B, C	411917	1		DEFLECTOR, rad. lower air
73*	All E	413498	RH		DEFLECTOR, rad. upper air
73*	All E	413499	LH		DEFLECTOR, rad. upper air
73*	All E	412491	1		DEFLECTOR, rad. lower air
63	F85	381434	RH	1.08	EXTENSION, baffle (upper)
63-64	Exc. F85	586546	RH	3.18	EXTENSION, baffle
66-67	L6	391774	RH	1.74	EXTENSION, side supt. (17½" x 5¼" plastic)
66-67	L6	391775	LH	1.74	EXTENSION, side supt. (17½" x 5¼" plastic)
68	F85 exc. O.A.I.	400534	RH	2.15	EXTENSION, deflector
68	F85 exc. O.A.I.	400535	LH	2.15	EXTENSION, deflector
63	Exc. F85	586806	RH	2.36	FILLER, baffle to fdr.
63	Exc. F85	586807	LH	2.36	FILLER, baffle to fdr.
64	Exc. F85	588566	RH	2.77	FILLER, baffle to fdr.
64	Exc. F85	588567	LH	2.77	FILLER, baffle to fdr.
65	Exc. F85	589862	RH	3.18	FILLER, baffle to fdr.
65	Exc. F85	589863	LH	3.18	FILLER, baffle to fdr.
72	5400, 6400, 6800, 98 (1.266)	1384774	4	.41	INSULATOR, filler to grille to defl.
71-72	Tor.	410258	1	1.28	SUPPORT, lower air deflector
61-62	F85 (8.921)	559736	23	.05	SPRING NUT, baffle & brkt. attach.
64	Exc. F85 (8.143)	384085	AR	.10	J NUT, baffle attach. (¼"-14)
71	Tor. (1.266)	404756	6	.10	NUT ("U" shaped)
63	Exc. F85 (2.720)	577375	12	.05	SCREW, baffle to fdr. ext.
<b>1.274 BUMPER-INSULATOR-SEAL-REINFORCEMENT-NUT-RETAINER-SCREW, RADIATOR BAFFLE AND DEFLECTOR</b>					
72	All B, C (10.263)	387676	2	.20	BUMPER, air deflector bumper
72	5200, 6400, 6800, 98	411586	2	.41	INSULATOR, air deflector to fdr.
73*	All B, C	413375	1		INSULATOR, air deflector to fdr.
65	400 Eng.	389383	1	.87	SEAL, radiator lower
66	Exc. C.A.C., H.D. Cool. A.I.R., F85 or Tor.	392330	2	.46	SEAL, side baffle (16¾" x 5¼" rubber)
66-67	F85 V8	392990	RH	.62	SEAL, side baffle (approx. 25" long rubber)
66-67	F85 V8	392991	LH	.46	SEAL, side baffle (approx. 25" long rubber)
66-67	Tor.	390361	1	.46	SEAL, rad. R.H. side (17" x 4¾" rubber)
66-67	Tor. exc. C.A.C. W/H.D. Cool.	390359	1	.30	SEAL, L.H. side deflector to rad. (15¾" x 3¼" rubber)
66-67	Tor. C.A.C. W/H.D. Cool	391755	1	.97	SEAL, baffle to radiator
66-67	All (8.021)	393199	1	1.23	SEAL, rad. upper baffle (45" x 5⅞") (cut to size req.)
67	Exc. C.A.C. H.D. Cool., A.I.R., F85 or Tor.	396320	2	.82	SEAL, side baffle (21" x 8")
68	F85	400654	1-2	.15	SEAL, side supt. air (upper)
68	F85	398172	1	.56	SEAL, deflector (35")
68	Exc. F85 or Tor.	400382	2	.51	SEAL, baffle side
69	F85	401892	1	1.13	SEAL, air deflector to bumper
69	F85 exc. C.A.C.	404055	RH	.20	SEAL, upper support
69-70	F85	404056	LH	.20	SEAL, upper support
69-72	F85 C.A.C.	404056	RH	.20	SEAL, upper support
69-72	Exc. F85 or Tor.	409291	LH	.46	SEAL, side upper
70-71	L6 or C.A.C.	404055	1-2	.20	SEAL, upper support (C.A.C.-R.H. only)
70-72	F85 V8 exc. C.A.C. or H.D. Cool.	406325	2	.30	SEAL, air (upper-4½" x 9")
70-72	F85 V8 C.A.C. or H.D. Cool.	404055	1-2	.20	SEAL, upper support (C.A.C.-L.H.)
71-72	Exc. F85, Tor. or C.A.C.	409202	RH	1.13	SEAL, rad. side upper
71	Exc. F85 or Tor.	409512	1	3.49	SEAL, fender tie bar to front end panel
71-72	C.A.C. exc. F85 or Tor.	409204	RH	1.13	SEAL, side upper
71	Tor.	409409	RH	.77	SEAL, rad. upper air deflector (cut to length)
71-72	Tor.	409514	1	1.90	SEAL, upper tie bar to hood

72	5400, 6400, 6800, 98	410826	1	.36	SEAL, deflector to bumper
72	5400, 6400, 6800, 98	411726	2	.30	SEAL, lower air deflector outer
72	5400, 6400, 6800, 98	410641	1	3.49	SEAL, fdr. tie bar to frt. end panel
73*	All B, C exc. C.A.C.	413910	RH		SEAL, rad. side upper
73*	All B, C C.A.C.	413911	RH		SEAL, rad. side upper
73	All E	409514	1	1.90	SEAL, upper tie bar to hood
73*	All B, C	413825	LH		SEAL, rad. side
71	4400	410410	1	5.40	REINFORCEMENT, lower air deflector
72	3200, 3600, 4200 w/442 Opt.	410410	1	5.40	REINFORCEMENT, lower air deflector
71-72	Tor.	407513	6	.10	NUT, deflector to side baffle
66-67	Tor.	394367	2	.20	RETAINER, lwr. seal to bumper
71-72	Tor.	480534	7	.10	RETAINER, seal to upper tie bar
73	All X	480534	4	.10	RETAINER, seal to rad. supt.
73	All E	480534	7	.10	RETAINER, seal to upper tie bar
69	Exc. F85 or Tor. (8.977)	9427411	AR	.10	SCREW, deflector to lwr. tie bar (1/4"-14 x 5/8")
70	All (8.977)	9427411	AR	.10	SCREW, deflector to lwr. tie bar
71-72	F85, Tor. (8.977)	9427411	6	.10	SCREW, deflector to lwr. tie bar
72	5400, 6400, 6800, 98 (8.977)	9427411	AR	.10	SCREW, deflector to lwr. tie bar
<b>1.276 NUT-SCREW, RADIATOR BAFFLE OR FAN SHROUD ATTACHING</b>					
66-68	All (7.347)	391359	AR	.15	NUT, fan shrd. to rad. baffle
69	L6	404492	4	.20	NUT, fan shrd. to upper & lwr. tie bar
69-70	V8 exc. O.A.I. or Tor. (8.160)	397639	4	.25	NUT, fan shrd. to lower tie bar & upper baffle
71-72	All (8.160)	397639	AR	.25	NUT, fan shrd. to upper baffle
69-70	Tor.	404492	2	.20	NUT, upper baffle to shroud
69	Exc. F85 or Tor.	3960314	AR	.10	SCREW, baffle to support, filler & fender to baffle & to headlamp
69	Exc. Tor.	3960314	2	.10	SCREW, fan shroud to upper baffle
70	5400, 6400, 6600, 98 C.A.C. or H.D. Cool.	3960314	AR	.10	SCREW, fan shroud to upper baffle
70-71	L6	3960314	AR	.10	SCREW, fan shroud to upper baffle
71	F85 V8 C.A.C. or H.D. Cool.	3960314	AR	.10	SCREW, fan shroud to upper baffle
71-72	Tor.	3960314	AR	.10	SCREW, fan shroud to upper baffle
72	Tor.	3960314	6	.10	SCREW, baffle to frt. bumper lwr. center bar
<b>1.277 GUARD-SHIELD-RING-SHROUD-BRACE-BRACKET-INSULATOR-SEAL-SHIM-STRAP-SUPPORT, RADIATOR FAN SHROUD</b>					
65	Exc. F85 or C.A.C.	387698	1	1.95	GUARD, fan upper
70	5400, 6400, 6600, 98 exc. C.A.C. or H.D. Cool.	404869	1	2.56	GUARD, fan (upper-plastic)
73*	All X V8 exc. Opt. C60	413767	1		GUARD, fan
73*	All A exc. Opt. C60, Y72	413065	1		GUARD, fan
62	F85 exc. J/fire (1.270)	584568	1	2.87	SHIELD (inc. fan upper supt.)
63	F85 C.A.C. or Spec. Cool.	586883	1	1.64	SHIELD, fan
64	F85 V8 C.A.C.	383047	1	9.90	RING
65	C.A.C., Spec. Cool. exc. F85	387760	1	8.50	RING
65	F85 330 Eng. C.A.C. or Spec. Cool.	389067	1	10.40	RING
72-73	Tor. C.A.C.	410958	1	6.10	RING, venturi
62	C.A.C. or Spec. Cool. exc. F85	583268	1	7.20	SHROUD
63-64	C.A.C., Spec. Cool. exc. F85	587190	1	8.10	SHROUD
64-65	V6 exc. C.A.C., Spec. Cool.	1361903	1	11.85	SHROUD
64-65	V6 C.A.C. or Spec. Cool.	1362122	1	14.05	SHROUD
65	400 Eng.	389430	1	8.10	SHROUD
66	V8 C.A.C., H.D. cool. or A.I.R. exc. Tor.	391030	1	7.35	SHROUD
66	Tor. A.I.R. exc. C.A.C. or H.D. cool.	389649	1	8.70	SHROUD
66-67	L6 C.A.C., H.D. cool. or A.I.R.	391746	1	6.60	SHROUD
66-67	Tor. C.A.C., H.D. cool.	389649	1	8.70	SHROUD

67	F85 V8 A.I.R. exc. C.A.C. or H.D. Cool.	391030	1	7.35	SHROUD
67	F85 V8 C.A.C. or H.D. cool.	391030	1	7.35	SHROUD
67	C.A.C., A.I.R. or H.D. cool. exc. F85 or Tor.	394297	1	17.95	SHROUD
68-71	L6	398780	1	10.40	SHROUD
68	F85 V8	398248	1	10.40	SHROUD
68	Exc. F85 or Tor.	394297	1	17.95	SHROUD
68	Tor.	401851	1	11.70	SHROUD
69-70	Tor.	401851	1	11.70	SHROUD
69	F85 V8 exc. O.A.I.	402995	1	9.90	SHROUD
69	442 O.A.I.	402995	1	9.90	SHROUD
69	Exc. F85 or Tor.	404464	1	8.45	SHROUD
70	F85 V8 C.A.C., H.D. Rad. or Cool.	402995	1	9.90	SHROUD
70	C.A.C., H.D. Cool. exc. F85 or Tor.	404464	1	8.45	SHROUD
70	Tor. C.A.C. or H.D. Cool.	401851	1	11.70	SHROUD
71-72	F85 V8 C.A.C.	407867	1	11.35	SHROUD, fan
71-72	F85 V8 H.D. Cool.	407867	1	11.35	SHROUD, fan
71	F85 3.73 Ratio	407867	1	11.35	SHROUD, fan
71-72	C.A.C. or H.D. Cool. exc. F85 or Tor.	407895	1	9.95	SHROUD, fan
71	Tor.	407893	1	11.35	SHROUD, fan
72	O.A.I.	407867	1	11.35	SHROUD, fan
72-73	Tor. exc. C.A.C.	407893	1	11.35	SHROUD, fan
72-73	Tor. C.A.C.	410806	1	9.15	SHROUD, fan
73*	All X Opt. C60 or V01	413398	1		SHROUD, fan
73*	All A Opt. C60 or Y72	410036	1		SHROUD, fan
73	All B, C C.A.C. or Y72	407895	1	9.95	SHROUD, fan
70-72	4800	406553	2	3.84	BRACE, cowl to radiator upper tie bar
72-73	Tor. C.A.C.	411755	1	1.28	BRACE, fan shroud-13½"
66	5200, 5400, 5600, 5800, 98 C.A.C. & A.I.R. exc. H.D. cool.	394013	2	.67	BRACKET, shroud lower
66	5200, 5400, 5600, 5800, 98 C.A.C. W/H.D. cool. exc. A.I.R.	394986	2	1.27	BRACKET, shroud lower
66-67	F85 C.A.C., H.D. cool. or A.I.R.	394013	2	.67	BRACKET, shroud lower
66-67	Tor. C.A.C., A.I.R. or H.D. cool.	394011	2	.67	BRACKET, shroud lower
67	C.A.C., A.I.R. or H.D. cool. exc. Tor.	394013	2	.67	BRACKET, shroud lower
68	Exc. F85 or Tor.	394013	2	.67	BRACKET, shroud lower
68-73	Tor.	394011	2	.67	BRACKET, shroud lower
70-71	L6	404949	2	.20	BRACKET, shroud mtg.
70	F85 V8 C.A.C., H.D. Cool. or Rad.	404949	2	.20	BRACKET, shroud mtg.
71-72	F85 V8 C.A.C., H.D. Cool	404949	2	.20	BRACKET, shroud mtg.
71	3200, 3600 O.A.I. exc. 3.42 Ratio	404949	2	.20	BRACKET, shroud mtg.
71	F85 w/3.73 Ratio	404949	2	.20	BRACKET, shroud mtg.
72	O.A.I.	404949	2	.20	BRACKET, shroud mtg.
72-73	Tor. C.A.C.	411370	RH	4.05	BRACKET, venturi ring lwr.
72-73	Tor. C.A.C.	411372	RH	3.95	BRACKET, venturi ring upper
72-73	Tor. C.A.C.	411383	LH	4.20	BRACKET, venturi ring upper
72-73	Tor. C.A.C.	411385	LH	2.41	BRACKET, venturi ring lwr.
64-65	V6	1354161	2	.15	INSULATOR, shroud to rad. brkt.
65	Exc. F85	386929	1	.25	INSULATOR, fan guard supt.
72	Tor. C.A.C. (8.967)	9423923	4	.05	RIVET, brace to fan shroud
72-73	Tor. C.A.C.	410807	1	2.82	SEAL, rad. fan shroud to ring
66-68	Tor. (6.178)	569033	AR	.20	SHIM, brkt. to frame (.050")
67-68	W/C.A.C., A.I.R. or H.D. Cool exc. F85 or Tor. (6.178)	569032	AR	.20	SHIM, baffle to frame (.120")
67-68	W/C.A.C., A.I.R. or H.D. cool. exc. F85 or Tor. (6.178)	569033	AR	.20	SHIM, baffle to frame (.050")
69	All	569032	AR	.20	SHIM, baffle or support to shroud (.120")
69-72	All (6.178)	569033	AR	.20	SHIM, baffle or support to shroud (.050")

72-73	Tor. C.A.C. (3.459)	401170	1	.25	SPRING, fan shroud seal strip
72-73	Tor. C.A.C.	411391	1	.77	STRAP, fan shroud seal retg.-56%"
65	Exc. F85	387156	1	1.44	SUPPORT, fan guard

**1.303 EMBLEM-EXTENSION-LETTERS-MOLDING PKG.-NAME PLATE-NUMERAL PKG.-NUT-ORNAMENT-RETAINER-SCREW-SCRIPT PKG., RADIATOR GRILLE OR FRONT END PANEL**

NOTE 1966 Toronado letters located on front end panel are listed in group 8.039.

65	F85 442 Opt.	388816	1	6.00	EMBLEM ("442")
66	F85 exc. 442 (1.266)	390663	1	5.07	EMBLEM, grille (rocket)
66	F85 442	393716	1	4.77	EMBLEM PKG., screen (rocket)
66	F85 442	393717	1	3.08	EMBLEM PKG., screen (442)
66	5200, 5600, 5800	393419	1	3.43	EMBLEM PKG., grille (rocket)
66	5400	39341B	1	3.08	EMBLEM PKG., grille ("Oldsmobile")
66	98	393420	1	3.69	EMBLEM PKG., grille (rocket)
66-67	Tor.	393794	1	2.26	EMBLEM PKG., panel (rocket)
67	F85 exc. 400 cu. in. Eng.	230148	1	2.67	EMBLEM PKG., grille
67	5200, 5600 (*1)	230098	1	4.31	EMBLEM PKG., grille ("Oldsmobile") (L.H.)
(*1) NOTE: Opposite side is a molding package listed in group 2.728.					
67	Exc. F85 or Tor.	230099	1	2.77	EMBLEM PKG., grille ("Rocket")
67	98	230100	1	2.15	EMBLEM PKG., grille ("Oldsmobile")
68	F85 400 Eng.	230469	1	2.67	EMBLEM PKG. ("442")
68	Exc. F85 or Tor.	230406	1	2.26	EMBLEM PKG.
69	Tor.	230701	1	2.10	EMBLEM PKG. (rocket)
70	5400, 6400, 6600	230917	1	1.69	EMBLEM PKG., frt. end panel (center)
70	98	230918	1	1.33	EMBLEM PKG., frt. end panel (center)
70	Tor.	230842	1	2.10	EMBLEM PKG., grille
71	F85 exc. 3577-87, 3677-87	231199	1	1.33	EMBLEM PKG., between grilles stone shield
71	3577-87, 3677-87	231200	1	1.33	EMBLEM PKG. ("S")
71	Exc. F85 or Tor.	231148	1	1.64	EMBLEM PKG., frt. end panel
72	3677-87 W29	231332	1	1.33	EMBLEM PKG., stone shield
72	3200, 3636-69, 4200, 4800	231332	1	1.33	EMBLEM PKG., stone shield
72	5400, 6400, 6800, 98	231328	1	1.64	EMBLEM PKG. (rocket)
63	S/fire	5B7812	RH	1.18	EXTENSION, grille ornament
63	S/fire	587813	LH	1.18	EXTENSION, grille ornament
61	88, S88	581176	RH	4.41	LETTERS, name plate
61	88, S88	581177	LH	4.41	LETTERS, name plate
63	F85	587050	1	.97	LETTER "O" (R.H.)
63	F85	587051	1	.97	LETTER "L" (R.H.)
63	F85	587052	1	.97	LETTER "D"
63	F85	587053	1	.97	LETTER "S"
63	F85	587054	1	.97	LETTER "M"
63	F85	587055	1	.97	LETTER "O" (L.H.)
63	F85	587056	1	.97	LETTER "B"
63	F85	587057	1	.97	LETTER "I"
63	F85	587058	1	.97	LETTER "L" (L.H.)
63	F85	587059	1	.97	LETTER "E"
66-67	Tor.	393787	1	17.30	MLDG. PKG., front end panel
68	Exc. F85 or Tor.	230404	RH	1.69	MLDG. PKG., center panel
68	Exc. F85 or Tor.	230405	LH	1.69	MLDG. PKG., center panel
70	6600, 98	230916	1	1.23	MLDG. PKG., front end panel
70	5400, 6400, 6600, 98	230914	RH	8.50	MLDG. PKG., front end panel
70	5400, 6400, 6600, 98	230915	LH	8.50	MLDG. PKG., front end panel
70	Tor.	230841	RH	6.35	MLDG. PKG., valance panel
70	Tor.	230840	LH	6.35	MLDG. PKG., valance panel
71	L6, 3200, 3600, 4800	408342	RH	1.28	MLDG. PKG., rad. grille bar (15")
71	L6, 3200, 3600, 4800	408343	LH	1.28	MLDG. PKG., rad. grille bar (15")
71	4400	409830	RH	1.28	MLDG., grille
71	4400	409831	LH	1.28	MLDG., grille
71	Exc. F85 or Tor.	231146	RH	5.30	MLDG. PKG., grille
71	Exc. F85 or Tor.	231147	LH	5.30	MLDG. PKG., grille
71	5400, 6400, 6600, 6800	231145	1	.36	MLDG. PKG., front end panel-upper center
72	F85 exc. W29	410638	RH	1.28	MLDG., grille
72	F85 exc. W29	410639	LH	1.28	MLDG., grille
72	F85 w/W29	409830	RH	1.28	MLDG., grille
72	F85 w/W29	409831	LH	1.28	MLDG., grille
72	5400, 6400, 6800, 98	231326	RH	4.77	MLDG. PKG., frt. end panel
72	5400, 6400, 6800, 98	231327	LH	4.77	MLDG. PKG., frt. end panel
72	6400, 6800	231329	1	.46	MLDG. PKG., frt. end panel upper

61	F85	579474	1	6.45	NAME PLATE ("Oldsmobile")
68-69	Tor.	230457	1	1.95	NAME PLATE PKG. ("By Oldsmobile")
71	4400	231196	2	.92	NUMERAL PKG., grille ("4")
71	4400	231197	1	.92	NUMERAL PKG., grille ("2")
72	3287, 3677-87, 4267 W29	231336	2	.92	NUMERAL PKG., grille ("4")
72	3287, 3677-87, 4267 W29	231338	1	.92	NUMERAL PKG., grille ("2")
62	F85 exc. J/fire	583121	1	2.92	ORNAMENT, grille
62	F85 J/fire	585134	1	4.06	ORNAMENT, grille
62	S88	584645	1	2.00	ORNAMENT, grille
62	98	584692	1	4.00	ORNAMENT, grille
62	S/fire	585437	1	20.70	ORNAMENT, grille
63	S/fire	587629	1	17.15	ORNAMENT, grille
64	F85	588676	1	3.08	ORNAMENT, grille
64	S/fire	588763	1	30.08	ORNAMENT, grille
66	Tor.	393788	RH	7.50	ORNAMENT PKG., front end panel (rear of lamp opening)
66	Tor.	393789	LH	7.50	ORNAMENT PKG., front end panel (rear of lamp opening)
67	Tor.	230023	1	1.90	SCRIPT PKG., grille ("Toronado")
68-69	Exc. F85 or Tor.	230397	1	2.00	SCRIPT PKG. ("Oldsmobile")
68-69	Tor.	230458	1	3.59	SCRIPT PKG. ("Toronado")
70	3100, 3200, 3500, 3600, 4800	230397	1	2.00	SCRIPT PKG. ("Oldsmobile")
70	4200, 5400, 6400	230839	1	2.00	SCRIPT PKG., grille ("Oldsmobile")
70	6600	230911	1	2.61	SCRIPT PKG., grille
70	98	230909	1	1.95	SCRIPT PKG., grille
71	6600	231150	1	2.51	SCRIPT PKG. ("Oldsmobile")
71	F85 exc. 4200, 4400 (*2)	231198	1	1.90	SCRIPT PKG. ("Oldsmobile")
	(*2) NOTE - When package is used for 1971 discard plate 409683.				
71	4200	231187	1	2.51	SCRIPT PKG. ("Cutlass Supreme")
71	5400, 6400, 6800, 98	231149	1	1.90	SCRIPT PKG. ("Oldsmobile")
72	F85 exc. W29	231425	1	1.90	SCRIPT PKG. ("Oldsmobile")
72	5400, 6400	231149	1	1.90	SCRIPT PKG. ("Oldsmobile")
72	6800, 98	231425	1	1.90	SCRIPT PKG. ("Oldsmobile")
62	F85 (8.921)	9419763	1-3	.10	NUT, grille ornament
62	S88, 98 (8.921)	9419761	AR	.10	NUT, grille ornament
64	F85 (8.921)	9419763	2	.10	NUT, ornament
66	F85 (8.921)	9419841	12	.05	NUT, emblem attach
66	5200, 5400, 5600 (8.921)	9419761	2	.10	NUT, emblem attach
66	Tor.	3815095	2	.10	NUT, emblem attach
66-67	Tor. (12.118)	9433046	2	.10	NUT, emblem attach
67	F85, 5200, 98 (8.921)	9419763	2	.10	NUT, emblem to grille
68	Tor. (8.921)	9419763	4	.10	NUT, script & plate
66-68	Tor.	7583360	10	.10	NUT, script to fender (self sealing-1/2" stud)
69-71	Exc. Tor. (8.921)	9418907	3	.05	NUT, script to grille
71	5400, 6400, 6600, 6800 (12.118)	9433046	1	.10	NUT, mldg. to fdr. panel
62	S/fire	585480	6	.55	RETAINER, grille ornament
65	F85 442 Opt.	388817	1	.92	RETAINER, "442" emblem
63	F85 (8.977)	448627	10	.05	SCREW, grille letters
<b>1.426 PAN ASSY., ENGINE OIL</b>					
57	All	570792	1	21.65	PAN
59-60	All	573316	1	20.15	PAN
61-62	Exc. F85	577640	1	18.40	PAN
61-63	F85 (*1)	1347480	1	11.35	PAN (w/drain plug at rear of pan)
	(*1) NOTE: When replacing 1st type oil pan which has drain plug at front of pan with 1347480, also use 2nd type oil level indicator part no. 579974.				
63-64	Exc. F85, J88 (*2)	382132	1	16.20	PAN
	(*2) 1964 1st type - Does not have step in sump area of pan. Use with 1st type oil level indicator & steering relay rod. See Nov. 1963 Service Guild Manual.				
64-65	V6 (*4)	1368539	1	11.60	PAN (deep sump)
	(*4) NOTE: This is the 2nd type production pan. When using to replace original production shallow sump pans used before engine No. 234, 2nd type indicator group 1.516 & 2nd type housing group 1.657 must also be used.				
64	394 Eng. (*3)	384762	1	16.20	PAN
	(*3) 1964 2nd type - with step in sump area of pan. Use with 2nd type oil level indicator & steering relay rod. See Nov. 1963 Service Guild Manual.				
64-73	330, 350 Eng.	391440	1	18.20	PAN

65-67	425 Eng. exc. Tor.	407087	1	22.60	PAN
65-69	400 Eng.	407087	1	22.60	PAN
66-71	L6	3988790	1	21.00	PAN
66-73	Tor.	398438	1	26.55	PAN
68-72	455 Eng. exc. Tor.	407087	1	22.60	PAN
73	All A, B, C 455 Eng.	407087	1	22.60	PAN

**1.428 BOLT-SCREW, ENGINE OIL PAN ATTACHING**

57-64	Exc. F85, J88	1171917	AR	.10	BOLT (Special w/washer)
61-63	F85 (4.196)	3829139	AR	.05	BOLT (5/16"-18 x 3/8" w/washer)
64	330 Eng. (0.679)	3817006	14	.10	BOLT (1/4"-20 x 3/16")
64-65	V6 (4.196)	3829139	AR	.05	BOLT (5/16"-18 x 3/8" w/washer)
66-71	L6 (0.679)	3817006	AR	.10	BOLT (1/2"-20 x 7/16") (sides)
66-71	L6 (8.900)	180075	4		BOLT (5/16"-18 x 3/16") (fрт. & rear)
65-73	V8 (0.413)	388708	14	.05	BOLT (1/4"-20 x 3/16") (exc. corners)
65-73	V8	385099	4	.10	BOLT (5/16"-18 x 23/32") (corners only)
69-71	L6 (0.206)	3770309	2	.15	SCREW ASSY., pan to front cover

**1.429 GASKET-GASKET PKG.-SEAL, ENGINE OIL PAN**

Includes side gaskets and front and rear seals.

61-63	F85	1193807	1	1.23	GASKET ONLY
64-65	V6	1358356	1	1.08	GASKET ONLY
49-57	8 Cylinder	557560	1	3.59	GASKET SET (up to eng. no. A143820 & between eng. no. A146388 - A146764)
57-58	All (*1)	570795	1	3.59	GASKET SET (after eng. no. A143819 exc. eng. no.'s A146388 - A146764)

(\*1) The 1957 2nd type gasket set must be used on 1949-56 models which have had original production type oil pan replaced with part no. 572448.

59-62	Exc. F85	583390	1	2.82	GASKET SET (inc. rear brg. corks)
63-64	Exc. F85, J88	380512	1	2.77	GASKET SET (inc. rear brg. corks)
64	330 Eng.	384472	1	2.10	GASKET SET
66-71	L6	3930962	1	2.05	GASKET PKG.
65-73	V8	384472	1	2.10	GASKET PKG.

66-71	L6	3923440	1	.62	SEAL (front)
66-71	L6	3921973	1	.36	SEAL, rear

**1.430 BAFFLE-DEFLECTOR-NUT, ENGINE CRANKCASE OIL**

63-64	Exc. F85	384670	1	2.26	BAFFLE
64-65	V6	1379743	1	2.05	BAFFLE
66-73	Tor.	391448	1	1.13	DEFLECTOR, front (steel)
66-73	Tor.	390980	1	2.46	DEFLECTOR, rear (steel)
68-71	4400	231309	1	3.43	DEFLECTOR PKG., rear oil
72	O.A.I.	390980	1	2.46	DEFLECTOR, rear
73	All A 455 Eng. Opt. M20	390980	1	2.46	DEFLECTOR, rear
69-72	Tor. (8.915)	103026	4	.10	NUT, rear deflector to brg. bolt (3/8"-24)
69-72	Tor. (8.915)	9420821	AR	.05	NUT, deflector to brg. cap-3/16"-24
72	O.A.I. (8.915)	9420821	AR	.05	NUT, deflector to brg. cap-3/16"-24

**1.453 FLANGE-PLUG-SCREW, ENGINE OIL PAN DRAIN**

66-69	L6	3723008	1	.30	FLANGE, drain (1 3/8" x 7/8" w/1/2"-20 hole)
49-50	All	419999	AR	.72	PLUG (w/gasket) (oversized self threading for 1/2" drain holes)
49-60	All	570887	1	.46	PLUG
61-63	Exc. F85	577646	1	.46	PLUG
61-63	F85	3923420	1	.30	PLUG (w/gasket)
64-65	V8	577646	1	.46	PLUG
64-65	V6	3923420	1	.30	PLUG (w/gasket)
66-73	V8	390919	1	.20	PLUG (1/2"-20 hex head)
66-71	L6	3923420	1	.30	SCREW (1/2"-20 x 1 3/16")

**1.456 GASKET, ENGINE OIL PAN DRAIN PLUG**

41-60	All	559563	1	.20	GASKET
61-65	Exc. V6 (8.955)	105456	1	.05	GASKET
61-63	F85	3921989	1	.15	GASKET (nylon - 1962 2nd type)
64-71	6 Cyl.	3921989	1	.15	GASKET (Nylon)
66-73	V8	559563	1	.20	GASKET (copper)

**1.516 GUIDE-INDICATOR-ADAPTER-BRACKET-TUBE, ENGINE OIL LEVEL INDICATOR**

65	F85 330 Eng. (*6)	389374	1	.77	GUIDE, indicator
(*5) 1965 1st type - single bead with no flat area at top of guide. For 21/64" hole in cyl. block.					
(*6) 1965 2nd type - Double bead with flat area at top of guide. For 3/8" hole in cyl. block.					
66-71	L6	3828073	1	.41	GUIDE, indicator



66-67	330 Eng.	389374	1	.77	GUIDE, indicator
65-67	400, 425 Eng.	389375	1	.72	GUIDE, indicator
68	350 Eng., Tor. (*9)	400712	1	.87	GUIDE, indicator (17½" O.L.-extends 12 <sup>7</sup> / <sub>16</sub> " from block)
68	350 Eng. (*10)	401568	1	.87	GUIDE, indicator (14¾" O.L.-extends 9 <sup>2</sup> / <sub>32</sub> " from block)
68-69	400 eng.	401357	1	.87	GUIDE, indicator
68	455 Eng. exc. Tor.	400713	1	.87	GUIDE, indicator
68-73	Tor.	400712	1	.87	GUIDE, indicator (17½")
69-73	350 Eng.	401568	1	.87	GUIDE, indicator
69-72	455 Eng. exc. Tor.	401357	1	.87	GUIDE, indicator
73*	All X V8	413603	1		GUIDE, indicator
73	All A, B 350 Eng.	401567	1	.87	GUIDE, indicator-20 <sup>9</sup> / <sub>16</sub> "
73	All A, B, C 455 Eng.	401357	1	.87	GUIDE, indicator
58	All	573596	1	.82	INDICATOR
59-60	All	575361	1	.67	INDICATOR
61	F85 1st Type (*7)	1194088	1	.56	INDICATOR
	(*7) 1961 1st type - use with oil pan that has drain plug at front.				
61	F85 2nd Type (*8)	579974	1	.56	INDICATOR
	(*8) 1961 2nd type - use with oil pan that has drain plug at rear.				
61-62	Exc. F85	579540	1	.56	INDICATOR
62-63	F85 exc. C.A.C. or J/fire	579974	1	.56	INDICATOR
62-63	F85 C.A.C., J/fire	587035	1	.92	INDICATOR
63-64	394 Eng. (*1)	587184	1	.51	INDICATOR (9 <sup>1</sup> / <sub>16</sub> " wide)
	(*1) 1964 1st type - Use with 1st type oil pan & steering relay rod. See Nov., 1963 Service Guild Manual.				
64	394 Eng. (*2)	384912	1	.36	INDICATOR (9 <sup>1</sup> / <sub>16</sub> " wide)
	(*2) 1964 2nd type - Use with 2nd type oil pan & steering relay rod. See Nov., 1963 Service Guild Manual.				
64	V6 exc. P.B. (*3)	1358949	1	.51	INDICATOR (19 <sup>29</sup> / <sub>32</sub> " O.L.)
64	V6 P.B. (*3)	1361747	1	.51	INDICATOR (25 <sup>7</sup> / <sub>32</sub> " O.L.)
	(*3) 1964-V6 1st type - Used up to engine no. 235. Must be used with 1st type oil pan in group 1.426 and oil screen housing in group 1.657.				
64-65	V6 exc. P.B. (*4)	1374247	1	.51	INDICATOR (20 <sup>1</sup> / <sub>4</sub> " O.L.)
	(*4) 1964-V6 2nd type - Used after engine no. 234. Must be used with 2nd type oil pan in group 1.426 and oil screen housing in group 1.657.				
64-65	V6 P.B. (*4)	1234632	1	1.08	INDICATOR (25 <sup>27</sup> / <sub>32</sub> " O.L.)
64-65	330 Eng.	384999	1	.36	INDICATOR
65	400, 425 Eng.	393974	1	1.13	INDICATOR
66	330 Eng.	384999	1	.36	INDICATOR
66-67	L6	3860442	1	.92	INDICATOR
66-67	400 Eng.	393974	1	1.13	INDICATOR
66-67	425 Eng. exc. 1967 cruise cont., disc brakes or Tor.	393974	1	1.13	INDICATOR
66-67	Tor.	390378	1	.72	INDICATOR
67	330 Eng. exc. cruise Cont.	384999	1	.36	INDICATOR
67	330 Eng. W/cruise cont.	397868	1	1.74	INDICATOR
67	425 Eng. W/Disc. Brakes, Cruise cont. exc. Tor.	398166	1	1.18	INDICATOR
68-71	L6	3886082	1	.92	INDICATOR
68	V8 (*9)	400714	1	.87	INDICATOR (22 <sup>25</sup> / <sub>32</sub> " )
	(*9) 1968 350 eng. 1st type - use long indicator with long guide.				
68-73	350 Eng. (*10)	401567	1	.87	INDICATOR (20 <sup>9</sup> / <sub>16</sub> " O.L.)
	(*10) 1968 350 eng. 2nd type - use short indicator with short guide.				
69	400 Eng.	400714	1	.87	INDICATOR (23 <sup>1</sup> / <sub>16</sub> " O.L.)
69-73	455 Eng.	400714	1	.87	INDICATOR (23 <sup>1</sup> / <sub>16</sub> " )
73*	All X V8	413600	1		INDICATOR
64-65	V6 P.B.	1364317	1	1.23	ADAPTER, indicator
62-63	F85 C.A.C., J/fire	585461	1	.15	BRACKET, tube
59-62	Exc. F85	575282	1	.82	TUBE, guide
62-63	F85 C.A.C., J/fire	587279	1	.82	TUBE, guide
63-64	394 Eng.	384915	1	.97	TUBE, guide
<b>1.531 GASKET-PLUG, ENGINE OIL PUMP PRESSURE REGULATOR HOLE</b>					
61-63	F85 (1.657)	1238862	1	.10	GASKET, suction pipe flange
64-65	V6 (1.657)	1238862	1	.10	GASKET, suction pipe flange
66-71	L6	3930824	1	.10	PLUG, oil press. reg. hole
<b>1.540 COOLER ASSY.-BRACKET-CLAMP-CONNECTOR-COUPLING-ELBOW-GROMMET-HOSE-PIPE-SLEEVE-SUPPORT-TEE, ENGINE OIL COOLER</b>					
67	5669 Calif. Hwy. Patrol	3017148	2	16.20	COOLER ASSY.
67	5669 Calif. Hwy. Patrol	399304	RH	.62	BRACKET, cooler upper

67	5669 Calif. Hwy. Patrol ..	399305	LH	.67	BRACKET, cooler upper .....
67	5669 Calif. Hwy. Patrol (1.160) .....	392756	3	.20	CLAMP, hose to filler plate (plastic) .....
67	5669 Calif. Hwy. Patrol (8.963) .....	137409	6	.41	CONNECTOR, pipe (3/8"-18 x 1/2") .....
67	5669 Calif. Hwy. Patrol (8.963) .....	444114	4	.80	COUPLING, reducer (1/2" to 3/8") .....
67	5669 Calif. Hwy. Patrol (8.963) .....	9418578	2	1.38	ELBOW, pipe (1/2"-90 degrees) .....
67	5669 Calif. Hwy. Patrol (8.963) .....	444056	1	1.18	ELBOW, pipe (3/8"-45 degrees) .....
67	5669 Calif. Hwy. Patrol (9.775) .....	392189	2	.36	GROMMET, pipes to baffle .....
67	5669 Calif. Hwy. Patrol ..	399244	2	14.35	HOSE, cooler pipes to adapter pipes .....
67	5669 Calif. Hwy. Patrol ..	399243	1	1.32	PIPE, hose to filter adapter (upper) .....
67	5669 Calif. Hwy. Patrol ..	399902	1	1.32	PIPE, hose to filter adapter (lower) .....
67	5669 Calif. Hwy. Patrol ..	399306	1	1.33	PIPE, inlet crossover .....
67	5669 Calif. Hwy. Patrol ..	399307	1	1.18	PIPE, outlet crossover .....
67	5669 Calif. Hwy. Patrol ..	399308	1	2.10	PIPE, hose to outlet crossover .....
67	5669 Calif. Hwy. Patrol ..	399309	1	2.00	PIPE, hose to inlet crossover .....
67	5669 Calif. Hwy. Patrol (9.242) .....	542944	1	.46	SLEEVE, oil cooler hose spacer (sponge) .....
67	5669 Calif. Hwy. Patrol ..	399301	1	1.33	SUPPORT, cooler lower .....
67	5669 Calif. Hwy. Patrol (8.963) .....	178669	2	1.18	TEE, pipe (1/2"-3 way) .....

### 1.609 GASKET-PLUG-SPRING-VALVE, ENGINE OIL PUMP PRESSURE

61-63	F85 .....	1196898	2	.10	GASKET, pump press. relief valve & oil filter by-pass valve plugs .....
64-65	V6 .....	1196898	2	.10	GASKET, pump press. relief valve & oil filter by-pass valve plugs .....
61-63	F85 .....	1194360	1	.30	PLUG, pump press. relief valve .....
64-65	V6 .....	1194360	1	.30	PLUG, pump press. relief valve .....
49-63	Exc. F85 .....	401366	1	.30	SPRING, press. relief valve .....
61-63	F85 .....	1193162	1	.15	SPRING, pump press. relief valve .....
64-65	V6 .....	1382628	1	.10	SPRING, press. relief valve .....
64	330 Eng. ....	388235	1	.36	SPRING PKG., relief valve (service fix-inc. spring, pin & retrn.) .....
64	V8 exc. F85 or J88 .....	401366	1	.30	SPRING, pressure relief valve .....
67	425 Oil Research Eng. ....	555956	1	.36	SPRING (37 coils-4" lg.) .....
65-73	V8 exc. 1967 oil research .....	401366	1	.30	SPRING (35 coils-3.80" long) .....
66-71	L6 .....	3814903	1	.15	SPRING (21 coils-2 1/2" lg.) .....
49-63	Exc. F85 .....	557238	1	.62	VALVE, pump press. relief .....
61-63	F85 .....	1368502	1	.36	VALVE, pump press. relief .....
64-65	V6 .....	1368502	1	.36	VALVE, pump press. relief .....
64-73	V8 .....	557238	1	.62	VALVE, pump press. relief .....
66-71	L6 .....	3829433	1	.46	VALVE .....

### 1.639 EXTENSION-GEAR-KEY-RETAINER-SHAFT, ENGINE OIL PUMP

59-60	All .....	575009	1	1.33	EXTENSION, drive shaft .....
61-63	Exc. F85 .....	579237	1	.77	EXTENSION, drive shaft .....
64-73	V8 .....	579237	1	.77	EXTENSION, drive shaft .....
61-63	Exc. F85 .....	585564	1	2.36	GEAR SET .....
64-65	V6 .....	1396313	1	11.55	GEAR SET .....
64-73	V8 .....	585582	1	1.33	GEAR, driven .....
49-62	Exc. F85 (8.960) .....	103904	1	.05	KEY (No. 2) (3/32" x 1/2") .....
49-58	8 Cylinder .....	555746	2	.10	RETAINER, drive shaft extension sleeve .....
46-63	Exc. F85 .....	555737	1	.36	SHAFT, driven .....
59-60	All .....	575008	1	1.03	SHAFT, drive .....
61-63	Exc. F85 .....	579233	1	.97	SHAFT, drive .....
64-73	V8 .....	382157	1	2.56	SHAFT ASSY. (w/drive gear) .....
64-73	V8 .....	555737	1	.36	SHAFT, driven .....

### 1.652 PUMP ASSY., ENGINE OIL

59-60	All .....	575006	1	19.60	PUMP (less screen, screen body & drive shaft extension) .....
61-63	Exc. F85 (*1) .....	388203	1	17.65	PUMP (w/screen & steel stamped cover) .....

(\* 1) NOTE: When replacing 1963 production pump also use one 384670 baffle listed in group 1.430.

61-63	F85	1389346	1	12.75	PUMP KIT (inc. gears, pump cover & gasket)
66-71	L6	3832449	1	17.75	PUMP (w/screen & support)
66-68	400 Eng.	402386	1	19.25	PUMP (w/screen)
64-67	V8 exc. Tor. or Calif. Hwy. Patrol	402386	1	19.25	PUMP (w/screen)
67	425 oil research eng.	392827	1	19.25	PUMP (w/screen)
66-73	Tor.	401365	1	20.15	PUMP (w/screen)
67	5669 Calif. Hwy. Patrol	402386	1	19.25	PUMP (w/screen)
68-72	V8 exc. Tor.	402386	1	19.25	PUMP (w/screen)
73	All X, A, B, C V8	402386	1	19.25	PUMP (w/screen)

### 1.653 BODY-BOLT-PIN, ENGINE OIL PUMP

61-63	Exc. F85	577451	1	5.02	BODY (die cast)
64-73	V8	387803	1	2.87	BODY
55-60	All (0.349)	566658	2	.20	BOLT, pump to brg. cap
69-72	V8 (8.900)	9421124	1	.15	BOLT, pump to brg. cap (5/8"-16 x 1 1/8")
69-72	V8 (8.900)	9418548	AR	.15	BOLT, oil pump to brg. cap (5/8"-16 x 1 3/4")
49-60	All (8.939)	443767	2	.10	PIN, pump to brg. cap dowel
61-63	Exc. F85 (0.738)	3836903	2	.10	PIN, pump to brg. cap-1/4 x 9/16
64-73	V8 (0.738)	3836903	2	.10	PIN, pump to brg. cap-1/4 x 9/16

### 1.656 SCREEN, ENGINE OIL PUMP

49-60	8 Cylinder	555957	1	1.54	SCREEN
61-62	Exc. F85	579235	1	2.20	SCREEN
61-63	F85	579886	1	2.26	SCREEN (inc. pipe)
63	Exc. F85	586881	1	2.10	SCREEN
64-65	V6	1193859	1	.72	SCREEN
66-71	L6	3859941	1	2.15	SCREEN (w/pipe & supt.)
66-73	Tor.	389798	1	2.05	SCREEN (w/pipe)

### 1.657 GASKET-HOUSING, ENGINE OIL PUMP SCREEN

61-63	F85	1238862	1	.10	GASKET, suction pipe flange
64-65	V6	1238862	1	.10	GASKET, suction pipe flange
64-65	V6 (* 1)	1368543	1	1.64	HOUSING, screen (inc. suction pipe)

(\* 1) NOTE - This is the 2nd type production housing, when replacing original production housing used before eng. no. 234, also use 2nd type oil pan group 1.426 & 2nd type indicator group 1.516.

### 1.723 BOLT-COVER-PIN, ENGINE OIL PUMP

65-73	V8 (0.679)	3817006	4	.10	BOLT, pump cover to body-1/4-20 x 7/16
61-63	F85	1347578	1	6.30	COVER (w/nipple & strainer)
64-65	V6	1382725	1	7.25	COVER (inc. valve, spring, seat & fitting)
66-71	L6	3788457	1	.82	COVER
64-73	V8 (* 1)	397933	1	.46	COVER

(\* 1) NOTE: Also used on 1961-63 exc. F85 if original pump assy. which had a die cast pump cover has been replaced with the service pump 388203.

49-60	All (0.293)	585927	2	.15	PIN, cover to body
61-63	Exc. F85 (0.738)	3836903	2	.10	PIN, cover to body
65-70	V8	585927	2	.15	PIN, frt. cover to block (5/16" x 9/16")

### 1.724 GASKET, ENGINE OIL PUMP COVER

61-63	F85 (1.655)	1385179	1	.36	GASKET
62-63	Exc. F85	585585	1	.20	GASKET, cover to body
61-63	Exc. F85	585412	1	.10	GASKET, cover to pipe flange
64-65	V6 (1.655)	1385179	1	.36	GASKET
66-71	L6	3789970	1	.10	GASKET
64-73	V8	382160	1	.25	GASKET

### 1.745 TUBE, ENGINE CRANKCASE OIL FILLER

59-62	Exc. F85	586239	1	.56	TUBE
64	394 Eng.	382179	1	.77	TUBE
64	330 Eng.	382599	1	.72	TUBE
65	V8	382599	1	.72	TUBE
66	F85 Tri-Carb.	391279	1	.97	TUBE
66-67	V8 exc. A.I.R., Tri Carb. or 1967 O.A.I.	382599	1	.72	TUBE
66-67	V8 A.I.R. exc. Tor., 400 cu. in. Eng. or 1967 5200 A.I.R. w/C.A.C.	391279	1	.97	TUBE
66-67	Tor.	382599	1	.72	TUBE
67	400 Eng. w/A.I.R. or O.A.I.	395877	1	1.49	TUBE
67	5200 A.I.R. w/C.A.C.	395877	1	1.49	TUBE

68	V8 exc. C.A.C.	400474	1	1.03	TUBE
68	V8 C.A.C. exc. Tor.	400477	1	1.44	TUBE
68-69	Tor.	400474	1	1.03	TUBE
69-71	V8	400474	1	1.03	TUBE
71-72	V8	409205	1	.97	TUBE
73*	All B 350 Eng. 2BC	410596	1		TUBE
73	350, 455 Eng.	409205	1	.97	TUBE

**1.745 ARRESTER-BREATHER-CLAMP-CONNECTOR-ELBOW-FILTER-FITTING-GASKET-GROMMET-NIPPLE-INSTALLATION PKG.-PLATE-SEAL-TEE-VALVE, CRANKCASE VENTILATION**

66	400 Eng. closed P.C.V. (*1)	3849856	1	.56	ARRESTER, flame
66-67	L6 closed P.C.V. (*1)	3849856	1	.56	ARRESTER, flame
54-58	H.D. exc. J2	1551863	1	5.25	BREATHER, outlet tube
64-65	V6 closed P.C.V. (1.758)	1364792	1	1.85	BREATHER, valve cover (L.H.)
68	V8 (3.410)	6484966	1	1.82	BREATHER PKG. (in air cleaner)
69-70	L6	6484966	1	1.82	BREATHER PKG. (in air cleaner)
61-62	P.C.V. exc. F85 2BC (1.166)	1470030	2	.51	CLAMP, rocker cover to carb. hose
65	V8 P.C.V. (1.166)	1470029	1	.51	CLAMP, rocker cover to carb. hose
61-62	F85 2BC P.C.V. exc. C.A.C.	581116	1	1.13	CONNECTOR, valve to carb.
61-62	F85 2BC P.C.V., C.A.C.	582096	1	2.26	CONNECTOR, valve to carb.
61-62	2BC P.C.V. exc. F85 or P.B.	581641	1	1.33	CONNECTOR, carburetor vacuum
61-62	2BC P.C.V. P.B.	581642	1	1.59	CONNECTOR, carburetor vacuum
61-62	P.C.V. (F85 4BC)	581201	1	.51	CONNECTOR, hose to rocker cover
63	Exc. Heater or C.A.C.	588238	1	.36	CONNECTOR, hose to carburetor
64	Exc. F85 C.A.C.	588238	1	.36	CONNECTOR, hose to carburetor
65	V8 P.C.V. exc. Closed Type	588238	1	.36	CONNECTOR, hose to carburetor
66	L6 Closed P.C.V.	3856955	1	1.44	CONNECTOR, vent hose
66	F85 Tri-Carb.	393817	1	3.54	CONNECTOR, vent valve hose to carb.
66-67	L6 exc. closed P.C.V.	3859374	1	.10	CONNECTOR, int. manifold vent hose
68-70	L6	3928988	1	.62	CONNECTOR, vent. hose (on int. manifold)
68-71	L6	3921983	1	.51	CONNECTOR, vent. hose (on rocker cover)
71	L6	3988772	1	.62	CONNECTOR, intake manifold vent hose
66	400 Eng. O.A.I.	391095	1	.62	ELBOW (rubber)
66	Tor. Closed P.C.V. (*1)	391095	1	.62	ELBOW (rubber)
67	Closed P.C.V. or C.C.C. (*1)	391095	1	.62	ELBOW (rubber)
69	F85 Hurst	405144	1	.62	ELBOW, ventilation (rubber-3/4" O.D.)
69-73	V8	391095	1	.62	ELBOW, vent pipe to filter (rubber)
70	4400	405144	1	.62	ELBOW, ventilation (rubber-3/4" O.D.)
71	4400 exc. T.H.	391095	1	.62	ELBOW, pipe to valve cover
71	4400 T.H. w/O.A.I.	391095	1	.62	ELBOW, pipe to valve cover (RH)
71	4400 S.T., 4400 T.H. w/O.A.I.	405144	1	.62	ELBOW, ventilation (rubber 3/4" O.D.)
72	F85 455 Eng. S.T.	405144	1	.62	ELBOW, vent-rubber 3/4" O.D.
72	O.A.I.	405144	1	.62	ELBOW, vent-rubber 3/4" O.D.
73	All A 455 Eng. Opt. M20	405144	1	.62	ELBOW, vent-rubber 3/4"
64-65	Closed P.C.V.	6420776	1	2.70	FILTER ASSY. (in air cleaner)
65	V8 P.C.V.	387198	1	2.10	FILTER ASSY. (on rocker cover)
65	Irrigation Eng.	6420776	1	2.70	FILTER ASSY. (in valve cover)
66-67	V8 closed P.C.V. (*1)	6424244	1	1.88	FILTER
66-67	V8 exc. closed P.C.V.	6424243	1	2.10	FILTER
68-73	Marine or Irrigation Eng.	393925	1	3.84	FILTER, vent-on valve cover
69-73	V8	403192	1	2.10	FILTER
64	V6 P.C.V., C.A.C. w/Idle Speed-Up Control	1363936	1	.82	FITTING, vacuum (2 way)
64	V6 exc. C.A.C.	1356005	1	.51	FITTING, hose to carb. or manifold
64	V6 P.C.V., C.A.C. Idle Speed-Up Control	1357031	1	.36	FITTING, hose to carb. or manifold
64-65	V8 Closed P.C.V.	1357031	1	.36	FITTING, hose to carb. or manifold
65	V6 P.C.V.	1356005	1	.51	FITTING, hose to carb. or manifold
66-70	V8 2 BC exc. Cruise Cont.	1357031	1	.36	FITTING, vent hose to carb.
71-72	V8 2 BC	1357031	1	.36	FITTING, vent hose to carb.
61-62	4BC P.C.V.	5646874	2	1.06	GASKET, vac. plate to carb. & manifold

61-62	F85 exc. P.C.V. ....	3989344	1	.20	GROMMET, pipe (in rocker cover or air cleaner-round $\frac{29}{32}$ " I.D. x $1\frac{1}{16}$ " O.D.)
61-62	F85 28C P.C.V. ....	581114	1	.30	GROMMET, pipe (in rocker cover-round $\frac{11}{32}$ " I.D. x $1\frac{3}{16}$ " O.D.)
61-62	Exc. F85 or P.C.V. ....	230308	1	.20	GROMMET, outlet tube (in rocker cover-round $\frac{29}{32}$ " I.D. x $1\frac{1}{16}$ " O.D.)
61-62	P.C.V. exc. F85 ....	581200	1	.20	GROMMET, hose (in rocker cover-round $\frac{7}{16}$ " I.D. x $1\frac{3}{16}$ " O.D.)
61-62	P.C.V. exc. F85 ....	581204	1	.20	GROMMET, breather (in rocker cover-round $\frac{15}{16}$ " I.D. x $1\frac{1}{8}$ " O.D.)
63-64	394 Eng. exc. Closed P.C.V. (*2) .....	399764	1	.41	GROMMET, valve (in rocker cover-"D" shaped $\frac{29}{32}$ " I.D.)
	(*2) Used on 1963 models when valve rocker cover has been replaced with 1964 cover.				
63-64	V8 Closed P.C.V. ....	3989344	1	.20	GROMMET, valve (in rocker cover)
64	330 Eng. exc. Closed P.C.V. ....	384021	1	.25	GROMMET, valve (in rocker cover-round $\frac{31}{32}$ " I.D. x $\frac{1}{2}$ " O.D.)
64-65	V6 P.C.V. ....	1381487	1	.92	GROMMET, valve (in rocker cover-round $\frac{29}{64}$ " I.D. x $1\frac{1}{32}$ " O.D.)
64-65	V6 Closed P.C.V. ....	1364117	1	.25	GROMMET, breather (in rocker cover-round $\frac{61}{64}$ " I.D. x $1\frac{3}{4}$ " O.D.)
64-65	V8 Closed P.C.V. ....	385283	1	.51	GROMMET, valve (in rocker cover-"D" shaped $\frac{7}{16}$ " I.D. stamped "valve")
64-65	V8 Closed P.C.V. ....	385284	1	.51	GROMMET, pipe (in rocker cover-"D" shaped $\frac{45}{64}$ " I.D. stamped "pipe")
64	330 Eng. ....	385204	1	.25	GROMMET, valve (in rocker cover-"D" shaped $\frac{63}{64}$ " I.D.)
65	V8 exc. Closed P.C.V. ....	385204	1	.25	GROMMET, valve (in rocker cover-"D" shaped $\frac{63}{64}$ " I.D.)
65	V8 P.C.V. ....	387197	1	.36	GROMMET, pipe (in air cleaner-round $\frac{45}{64}$ " x $1\frac{1}{4}$ " O.D.)
65	Irrigation Eng. ....	399764	1	.41	GROMMET (in rocker cover-"D" shaped $\frac{29}{32}$ " I.D.)
66	F85 Tri-Carb. closed P.C.V. (*1) .....	385284	1	.51	GROMMET, vent pipe to rocker cover
66	400 Eng. O.A.I. ....	3989344	1	.20	GROMMET (round $\frac{29}{32}$ " I.D. x $1\frac{1}{16}$ " )
66-67	L6 .....	3989344	1	.20	GROMMET, rocker cover (round $\frac{29}{32}$ " I.D. x $1\frac{1}{16}$ " )
65-67	V8 exc. 400 Eng. ....	3989344	1	.20	GROMMET, vent pipe to air cleaner (round $\frac{29}{32}$ " I.D. x $1\frac{1}{16}$ " )
66-67	V8 exc. Tri-carb. ....	385204	1	.25	GROMMET, filter to rocker cover ("D" shape $\frac{63}{64}$ " I.D.)
66-70	V8 exc. 1969 F85 Hurst .	385283	1	.51	GROMMET, valve to rocker cover ("D" shape $\frac{7}{16}$ " I.D. stamped "valve")
66-67	V8 closed P.C.V. exc. C.C.C. or Tri-Carb. (*1) .	387197	1	.36	GROMMET, vent pipe to filter (round $\frac{45}{64}$ " I.D. x $1\frac{1}{4}$ " O.D.)
68-71	L6 .....	3989347	1	.20	GROMMET, rocker cover (front)
68-71	L6 .....	3989344	1	.20	GROMMET, rocker cover (rear)
68	V8 .....	399764	1	.41	GROMMET, vent pipe ("D" shape)
69	F85 Hurst .....	385204	LH	.25	GROMMET, vent pipe to air cleaner (D shape)
69-73	Tor. ....	3989344	1	.20	GROMMET, vent pipe to air cleaner (round $\frac{29}{32}$ " x $1\frac{3}{16}$ " )
69-72	V8 exc. Tor. ....	403617	1	.67	GROMMET, vent pipe to air cleaner
69-73	V8 .....	385204	1	.25	GROMMET, filter to rocker cover (D shape)
71	4400 T.H. exc. O.A.I. ....	385283	1	.51	GROMMET, valve to valve cover
71	V8 exc. 4400 .....	385283	1	.51	GROMMET, valve to valve cover
72-73	350 Eng. ....	385283	1	.51	GROMMET, valve to valve cover
72	455 Eng. exc. F85 S.T. or O.A.I. ....	385283	1	.51	GROMMET, valve to valve cover
73*	All X, A, B, C V8 .....	412325	1		GROMMET, vent.
73	455 Eng. Opt. M40 .....	385283	1	.51	GROMMET, vent. valve to valve cover
69	F85 Hurst .....	405143	1	1.79	NIPPLE, ventilation (steel- $1\frac{1}{4}$ " )
70	4257-67 4 BC .....	405143	1	1.79	NIPPLE, ventilation ( $1\frac{1}{2}$ " )
70-71	4400 S.T., 4400 T.H. O.A.I. ....	405143	1	1.79	NIPPLE, ventilation ( $1\frac{1}{2}$ " )
72	F85 455 Eng. S.T. ....	405143	1	1.79	NIPPLE, vent. ( $1\frac{1}{4}$ " )
72	O.A.I. ....	405143	1	1.79	NIPPLE, vent. ( $1\frac{1}{4}$ " )
73	All A 455 Eng. Opt. M20	405143	1	1.79	NIPPLE, vent. ( $1\frac{1}{4}$ " )
59-60	4BC P.C.V. ....	5646154	1	11.75	PACKAGE, installation
61-62	F85 2BC Closed P.C.V. .	5646950	1	5.80	PACKAGE, installation
61-62	F85 4BC Closed P.C.V. .	5647496	1	11.85	PACKAGE, installation
61-62	4BC P.C.V. ....	5646873	1	3.14	PLATE, carb. vacuum
64-65	V6 exc. Closed P.C.V. ....	1365030	1	.51	SEAL, rocker cover (rubber plug)

63	P.C.V. w/Heater 1st Type F85	588487	1	.41	TEE, carb. vacuum (alum.)
66-67	L6 C.A.C. exc. A.I.R.	3873848	1	1.85	TEE, intake manifold vacuum
61-62	F85 2BC P.C.V.	6421986	1	2.72	VALVE ASSY.
61-62	F85 4BC P.C.V.	6421785	1	1.94	VALVE ASSY.
61-62	P.C.V. exc. F85	6421934	1	1.94	VALVE ASSY.
62	J/fire	6418408	1	2.57	VALVE ASSY.
63	All	6418408	1	2.57	VALVE ASSY.
64	V8 exc. Closed P.C.V., F85 or J88	6418408	1	2.57	VALVE ASSY.
64-65	V6 P.C.V.	6421971	1	1.94	VALVE ASSY.
64-65	V8 Closed P.C.V.	6421972	1	1.94	VALVE ASSY. (AC-CV 679C)
64	330 Eng. P.C.V.	6420092	1	2.57	VALVE ASSY.
65	V8 exc. Closed P.C.V.	6420092	1	2.57	VALVE ASSY.
66-67	L6 closed P.C.V. & A.I.R. (*1)	6422718	1	1.94	VALVE
	(*1) Used on California cars only.				
66-67	L6 exc. closed P.C.V. or A.I.R.	6421971	1	1.94	VALVE
66-72	V8	6421972	1	1.94	VALVE (AC-CV 679C)
68-70	L6	6422718	1	1.94	VALVE
71	L6	6422717	1	1.94	VALVE (CV 722C)

### 1.750 BAFFLE, ENGINE CRANKCASE OIL FILLER PASSAGE

64	F85 V8, J88	383379	1	.10	BAFFLE (in cyl. block)
65-73	V8	383379	1	.10	BAFFLE (in cyl. block)

### 1.758 CAP-BREATHER-ELEMENT, ENGINE CRANKCASE OIL FILLER

49-60	All	6419440	1	1.82	CAP (exc. closed P.C.V.)
61-62	D88	6419440	1	1.82	CAP (exc. closed P.C.V.)
61-62	4BC exc. S/fire & F85	5647267	1	2.85	CAP
61-63	F85	6419440	1	1.82	CAP (exc. closed P.C.V.)
63-64	Exc. F85, J88	6418507	1	2.95	CAP (exc. closed type P.C.V.)
64-65	V6	1552232	1	1.82	CAP (exc. closed type P.C.V.)
64-65	V6	3835665	1	.67	CAP (closed type P.C.V.)
64	330 Eng.	6419441	1	1.82	CAP (exc. closed type P.C.V.)
65	V8	6419441	1	1.82	CAP (exc. closed type P.C.V.)
66-67	L6 exc. A.I.R.	1552232	1	1.82	CAP
64-67	6 Cyl. w/A.I.R.	3835665	1	.67	CAP w/gasket
66-67	F85 442 O.A.I.	6420980	1	4.23	CAP (Chrome)
66-67	V8 exc. 442 O.A.I.	6420743	1	1.27	CAP (KV-1014)
67	V8 Irrigation Eng.	6419440	1	1.82	CAP
68-70	L6	3835665	1	.67	CAP
68-72	V8 irrigation eng.	1552232	1	1.82	CAP
68-70	V8 exc. 1969 F85 Hurst	409076	1	.62	CAP
69	F85 Hurst	3851735	1	1.08	CAP
71	L6	3980273	1	.56	CAP
71-73	V8	409076	1	.62	CAP

64-65	V6 closed P.C.V.	1364792	LH	1.85	BREATHER, valve cover
62	F85 J/fire	5649172	1	1.41	ELEMENT (Polyurethane) (exc. closed type P.C.V.)
63	All	5649172	1	1.41	ELEMENT (Polyurethane) (exc. closed type P.C.V.)
64	Exc. F85, J88	5649172	1	1.41	ELEMENT (Polyurethane) (exc. closed type P.C.V.)

### 1.762 BRACKET-CLAMP-CLIP-COUPLING-HOSE-PIPE-PLUG-TUBE, ENGINE CRANKCASE VENTILATION

62	F85 H.T. exc. J/fire or P.C.V.	585762	1	.25	BRACKET, outlet tube
69	4200, 5400, 6400, 6600, 98 2 BC	403604	1	.30	BRACKET, vent hose
69-71	F85 2 BC	403604	1	.30	BRACKET, vent hose
69-71	4 BC K30 exc. Tor.	403603	1	.36	BRACKET, vent hose
70	F85 V8 4 BC K30 exc. O.A.I. or Perf. Eng.	403603	1	.36	BRACKET, vent hose
70-71	5400, 6400, 6600, 6800 455 Eng. 2 BC	403604	1	.30	BRACKET, vent hose
71	F85 4 BC K30 exc. O.A.I.	403603	1	.36	BRACKET, vent hose
72	350 Eng. 2 BC	403604	1	.30	BRACKET, vent. hose
72	F85 4 BC K30 exc. O.A.I.	403603	1	.36	BRACKET, vent. hose
72	5400, 6400, 6800, 98 455 Eng. K30 exc. C.A.C.	403603	1	.36	BRACKET, vent. hose
61-62	F85 4 BC, 88, 98 (1.166)	1470030	2	.51	CLAMP, positive carb. valve cover hose
65-70	V8 (1.166)	1470029	1	.51	CLAMP, vent. hose to vent. valve

72	4 BC, K30, C.A.C. exc. Tor. (4.128)	402027	1	.46	CLAMP, vent. valve hose
61-62	Exc. F85 or P.C.V.	581097	1	.72	CLIP, pipe to manifold
66	F85 442 S.T. closed P.C.V. (*1)	392766	1	.82	COUPLING, air cleaner pipe to vent pipe
50-60	P.C.V. (8.962)	725615	AR	RL/.51	HOSE (3/8" I.D. x 25 ft.)
61-62	F85 4BC P.C.V.	581203	1	1.74	HOSE, rocker cover to carb. (cut to length)
61-62	4BC P.C.V. exc. F85	581203	1	1.74	HOSE, rocker cover to carb.
62-63	F85 J/fire P.C.V. (3.675)	586519	1	1.74	HOSE, valve to air cleaner
63	F85 P.C.V. exc. J/fire	588236	1	1.74	HOSE, valve to air cleaner
63	D88 2BC P.C.V. 1st Type	380280	1	2.61	HOSE, valve to air cleaner
63	D88 2BC P.C.V. 2nd Type	380783	1	.87	HOSE, valve to pipe (2 1/16" long)
63	4 BC P.C.V. exc. F85 (3.417)	588022	1	1.85	HOSE, valve to air cleaner
63	P.C.V.	380745	1	.46	HOSE, valve to carb. (1st type-15" long)
63-65	P.C.V. exc. Closed Type	382891	1	.46	HOSE, valve to carb. (2nd type-16" long)
63	Exc. F85	382891	1	.46	HOSE, valve to carb. (2nd type-16" long)
64	V6 (3.130)	231064	AR	.62	HOSE, vent valve to carb. (14")
65	V6 (3.130)	231064	AR	.62	HOSE, vent valve to intake manifold
64	V6 P.C.V. exc. C.A.C.	1365014	1	.67	HOSE, valve to manifold
64	V8 Closed P.C.V.	385275	1	.82	HOSE, valve to carb. (17 1/2" long)
64	V8 Closed P.C.V.	385285	1	.30	HOSE, vent pipe to air cleaner (1 29/32" long)
64-65	V6 P.C.V. C.A.C.	1364798	1	1.18	HOSE, valve to carb.
64-65	V8 P.C.V. exc. Closed Type	385285	1	.30	HOSE, vent valve to pipe connector (1 29/32" long)
64-65	V6 (3.130)	231064	1	.62	HOSE, valve to manifold (3/8" x 10 ft.)
66	F85 Tri-Carb, closed P.C.V. exc. O.A.I. (*1)	393391	1	.36	HOSE, vent pipe to center air cleaner
66	F85 Tri-Crb.	393393	1	.56	HOSE, vent valve to int. manifold connector (12")
65-72	V8 (3.130)	231064	AR	.62	HOSE, vent. valve to carb. (3/8" I.D. x 10 ft.)
66-70	L6 exc. 1966-67 closed P.C.V.	3981058	1	1.33	HOSE, carb. to oil filler ("J" shape 1/32" I.D.)
66-67	L6 closed P.C.V. (*1)	3856957	1	.67	HOSE, air cleaner to rocker cover (1 1/16" I.D. x 7")
67	V8 C.C.C. exc. Tor.	396988	1	1.74	HOSE, vent valve to carb. (3/8" I.D. x 16 1/4" lg.)
67	F85 400 cu. in. Eng. closed P.C.V. & O.A.I.	396988	1	1.74	HOSE, vent. valve to carb. (3/8" I.D. x 16 1/4" lg.)
68-71	L6	3939005	1	1.08	HOSE, rocker cover to air cleaner
68	V8 exc. Tor.	399763	1	.41	HOSE, vent. pipe to cleaner (3/4" I.D. x 2 1/32")
69-72	455 Eng. 4 BC K30 exc. Tor. or F85	411685	1	1.44	HOSE, vent. valve to carb.-molded
69-72	Tor.	411685	1	1.44	HOSE, vent. valve to carb.-molded
72	All (3.130)	231064	AR	.62	HOSE, vent. valve to carb. (3/8" I.D. x 10 ft.)
70	F85 V8 4 BC K30 exc. O.A.I. or Perf. Eng.	411685	1	1.44	HOSE, vent. valve to carb.-molded
71	F85 4 BC K30 exc. O.A.I.	411685	1	1.44	HOSE, vent. valve to carb.-molded
72	F85 4 BC K30 exc. C60	411685	1	1.44	HOSE, vent. valve to carb.-molded
73	All E	411685	1	1.44	HOSE, vent. valve to carb.-molded
61-62	Exc. F85 or P.C.V.	581094	1	1.54	PIPE, outlet
64	330 Eng. P.C.V. exc. Closed Type	383904	1	.67	PIPE, valve to air cleaner
64	330 Eng. Closed P.C.V.	385280	1	.77	PIPE, rocker cover to air cleaner
64	394 Eng. 4BC P.C.V. exc. Closed Type	384116	1	.77	PIPE, valve to air cleaner
64	394 Eng. 4BC Closed P.C.V.	385274	1	.92	PIPE, rocker cover to air cleaner
65	F85 V8 P.C.V.	387194	1	.67	PIPE, filter or valve to air cleaner
65	J88, D88, Delta, J/Star I, S/Fire, 98 P.C.V. exc. C.A.C.	387194	1	.67	PIPE, filter or valve to air cleaner
65	P.C.V. C.A.C. exc. F85	387196	1	.77	PIPE, valve to air cleaner
66-67	400 cu. in. Eng. closed P.C.V. O.A.I. (*1)	391555	1	.87	PIPE, vent valve to air cleaner (1 1/16" I.D.)
66	F85 Tri Carb. closed P.C.V. exc. O.A.I. (*1)	393390	1	2.72	PIPE, ventilation
66-67	F85 V8 closed P.C.V. exc. 400 Eng. (*1)	391555	1	.87	PIPE, vent. valve to air cleaner (1 1/16" I.D.)
66-67	5400, 5600, 5800, 98 closed P.C.V. S/Fire Eng. (*1)	391556	1	.67	PIPE, vent. valve to air cleaner (1 1/16" I.D.)
66-67	52D0, 5600, 5800, 98 closed P.C.V. exc. S/Fire eng. or C.C.C. (*1)	391555	1	.87	PIPE, vent valve to air cleaner (1 1/16" I.D.)

66-67	F85 400 Eng. J.T. closed P.C.V. or C.C.C. exc. O.A.I. (*1)	391556	1	.67	PIPE, vent valve to air cleaner (1/16" I.D.)
66-67	Tor. closed P.C.V. exc. C.C.C. (*1)	391059	1	.67	PIPE, vent valve to air cleaner (1/16" I.D.)
67	V8 closed P.C.V. w/C.C.C. exc. Tor. (*1)	397552	1	1.18	PIPE, vent
67	Tor. closed P.C.V. w/C.C.C. (*1)	396255	1	1.54	PIPE, vent
68	Tor.	399787	1	1.54	PIPE, rocker cover to hose
68	V8 exc. C.A.C., O.A.I. or Tor.	399765	1	.97	PIPE, vent valve to air cleaner
68	V8 C.A.C. or O.A.I. exc. Tor.	399766	1	.97	PIPE, vent valve to air cleaner
69-72	F85 350 Eng.	403299	1	.87	PIPE, vent
69	350 Eng. exc. F85	405087	1	.92	PIPE, vent
69	400 Eng.	405087	1	.92	PIPE, vent
69	F85 Hurst	405087	1	.92	PIPE, vent
69-70	455 Eng. exc. Tor.	403302	1	.92	PIPE, vent
69-70	Tor.	403191	1	1.33	PIPE, vent
70	3600, 4200, 4400, 4800 455 Eng.	405087	1	.92	PIPE, vent
70-71	5400 350 Eng.	405087	1	.92	PIPE, vent
71	4800, 5400, 6400, 6600, 6800, 98 455 Eng.	403302	1	.92	PIPE, vent
71	3600, 4200, 4800 4 BC 455 Eng.	405087	1	.92	PIPE, vent
71	4400	405087	LH	.92	PIPE, vent
71	4400 exc. T.H.	405087	RH	.92	PIPE, vent
71	4400 T.H., O.A.I.	405087	RH	.92	PIPE, vent
71-72	Tor.	408956	1	.92	PIPE, vent
72	F85 455 Eng.	405087	1	.92	PIPE, vent
72	5400, 6400 350 Eng.	405087	1	.92	PIPE, vent
72	5400, 6400 350 Eng. C.A.C. & 63 Amp.	405087	1	.92	PIPE, vent
72	5400, 6400, 6800, 98 455 Eng.	403302	1	.92	PIPE, vent
73	350 Eng.	405087	1	.92	PIPE, vent
73	All A, B, C 455 Eng.	403302	1	.92	PIPE, vent
73*	All E	413449	1		PIPE, vent
64-65	V8 (*2) (0.386) (*2) Required to plug hole in L.H. rocker cover on California cars sold outside the state which do not have K20 Opt.	386676	LH	.25	PLUG, valve cover

59-60	All	579280	1	1.49	TUBE, outlet
64-65	V6 Closed P.C.V. (*1) Used on California cars only.	1364794	1	3.79	TUBE, breather to air cleaner (rubber)

### 1.780 BAFFLE ASSY.-GASKET, CRANKCASE VENTILATOR

49-60	8 Cylinder	555783	1	5.40	BAFFLE
49-60	8 Cylinder	555765	2	.20	GASKET

### 1.800 BRACKET-CLIP-ELBOW-PIN-SWITCH ASSY.-TRANSDUCER-WIRE ASSY., ENGINE OIL PRESSURE GAUGE

66-67	F85 rally pack W/C.A.C. or A.I.R.	396265	1	1.08	BRACKET, transducer
67	C.A.C. or A.I.R. exc. F85 or Tor. (9.276)	567216	1	.20	CLIP, jumper wire to alternator brkt.
66-67	F85 Rally Pack W/C.A.C. or A.I.R. (8.963)	397617	1	.62	ELBOW, transducer to oil pipe (90 degrees)
66-67	F85 rally pack exc. C.A.C. or A.I.R.	390951	1	5.02	ELBOW, transducer to cyl block
68-72	F85 Rally Pack	401559	1	1.74	ELBOW, transducer to block
73	All A Opt. U21	401559	1	1.74	ELBOW, transducer to cyl. block
73	V8 (0.293)	585927	1	.15	PIN, oil switch transfer hole
56-63	All	6460391	1	1.75	SWITCH (in block or oil filter)
64	394 Eng.	6460391	1	1.75	SWITCH (in block or oil filter)
64-65	V6	1370748	1	1.54	SWITCH (in block or oil filter)
64-65	330 Eng.	3815936	1	2.41	SWITCH
65	400, 425 Eng.	389966	1	1.54	SWITCH
66-72	Exc. Rally Pack	3815936	1	2.41	SWITCH
73	V8	3815936	1	2.41	SWITCH, oil pressure
66	F85 Rally Pack 400 Eng.	6460470	1	27.65	TRANSDUCER, oil pressure



66-67	F85 Rally Pack, 400 Eng.	6462137	1	20.40	SENDER, oil pressure
66-67	F85 Rally Pack 330 Eng.	6462142	1	20.40	TRANSDUCER, oil pressure
68-72	F85 Rally Pack	6462137	1	20.40	SENDER, oil pressure
66-67	C.A.C. or A.I.R.	6290299	1	1.08	WIRE, switch jumper (12")
71-72	F85 V8 Rally Pack	8904317	1	1.13	WIRE, oil pressure sender jumper
73	All A Opt. U21	8904317	1	1.13	WIRE, oil pressure sender jumper

### 1.803 GAUGE-PIPE-TELL TALE, INSTRUMENT CLUSTER OIL PRESSURE GAUGE

66-67	F85 Rally Pack	6460978	1	9.80	GAUGE
68-69	F85 exc. Rally Pack (3.108)	6459769	1	26.35	GAUGE (comp.-inc. fuel & temp.)
68-69	F85 Rally Pack (3.108)	6459771	1	47.40	GAUGE (comp.-inc. fuel & temp.)
67	Drum P.B. exc. F85, Tor.	396942	1	.87	PIPE, master cyl. to dist. (front)
66-67	Tor.	6457541	1	2.74	TELL TALE, face plate

### 1.835 FILTER ASSY.-BOLT, ENGINE OIL FILTER

59-64	Exc. F85 or J88 (*2) (*2) 1959 2nd type - 3 bolt mounting type.	5577813	1	8.80	FILTER (type PM-701) (w/base)
64	330 Eng.	6437998	1	11.85	FILTER (type PM-804) (w/base)
65	V8	6437998	1	11.85	FILTER (type PM-804) (w/base)
66-67	V8 exc. Tor. or 1967 Calif. Hwy. Patrol	6437998	1	11.85	FILTER (type PM-804) (w/base)
66-67	Tor.	6436492	1	12.60	FILTER (type PM-709) (w/base)
68-72	V8 exc. Tor.	6437998	1	11.85	FILTER (type PM-804) (w/base)
68-72	Tor.	6437999	1	11.55	FILTER (type PM-805) (w/base)

66-70	V8 (8.900)	179839	3	.06	BOLT, filter to block (3/8"-16 x 1")
-------	------------	--------	---	-----	--------------------------------------

### 1.836 ELEMENT, ENGINE OIL FILTER

49-50	6 Cylinder	5572288	1	3.05	ELEMENT (type P-115)
49-59	8 Cylinder (*1) (*1) 1959 1st type - use w/4 bolt mounting type filter assy.	5572128	1	3.72	ELEMENT (type PF-122)
64-65	V6	6437462	1	4.69	ELEMENT (type PF-24)
59-72	V8	6437994	1	4.66	ELEMENT (PF 30)
66-71	L6	6438261	1	4.66	ELEMENT (PF-25)

### 1.837 ADAPTER-BASE-BOLT-COVER-ELBOW-GASKET-SHELL & STUD-TEE-VALVE, ENGINE OIL FILTER

67	5669 Calif. Hwy. Patrol.	6437851	1	32.65	ADAPTER, filter to cooler
56-59	All (*1)	5574005	1	10.50	BASE ASSY., oil filter mounting
67	5669 Calif. Hwy. Patrol	6437855	1	6.70	BASE, filter
66-72	Tor. (8.900)	433114	4	.41	BOLT, oil filter to block (3/8"-16 x 4 1/4")
61-63	F85	579426	1	.77	COVER, filter pad to block
67	5669 Calif. Hwy. Patrol (8.963)	444056	1	1.18	ELBOW, adapter outlet (3/8"-45 degrees)
61-63	F85 exc. Oil Filter (1.844)	5575288	1	.39	GASKET, to oil pump cover
54-59	All (*1) (*1) 1959 1st type - use w/4 bolt mounting type filter assy.	5573472	1	5.85	SHELL & STUD ASSY., oil filter
62-63	F85 J/fire	585241	1	.67	TEE, by-pass cap to turbo
66-71	L6	5575416	1	1.57	VALVE, filter by-pass
67	5669 Calif. Hwy. Patrol	5575416	1	1.57	VALVE, filter by-pass

### 1.844 GASKET, ENGINE OIL FILTER MOUNTING

49-59	8 Cylinder (*1) (*1) 1959 1st type - use w/4 bolt mounting type filter assy.	5572162	1	.33	GASKET (shell to base)
59-64	Exc. F85, J88 (*2)	576118	1	.15	GASKET, filter to block
59-64	All (*2) (*2) 1959 2nd type - use w/3 bolt mounting type filter assy.	5575288	1	.39	GASKET, element to base
64	F85 V8, J88 V8	382455	1	.15	GASKET, filter to block
65-71	V8 exc. Tor.	382455	1	.15	GASKET
66-73	Tor.	389942	1	.15	GASKET
67	5669 Calif. Hwy. Patrol	382455	1	.15	GASKET, adapter to block
72	350 Eng.	382455	1	.15	GASKET
72	455 Eng. exc. 4/S S.T. Calif. or Tor. A.T. Calif.	382455	1	.15	GASKET
73	All X, A, B, C V8	382455	1	.15	GASKET

### 1.850 OIL, SPECIAL ENGINE OIL ADDITIVE

50-70	V8	582099	AR	1.90	CONCENTRATE (15 ounce can)
50-72	All (8.800)	1051396	AR	1.85	OIL, special engine additive (16 oz. can)
50-72	All (8.800)	1051397	AR	2.20	OIL, special engine additive-32 oz. can

### 1.855 CONNECTOR, ENGINE OIL FILTER

66-71	L6	3853870	1	.56	CONNECTOR
73	L6	3853870	1	.56	CONNECTOR

