

GROUP 7.000

FRAME—SPRINGS—BUMPERS
SHOCK ABSORBERS

Arm, Torsion Bar	7.105
Automatic Level Control	7.452 thru 7.482
Bar, Bumper Primary	7.831
Bar, Front Torsion	7.412
Brace, Bumper Bar	7.836
Bracket, Body Bolt	7.330
Bracket, Bumper Bar	7.836
Bumper Ornamental Parts	7.832
Clip, Rear Spring to Axle	7.516
Compressor (Superlift Shock Absorber)	7.455
Cross Member, Frame Front	7.010
Cross Member, Frame Second	7.011
Cross Member, Frame Third	7.012
Cross Member, Rear	7.014
Cylinder Assy., Spare Wheel Lock	7.675
Deflector, Bumper Gravel	7.833
Extension Unit, Frame	7.009, 7.010
Frame	7.003
Grommet, Ride Stabilizer	7.244
Grommet, Shock Absorber	7.377
Insulator Spring	7.545
License Plate Parts	7.800
Link, Spring Shackle	7.523
Link Pkg., Front & Rear Stabilizer	7.240
Molding, Rear Bumper Bar	7.832
Ornament, Rear Bumper	7.832
Repair Pkg., Superlift Shock Absorber Comp. Assy.	7.460
Ride Stabilizer	7.241
Shackle, Rear Leaf Spring	7.523
Shaft, Ride Stabilizer	7.241
Shock Absorber	7.345
Spare Wheel Attaching Parts	7.629 thru 7.675
Spring, Coil	7.412, 7.503
Spring, Leaf	7.503
Stabilizer Shaft	7.241
Support, Rear Bumper	7.836
Torsion Bar, Front	7.412
Torsion Bar Attaching Parts	7.428, 7.436



7.003 FRAME ASSY., CHASSIS (COMPLETE)

66-67	Tor.	394132	1	233.20	FRAME
67	F85 Conv.	230655	1	266.45	FRAME
67	5200 (*1)	398006	1	299.60	FRAME
(*1) When replacing this frame on 1967 cars also order 401442 and 401443 motor mounts.					
67	5400, 5600, 5800 exc.				
	Conv.	394066	1	281.05	FRAME
67	5600, 5800 Conv.	398005	1	346.05	FRAME
67	98 exc. Conv.	394073	1	311.40	FRAME
67	98 Conv. (*1)	398010	1	345.20	FRAME
68-70	F85 Conv.	3992389	1	203.70	FRAME
68-69	F85 4 Doors exc. S.W. or V.C.	6263693	1	177.60	FRAME
68	S.W. exc. V.C.	3908667	1	258.70	FRAME
68	V.C.	398001	1	285.25	FRAME
68	5400 exc. Conv. or H.D.	398006	1	299.60	FRAME
68	5400 Conv. 350 Eng. exc. J.T.	398007	1	343.25	FRAME
68	5400 Conv. 350 Eng. J.T.	401966	1	345.80	FRAME
68	5400, 6400, 6600 455 Eng. exc. Conv.	398004	1	295.25	FRAME
68	5400, 6400, 6600 Conv. 455 Eng.	398005	1	346.05	FRAME
68	98 Conv.	398010	1	345.20	FRAME
68	Tor.	398405	1	245.05	FRAME
69	F85 2 Drs. exc. Conv.	3960733	1	173.85	FRAME
69	5400, 350 Eng. exc. H.D. or Conv.	401789	1	324.30	FRAME
69	5467, 350 Eng., H.D. or Conv.	401790	1	375.10	FRAME
69	5400, 6400, 6600 455 Eng. exc. H.D. or Conv.	401788	1	373.50	FRAME
69	5467 455 Eng.	401788	1	373.50	FRAME
69	8457-69, 8669 exc. H.D.	401792	1	307.95	FRAME
69	8439, 8639 (*2)	406824	1	390.05	FRAME
(*2) When used on 1969 also order 2-406887 bracket and 4-9431970 screws.					
69	98 Conv. or H.D.	401793	1	377.00	FRAME
70	3100, 3200, 3577-87, 3677-87, 4257, 4477-87	3960733	1	173.85	FRAME
69-70	3535, 3635	3960737	1	169.15	FRAME
70	3539-69, 3639-69, 4239	6263693	1	177.60	FRAME
70	4267, 4467	3992389	1	203.70	FRAME
70	4800	406258	1	357.65	FRAME
70	5437-39-69 350 Eng.	406907	1	363.00	FRAME
70	5437-39-69, 6400, 6600 455 Eng.	406903	1	357.00	FRAME
70	5467 350 Eng.	406908	1	415.90	FRAME
70	5467 455 Eng.	406905	1	415.90	FRAME
70	98 exc. Conv.	406824	1	390.05	FRAME
70	8467	406913	1	423.95	FRAME
69-70	Tor.	406987	1	270.65	FRAME
71	F85 2 Drs. (*3)	3992389	1	203.70	FRAME
(*3) NOTE Also order 1-402982 support when used on 1971 F85 2 Drs. exc. Conv.					
71	F85 4 Drs. exc. S.W. or V.C.	6263693	1	177.60	FRAME
71	F85 S.W.	3992390	1	177.60	FRAME
71	4800	409176	1	354.15	FRAME
71	5400, 6400, 6647 exc. Pol.	1240748	1	280.00	FRAME
71-72	5400, 6400 Pol.	3993740	1	302.40	FRAME
71	6667	3993740	1	302.40	FRAME
71-72	6800	3993741	1	281.90	FRAME
71-72	98	3993742	1	297.20	FRAME
71	Tor.	406963	1	280.60	FRAME
72	3269, 3669, 4239	6263666	1	177.60	FRAME
72	3287, 3677-87, 4257-67 (*4)	6263668	1	203.70	FRAME
(*4) NOTE Also order 1-402982 support when used on 2 Drs.					
72	3636	6263669	1	177.60	FRAME
72	4800	411317	1	177.60	FRAME
72	5400, 6439-57-69 exc. Pol.	1240748	1	280.00	FRAME
72	6467	3993740	1	302.40	FRAME
72	Tor.	411325	1	280.60	FRAME
73*	All E	411453	1		FRAME

7.003 FRAME ASSY., HEAVY DUTY TRAILER HAULING CHASSIS

67	3407-69, 3617-69, 3807-17-69	230655	1	266.45	FRAME
67	5400, 5600, 5800	398005	1	346.05	FRAME
67	98 (*1)	398010	1	345.20	FRAME
68	5400 350 Eng. exc. J.T.	398007	1	343.25	FRAME
68	5400 350 Eng. J.T.	401966	1	345.80	FRAME
68	5400, 6400, 6600 455 Eng.	398005	1	346.05	FRAME
68	98	398010	1	345.20	FRAME
69	5400 350 Eng.	401790	1	375.10	FRAME
69	5400, 6400, 6600 455 Eng.	401788	1	373.50	FRAME
69	98	401793	1	377.00	FRAME
70	5437-39-69 350 Eng.	406908	1	415.90	FRAME
70	5400, 6400, 6600 455 Eng.	406905	1	415.90	FRAME
70	8439-57-69, 8600	406913	1	423.95	FRAME
73*	All E	411453	1		FRAME

7.006 RAIL ASSY.-REINFORCEMENT PKG., BODY FRAME SIDE (AT REAR COMPT.)

62-63	F85 H.T. exc. Conv.	4408482	LH	86.00	RAIL (floor pan side)
63	F85 exc. S.W. or Conv.	4408490	RH	98.80	RAIL (front & rear)
66	Tor. (12.986)	7645972	RH	86.75	RAIL, (rear)
67-69	Tor. (12.986)	8760104	RH	106.70	RAIL (rear)
70	Tor. (12.986)	9809501	RH	101.40	RAIL (rear)
66-70	Tor. (12.986)	9809502	LH	101.40	RAIL (rear)
59-60	All	380125	1	3.79	REINF. PKG., frame side rail

7.009 RAIL, BODY FRAME FRONT END CROSS

61-63	F85	4894233	1	16.85	RAIL (inc. center reinf.)
-------	-----	---------	---	-------	---------------------------

7.009 EXTENSION-BAR-MEMBER-STRUT, FRAME SIDE RAIL FRONT (FRAME HORN)

64-65	F85 (*1)	3868661	LH	17.50	EXTENSION (A.O. Smith & Parrish)
64-65	F85 (*1)	3866510	RH	17.50	EXTENSION (Pontiac)
64-65	F85 (*1)	3866509	LH	16.80	EXTENSION (Pontiac)
66-67	F85 (*1)	392816	RH	18.85	EXTENSION, (A.O. Smith)
66-67	F85 (*1)	392817	LH	18.85	EXTENSION, (A.O. Smith)
66-67	F85 V8 exc. V.C. (*2)	392818	RH	18.85	EXTENSION, (Pontiac)
66-67	F85 V8 exc. V.C. (*2)	392819	LH	18.85	EXTENSION, (Pontiac)
66-70	Tor.	396890	RH	25.05	EXTENSION
66-70	Tor.	396891	LH	25.05	EXTENSION
68-72	F85 (*3)	3960284	RH	38.70	EXTENSION
68-72	F85	3977555	LH	39.45	EXTENSION, frame frt. side
71-72	Exc. F85 & Tor.	3991094	RH	76.35	EXTENSION
71-72	Exc. F85 & Tor.	3991093	LH	76.35	EXTENSION
71-72	Tor.	231142	RH	25.55	BAR, frame side rail
71-72	Tor.	231143	LH	25.55	BAR, frame side rail
73*	All X	330201	1		MEMBER, side & cross
71-72	6800	410066	RH	4.61	STRUT, frame front horn
71-72	6800	410067	LH	4.61	STRUT, frame front horn

(*1) See note in group 7.010 for frame manufacturers identification.

(*3) When used on 1969 or earlier models also order 1-406887 Bracket and 2-9431970 Screws.

7.010 EXTENSION UNIT, FRAME FRONT END REPLACEMENT (INC. FRONT CROSS MEMBER & FRAME HORNS)

64-65	F85 (*1)	3876916	1	95.40	EXTEN. UNIT (A.O. Smith & Parrish)
64-65	F85 (*1)	3876918	1	90.70	EXTEN. UNIT (Pontiac)
66	Exc. F85 or Tor.	393497	1	108.15	EXTEN. UNIT
66-67	F85 (*1)	396734	1	107.50	EXTEN. UNIT, (A.O. Smith)
66-67	F85 exc. V.C. or Conv. (*1)	396732	1	107.50	EXTEN. UNIT, (Pontiac)
67-69	Exc. F85 or Tor. (*2)	231025	1	115.70	EXTEN. UNIT
68	F85 (*3)	3960276	1	103.10	EXTEN. UNIT
69	F85	3960276	1	103.10	EXTEN. UNIT
69-72	F85	3997410	1	114.65	EXTEN. UNIT
70	5400, 6400, 6600, 98	231025	1	115.70	EXTEN. UNIT
71-72	Exc. F85 & Tor.	3991079	1	128.65	EXTEN. UNIT
71-72	Tor.	231141	1	153.75	EXTEN. UNIT

(*1) NOTE-Frame manufacturers I.D. is stamped at rear of L.H. frame side rail Pon-Pontiac, S-A.O. Smith, P.P.S.-Parish Pressed Steel.

(*2) When installing 231025 on 1967 thru 1969 Models also order 2-406887 Brackets Group 7.242 and 4-9431970 Screws Group 8.977.

(*3) When installing 3960276 on 1968 models also order 1230988 and 1230989 Hose Brackets for Drum Brakes or 1230990 and 1230991 Hose Brackets for Disc Brakes.

7.010 MEMBER, FRAME FRONT CROSS

63-64	Exc. F85, J88	587301	1	89.95	MEMBER
65	Exc. F85 or Conv.	389811	1	35.60	MEMBER
66-67	5200, 5400, 5600, 5800, 98 exc. Conv.	389811	1	35.60	MEMBER
66-69	Tor.	230355	1	9.30	MEMBER, radiator mounting
68-70	Exc. F85, Tor. or Conv.	401540	1	37.95	MEMBER
65-70	Conv. exc. F85	401541	1	40.30	MEMBER

7.010 BAR-BRACE-MOUNT-BOLT-NUT-WASHER, FRONT SUSPENSION MOUNTING CROSS

61-63	F85 exc. Conv.	585768	1	93.20	BAR ASSY. (inc. lwr. arm shafts)
71-72	Exc. F85 or Tor.	409174	RH	3.02	BRACE, frt. cross bar to torque box
71-72	Exc. F85 or Tor.	409175	LH	3.02	BRACE, frt. cross bar to torque box
71-72	Tor.	409523	2	4.61	BRACE, frt. cross bar to torque box
61-63	F85	585270	1	3.95	MOUNT ASSY., front cross bar (front)
61-63	F85 (*1)	587851	2	4.82	MOUNT ASSY., front cross bar (side)
62-63	F85 (*1)	380615	2	.67	BOLT, side mount (1/2"-13 x 6 3/8")
71-72	All (5.002)	2482399	AR	.32	NUT, brace or support to frame bolt (7/16"-14)
71-72	F85 (5.002)	2482399	2	.32	NUT, body mtg. to frame
71-72	Tor. (8.915)	9424985	4	.15	NUT, brace to frame-7/16"-14
73	BQ, BR, E (5.002)	2482399	2	.32	NUT, strut or supt. to frame
62-63	F85	584382	3	1.03	WASHER, mount bolt (steel & rubber)

(*1) NOTE-When using 587851 mount on 1961 or 1962 models also use 380615 bolt.

7.011 MEMBER-BOLT, FRAME SECOND CROSS (TRANS. MOUNTING)

(FOR USE WITH STANDARD FRAMES)

61-63	F85 H.T.	584779	1	3.18	MEMBER
61-63	F85 3/S S.T. (4.081)	1195231	1	5.02	MEMBER
62-63	F85 4/S S.T. (4.081)	1352072	1	15.30	MEMBER
63-64	S.T. exc. F85, J88	586465	1	18.85	MEMBER
63-64	H.T. exc. Conv., F85 or J88	586468	1	12.65	MEMBER
64	J88 Conv.	383885	1	14.05	MEMBER
64-66	F85 exc. Conv. or V.C.	383698	1	13.45	MEMBER (54 13/16")
64-66	F85 Conv., V.C. (4.081)	393932	1	13.55	MEMBER (44 1/4")
65	Exc. F85, J88, 98 or Conv.	406839	1	15.90	MEMBER (60 3/4")
65	J88 exc. Conv.	388659	1	15.20	MEMBER (60 59/64")
65	J88 Conv.	388675	1	14.22	MEMBER (54 41/64")
66-67	5200 J.T.	388659	1	15.20	MEMBER (60 59/64")
66-67	5200 S.T., T.H.	406839	1	15.90	MEMBER (60 3/4")
65-67	5400, 5600, 5800, 6600 exc. Conv.	406839	1	15.90	MEMBER (60 3/4")
65-68	Conv. exc. F85	386199	1	14.80	MEMBER (54 11/16")
67	F85 Conv. & V.C.	397726	1	13.10	MEMBER (44 1/4")
67-71	F85 exc. Conv., V.C.	402981	1	17.50	MEMBER (54 13/16")
68-69	5400 J.T.	388659	1	15.20	MEMBER (60 59/64")
68-69	5400, 5600, 6400, 6600, 98 exc. Conv. or J.T.	406839	1	15.90	MEMBER (60 3/4")
68	5467 S.T., T.H.	386199	1	14.80	MEMBER (54 11/16")
65-68	98	386199	1	14.80	MEMBER (54 11/16")
68	F85 Conv. & V.C.	398707	1	13.10	MEMBER, (48")
69-70	5467, 8467	386199	1	14.80	MEMBER (54 11/16")
69-71	F85 Conv. & V.C.	402982	1	15.90	MEMBER
70	5400, 6400, 6600, 98 exc. Conv.	406839	1	15.90	MEMBER, trans. support
71	5400 350 Eng.	3988236	1	22.90	MEMBER
71	455 Eng. A.T. exc. F85 or Tor.	3988236	1	22.90	MEMBER, trans. support
72	3200, 3600, 4200 exc. Conv.	411238	1	17.50	MEMBER, trans. support
72	4267, 4800	402982	1	15.90	MEMBER
72	5400, 6400, 6800, 98	3988236	1	22.90	MEMBER
70	Exc. F85 or Tor. (8.903)	126358	4	50/2.15	BOLT, trans. support to frame
71	5400, 6400, 6600, 6800, 98 (8.900)	435611	4	.10	BOLT, trans. support to frame

OLDSMOBILE DIVISION, GENERAL MOTORS CORPORATION

(FOR USE WITH HEAVY DUTY TRAILER HAULING FRAMES)

Table with 6 columns: Part Number, Description, Part Number, Quantity, Price, and Member/Notes. Includes items like J88 exc. Conv., D88, Delta, J/Star I, S/Fire, F85 exc. Conv. or S.W., 5400,5600,5800, F85 V8, 5400 J.T., 5400, 5600, 6400, 6600 exc. J.T., 98.

7.012 MEMBER, FRAME THIRD CROSS

Table with 6 columns: Part Number, Description, Part Number, Quantity, Price, and Member/Notes. Includes items like Exc. S.W. or F85, 5200, 330,350 Eng. Exc. F85, 425,455 Eng. Exc. Tor., 5400 350 Eng., 455 Eng. exc. Tor., 5400, 6400, 6600, 98 455 Eng., 5400, 6400, 6600, 98 (5,380), 6800, 5400, 6400, 98 (5,380).

7.014 MEMBER, FRAME REAR

Table with 6 columns: Part Number, Description, Part Number, Quantity, Price, and Member/Notes. Includes items like F85 (*1), Exc. F85 or Tor., F85 L6 (*1), F85 (*1), Exc. F85 or Tor., F85 exc. S.W. or V.C., F85 S.W., 4800, 5400, 6400, 6600, 6800, 98, Tor., 5400, 6400.

7.105 ARM-BOLT-CUSHION-INSULATOR-NUT-RESTRICTOR-SUPPORT-WASHER, TORSION BAR

Table with 6 columns: Part Number, Description, Part Number, Quantity, Price, and Member/Notes. Includes items like Tor. (*1), Tor. (*2), Tor. (8.900), Tor., Tor., Tor., 98 exc. conv., Tor., Tor., Tor., Tor., Tor., Tor., Tor., Tor. (9.011), Exc. F85 or Tor. (8.915), Tor., Tor., Tor., Tor. (9.011), F85 (2.334), Exc. F85 or Tor. (2.334).

(*1) 1968 1st type - use with seal & retainer listed in group 7.436. (*2) 1968 2nd type - does not require 392034 seal-or 392036 retainer.

7.238 NUT, STABILIZER LINK BOLT

Table with 6 columns: Part Number, Description, Part Number, Quantity, Price, and Member/Notes. Includes items like All, All.

7.240 LINK PKG., RIDE STABILIZER SHAFT

52-56	All	562397	2	1.44	LINK PKG. (front)
57-59	Exc. Air/R	570518	2	1.44	LINK PKG. (front)
60	All	387093	2	1.44	LINK PKG. (front)
61-63	F85	1396612	2	1.03	LINK PKG. (front)
61-64	Exc. F85	386154	2	1.33	LINK PKG. (front)
65-70	Exc. F85 or Tor.	389249	2	1.33	LINK PKG. (front)
64-67	F85	3849098	2	1.33	LINK PKG., (front)
66-72	Tor.	393330	2	1.18	LINK PKG. (front)
68-72	F85	230579	1	1.59	LINK PKG. (front)
71	Exc. F85 or Tor.	3888862	2	.92	LINK PKG. (front)

63-64	Police exc. F85, J88	381966	2	.87	LINK (rear)
-------	----------------------	--------	---	-----	-------------

7.241 SHAFT, RIDE STABILIZER

61-62	Exc. S.W., 98 or F85	579845	1	9.15	SHAFT (front)
61-62	88, S88 S.W., 98	581487	1	9.55	SHAFT (front)
62	F85	583304	1	7.90	SHAFT (front)
63	F85 J/Fire, Conv.	1349314	1	9.35	SHAFT (front)
64	F85 V8 C.A.C., Conv., V.C., 442 & Police	397705	1	12.70	SHAFT (front) (1 ⁵ / ₁₆ " O.D.)
65	V6 Police	397705	1	12.70	SHAFT (front)
65	F85 Conv., V.C.	397705	1	12.70	SHAFT (front)
65	F85 V8 Police exc. V.C. or C.A.C.	397705	1	12.70	SHAFT (front)
64-67	L6 exc. Police or 1967 conv.	397703	1	10.55	SHAFT (front) (1 ³ / ₁₆ " dia.)
66	L6 Police	397705	1	12.70	SHAFT (front) (1 ⁵ / ₁₆ " dia.)
66	F85 V8 C.A.C. Conv., V.C., 442 & Police	397705	1	12.70	SHAFT (front) (1 ⁵ / ₁₆ " dia.)
64-66	F85 V8 exc. Conv. V.C. Police or C.A.C.	397704	1	11.90	SHAFT (front) (7/ ₈ " dia.)
65-67	5200 exc. Police	388252	1	13.55	SHAFT (front) (2 ³ / ₃₂ " dia.)
65-67	5200 Police	388253	1	12.60	SHAFT, (front) (1" dia.)
65-67	5400, 5600, 5800, 98 exc. Pol.	388253	1	12.60	SHAFT, (front) (1" dia.)
65-67	5600, 5800 Police	388254	1	12.90	SHAFT (front) (1 ¹ / ₃₂ " dia.)
66-72	Tor. exc. C.A.C.	391564	1	12.20	SHAFT (front) (1" dia.)
66-72	Tor. C.A.C.	391565	1	13.35	SHAFT (front) (1 ¹ / ₁₆ " dia.)
67	L6 Conv.	397704	1	11.90	SHAFT (front) (7/ ₈ " dia.)
67	F85 330 Eng. exc. Conv., V.C. or C.A.C.	397704	1	11.90	SHAFT (front) (7/ ₈ " dia.)
67	F85 V8 C.A.C., Conv. & 400 cu. in. Eng.	397705	1	12.70	SHAFT (front) (1 ⁵ / ₁₆ " dia.)
67	F85 Police exc. 400 cu. in. Eng.	397705	1	12.70	SHAFT (front) (1 ⁵ / ₁₆ " dia.)
67	98 exc. Police	388252	1	13.55	SHAFT (front) (2 ³ / ₃₂ " dia.)
68-69	L6 1st type exc. Police or Rally Susp.	399921	1	11.00	SHAFT (front) (1 ³ / ₁₆ " dia.)
68-71	L6 Police Cruiser or H.D. Susp.	398499	1	12.70	SHAFT (front) (1 ⁵ / ₁₆ " dia.)
68-69	3567-77-87 Rally Susp.	398499	1	12.70	SHAFT (front) (1 ⁵ / ₁₆ " dia.)
68-70	3200, 3600, 4200 exc. Police, Conv. or Rally Susp.	398499	1	12.70	SHAFT (front) (1 ⁵ / ₁₆ " dia.)
68	3667 exc. Police	401194	1	13.45	SHAFT (front) (1" dia.)
68	3677-87 Rally Susp.	401194	1	13.45	SHAFT (front) (1" dia.)
68	442 All	401194	1	13.45	SHAFT (front) (1" dia.)
68	F85 Police Hwy. Patrol	401194	1	13.45	SHAFT, (front) (1" dia.)
68-71	V.C.	401194	1	13.45	SHAFT (front) (1" dia.)
68-69	Exc. F85, Tor. or Police	388252	1	13.55	SHAFT (front) (2 ³ / ₃₂ " dia.)
68-70	Police exc. F85	388254	1	12.90	SHAFT (front) (1 ¹ / ₃₂ " dia.)
69-71	L6 exc. H.D. Susp.-1969 2nd type	398498	1	12.10	SHAFT (front) (7/ ₈ " dia.)
69-71	3200, 3600, 4200 w/Rallye Susp.	401194	1	13.45	SHAFT (front) (1" dia.)
69-70	3667, 442	401194	1	13.45	SHAFT (front) (1" dia.)
70	5400, 6400, 6600, 98 exc. H.D.	406739	1	13.95	SHAFT (front) (1" dia.)
71-72	3200, 3600, 4239-57 exc. H.D. or 442 Susp.	398499	1	12.70	SHAFT (front) (1 ⁵ / ₁₆ " dia.)
71	4267, 442	401194	1	13.45	SHAFT (front) (1" dia.)
71	5400, 6400, 6600, 98 exc. Pol.	3964067	1	13.35	SHAFT
71	6800	3993657	1	13.60	SHAFT
71-72	5400, 6400 Pol.	3993657	1	13.60	SHAFT (front)

72	4267, F85 H.D. or 442 Susp.	401194	1	13.45	SHAFT (front) (1" dia.)
72	5400, 6400, 98 exc. H.D. or Pol.	3964067	1	13.35	SHAFT (front)
72	6800	3964067	1	13.35	SHAFT (front)
72	98 exc. H.D.	3964067	1	13.35	SHAFT (front)
55	88, S88	566967	1	6.00	SHAFT (rear)
64-68	F85 442 & Police exc. S.W.	394926	1	12.70	SHAFT (rear)
66-70	Police exc. F85	396620	1	15.10	SHAFT (rear)
69-70	3200, 3600, 4200 w/Rallye Susp.	394926	1	12.70	SHAFT (rear)
69-71	442	394926	1	12.70	SHAFT (rear)
71-72	3200, 3600, 4200 w/442 Susp. Pkg.	394926	1	12.70	SHAFT (rear)

7.242 BRACKET-BOLT-NUT-SCREW-SHIM-SUPPORT, RIDE STABILIZER SHAFT

49-60	Exc. 1958 Air/R	411142	2	.36	BRACKET, front & rear shaft clamp
61-62	Exc. F85	584995	2	.46	BRACKET, front shaft
61-63	F85	411142	2	.36	BRACKET, shaft bushing
63-64	Exc. F85	588312	2	.51	BRACKET, front shaft
63-64	Police exc. F85, J88	411142	2	.36	BRACKET, rear shaft bushing
64	F85	394130	2	.46	BRACKET, front shaft
65-69	Exc. Tor.	394130	2	.46	BRACKET, front shaft
66-69	Tor.	389097	2	1.33	BRACKET, front shaft
70-71	Exc. Tor., 6800 or 1971 Pol.	406887	2	.46	BRACKET, front shaft
70-72	Tor.	406965	2	1.03	BRACKET, front shaft
71	L6	3994334	2	.51	BRACKET
71	5400 Pol.	3994334	2	.51	BRACKET
71	6800	3994334	2	.51	BRACKET, front stab. shaft
72	Exc. Tor. or Pol.	406887	2	.46	BRACKET, front shaft
72	5400, 6400 Pol.	3994334	2	.51	BRACKET
63	88 H.C., 4 D.S. Police (8.900)	427562	4	.15	BOLT, brkt. to shaft spacer
65	D88 & Delta Police (8.917)	9422300	4	.10	NUT, rear shaft to arm (7/16"-20)
66-70	Police & F85 442 (8.917)	9422300	4	.10	NUT, rear shaft to cont. arm (7/16"-20)
67-70	442 (8.917)	9422300	4	.10	NUT, stabilizer shaft to lwr. arm
70	3200, 3600, 4200 Rallye (8.917)	9422300	4	.10	NUT, stabilizer shaft to lwr. arm
71	3200, 3600, 4200 Rallye (8.917)	9422299	4	.15	NUT, stabilizer shaft to lwr. arm
71	4400 (8.917)	9422299	4	.15	NUT, stabilizer shaft to lwr. arm
72	W29 (8.917)	9422299	4	.15	NUT, stabilizer shaft to lwr. arm
64	F85 (8.977)	9417750	4	.15	SCREW, frt. stab. brkt. to frame
65-69	All (8.977)	9417750	4	.15	SCREW, bracket to frame (for oversize frame holes) ..
70-72	Exc. Tor. (8.977)	9431970	4	.10	SCREW, stabilizer brkt. to frame
70-72	Tor. (8.977)	9417750	4	.15	SCREW, bracket to frame (for oversize frame hole) ..
70	Tor. (8.977)	9422107	4	.10	SCREW, stabilizer brkt. to frame
71-72	F85 w/442 Susp. Pkg.	385967	AR	.25	SHIM, lower cont. arm to rear stab.
61-63	F85	4403449	2	1.79	SUPPORT (beneath frame side rail)

7.243 BUSHING-SHIM-SPACER, STABILIZER RIDE SHAFT (RUBBER)

58-62	Exc. Air/R	573287	2	.62	BUSHING (front)
63	F85	1347488	2	.72	BUSHING (front)
63-64	Exc. F85	383868	2	.51	BUSHING (front)
64	F85 exc. Conv., V.C., 442, Pol. or C.A.C.	392592	2	.36	BUSHING (front) (6 ribs-23/32" I.D.)
65	V6	392592	2	.36	BUSHING (front) (6 ribs-23/32" I.D.)
64-67	F85 Conv., V.C., H.D., Police or C.A.C.	388294	2	.30	BUSHING (front)
65-67	F85 330 Eng. exc. Conv., V.C., C.A.C. or Police ..	388292	2	.36	BUSHING (front)
65-70	Exc. F85 or Tor.	390197	2	.51	BUSHING (front)
66-69	L6 exc. H.D. or Police (*1)	392592	2	.36	BUSHING (front)
66-72	Tor.	389098	2	.46	BUSHING (front)
68-71	L6 Police or Rally Susp.	388294	2	.30	BUSHING (front)
68-70	F85 V8	388294	2	.30	BUSHING (front)
69	L6 (*2)	388292	2	.36	BUSHING (front)

70-71	L6 exc. H.D. Susp.	388292	2	.36	BUSHING (front)
71	L6 H.D. Susp.	388294	2	.30	BUSHING (front)
71	V8 exc. 6800, Tor. or H.D.	388294	2	.30	BUSHING (front)
71	6800	3994335	2	.25	BUSHING (front)
72	Exc. Tor. or Pol.	388294	2	.30	BUSHING (front)
72	5400, 6400 Pol.	3994335	2	.25	BUSHING (front)
73*	All X	388293	2	.67	BUSHING (front)
63-64	Police exc. F85 or J88 ...	573287	2	.62	BUSHING, rear
64	F85 Police	385967	AR	.25	SHIM
64-69	Police or F85 442 H.D. ..	385967	AR	.25	SHIM
68-70	5400, 5600, 6600 Police Hwy. Patrol	385967	AR	.25	SHIM
69-70	3200, 3667-77-87 w/Rallye Susp.	385967	AR	.25	SHIM
69-70	442	385967	AR	.25	SHIM
71-72	F85 w/442 Susp. Pkg.	385967	AR	.25	SHIM

62	Exc. F85	584994	2	.30	SPACER
63-64	Exc. F85	588311	2	.30	SPACER

(*1) NOTE 1969 1st type - used with 13/16" dia. shaft.
(*2) NOTE 1969 2nd type-used w/7/8" shaft.

7.244 GROMMET-NUT, RIDE STABILIZER LINK (RUBBER)

41-62	Exc. Air/R	381957	AR	.15	GROMMET
63-70	F85	381957	8	.15	GROMMET
63-70	Exc. F85	381957	8	.15	GROMMET
68-70	Tor.	381957	4	.15	GROMMET, rear shock to clamp
71	Pol. (7.388)	6270704	8	.20	GROMMET
71-72	Exc. Pol.	381957	8	.15	GROMMET
72	5400, 6400 Pol. (7.388) .	6270704	8	.20	GROMMET

67-70	Exc. F85 (8.917)	9411638	2	.05	NUT, frt. stabilizer link
-------	------------------------	---------	---	-----	---------------------------------

7.245 RETAINER, RIDE STABILIZER LINK GROMMET (STEEL)

55-70	All	396797	AR	.10	RETAINER
71	Pol.	3993729	8	.15	RETAINER
71-72	Exc. Pol.	396797	AR	.10	RETAINER
72	5400, 6400 Pol.	3993729	8	.15	RETAINER

7.330 BRACKET, BODY BOLT

64-67	F85 exc. V.C. (*1)	9773050	2	.56	BRACKET, (no. 6 pos. welds to frame)
65-67	F85 (*2)	3837376	2	.51	BRACKET, (no 6 pos. welds to frame)

(*1) Used on Pontiac frames only.

(*2) Used on A.O. Smith and Parrish Pressed Steel frames only. See group 7.010 for identification.

7.345 SHOCK ABSORBER ASSY., FRONT (WITH ATTACHING PARTS) (EXC. FIRM RIDE)

NOTE For 1966 Toronado steering linkage shock absorber and attaching parts see group 6.865.

57-60	Exc. Air/R	3197605	2	13.25	SHOCK
61	98	3197605	2	13.25	SHOCK
61	Exc. 98, S.W. or F85 ...	3197605	2	13.25	SHOCK
61-62	88, S88 S.W.	3197605	2	13.25	SHOCK
61-63	F85	3197624	2	13.25	SHOCK
62	88, S88, S/Fire exc. S.W.	3197605	2	13.25	SHOCK
62	98	3197605	2	13.25	SHOCK
63-64	D88, S88, J/Star I, S/Fire exc. S.W. or Police	3197605	2	13.25	SHOCK
63-64	Police Pursuit exc. F85 ..	3197605	2	13.25	SHOCK
63-64	Police Cruiser exc. F85 ..	5554727	2		SHOCK
64	S.W. exc. F85	3197605	2	13.25	SHOCK
64-65	V6 exc. Police	3177631	2	13.25	SHOCK
65	J88 exc. Police Cruiser ..	3186728	2	13.25	SHOCK
65	Exc. F85, J88, 98 or Police	3192964	2	13.25	SHOCK
65-66	5400, 6600 exc. Police ..	3192964	2	13.25	SHOCK
66	5400, 5600, 5800, 98 exc. Police	3192964	2	13.25	SHOCK
66-70	Tor.	3197662	2	13.25	SHOCK
66-67	L6	3177631	2	13.25	SHOCK
64-67	F85 V8 exc. V.C. or Police	3192955	2	13.25	SHOCK
64-67	V.C. exc. Police	3177631	2	13.25	SHOCK
64-67	F85 442 & Police	3186791	2	13.25	SHOCK

65-70	Police Hwy. Patrol exc. F85	3186746	2	13.25	SHOCK
67	5200, 5400, 5600, 5800 exc. Police	3192964	2	13.25	SHOCK
65-68	Pol. Cruiser exc. F85	3192964	2	13.25	SHOCK
65-69	98	3192964	2	13.25	SHOCK
68-69	L6 exc. Police	3192974	2	13.25	SHOCK
68-72	F85 exc. 442 or H.D.	3192974	2	13.25	SHOCK
68-71	442	3188931	2	13.25	SHOCK
68	F85 Police Hwy. Patrol exc. S.W. or V.C.	3188931	2	13.25	SHOCK
68	F85 Police Cruiser	3188931	2	13.25	SHOCK
68	5400, 5600, 6400, 6600 exc. H.D.	3192964	2	13.25	SHOCK
69	3200, 3600, 4200 exc. Rallye Susp.	3192974	2	13.25	SHOCK
69-70	3200, 3600, 4200 w/Rallye Susp.	3188931	2	13.25	SHOCK
69	5400, 6400, 6600 exc. Police	3192964	2	13.25	SHOCK
69	5400, 6400, 6600 Police City Cruiser	3182132	2	13.25	SHOCK
69	5400, 6400, 6600 Police Hwy. Patrol	3186746	2	13.25	SHOCK
69	98	3192964	2	13.25	SHOCK
70	5400, 6400, 6600, 98 exc. Pol. or H.D.	3192964	2	13.25	SHOCK
70	5400, 6400, 6600, 98 exc. Pol. or H.D.	5559367	1		SHOCK PKG.
71	F85 exc. 4400	3192974	2	13.25	SHOCK
71	4400	3192974	2	13.25	SHOCK
71	5400, 6400, 6600, 6800, 98 exc. H.D.	3188933	2	13.25	SHOCK
71-72	Pol.	3188934	2	13.25	SHOCK
71-72	Tor.	3192374	2	12.10	SHOCK
72	5400, 6439-57-69, 6800, 98	3188933	2	13.25	SHOCK
72	6467	3188934	2	13.25	SHOCK
65-70	5400, 6400, 6600, 98 ..	231048	1	19.15	SPRING PKG., front shock helper
7.345 SHOCK PKG., FRONT SHOCK ABSORBER (FIRM RIDE)					
68-72	F85 exc. 442	3192974	2	13.25	SHOCK
68-69	Exc. F85 or Tor.	3192964	2	13.25	SHOCK
70	5400, 6400, 6600, 98 H.D.	3192964	2	13.25	SHOCK
71-72	F85 2 Drs. H.D.	3188931	2	13.25	SHOCK
71-72	5400, 6439-57-69, 6600, 6800, 98	3188934	2	13.25	SHOCK (H.D. susp. or firm ride)
7.345 SHOCK ABSORBER ASSY., REAR (WITH ATTACHING PARTS) (STANDARD LOAD-EXC. FIRM RIDE)					
57-60	Exc. S.W. or Air/R	5552515	2	13.25	SHOCK
57-60	88, S88 H.W., S.W. exc. Air/R	3197608	2	13.25	SHOCK
61-62	Exc. F85	5554726	2	13.25	SHOCK
61-62	Police, Export exc. F85 ..	5554728	2	13.25	SHOCK
62	F85 Conv.	3171484	2	13.25	SHOCK
63	F85 S.W.	3197638	2	13.25	SHOCK
63	F85 Conv., J/Fire	3197638	2	13.25	SHOCK
63	S.W. exc. F85	3178153	2	13.25	SHOCK
63	98	3178153	2	13.25	SHOCK
63-64	Police Pursuit exc. F85 ..	3197635	2	13.25	SHOCK
63-64	Exc. F85, J88, 98 or S.W.	3197635	2	13.25	SHOCK
64	F85 V6 exc. S.W.	3197636	2	13.25	SHOCK
64	F85 V8 S.T. exc. S.W. or Police	3197636	2	13.25	SHOCK
64	J88	3178153	2	13.25	SHOCK
64	S.W. exc. F85	3178153	2	13.25	SHOCK
64	98	3178153	2	13.25	SHOCK
64-65	F85 S.W. exc. Police or V.C.	3197636	2	13.25	SHOCK
65	F85 V8 J.T. exc. S.W. or Police	3197636	2	13.25	SHOCK
65-67	F85 exc. S.W. or Police ..	3197636	2	13.25	SHOCK
64-67	F85 S.W. exc. V.C.	3197636	2	13.25	SHOCK
66	5200 exc. Police	3186928	2	13.25	SHOCK

65-66	5400, 5600, 5800 exc. Police	3192496	2	13.25	SHOCK
65-66	98	3197654	2	13.25	SHOCK
66	Tor.	3192098	2	13.25	SHOCK (vertical)
64-67	V.C. exc. Police	3166582	2	13.25	SHOCK
64-68	V.C. Police	3166582	2	13.25	SHOCK
65-68	F85 Police, Rally Susp. exc. V.C.	3186967	2	13.25	SHOCK
66-67	442 S.T.	3197677	2	13.25	SHOCK
65-68	Pol. Cruiser exc. F85	3186928	2	13.25	SHOCK
65-69	Police Hwy. Patrol exc. F85	3186998	2	13.25	SHOCK
66-70	Tor.	3197664	2	13.25	SHOCK (horizontal)
67	F85 S.W. exc. H.D.	3192473	2	13.25	SHOCK
67	F85 exc. S.W. or H.D.	3197636	2	13.25	SHOCK
67	5200, 5400, 5600, 5800	3192496	2	13.25	SHOCK
67	98 (*1)	3197654	2	13.25	SHOCK
67	Tor.	3192975	2	13.25	SHOCK (vertical)
67-68	98 (*2)	3192496	2	13.25	SHOCK
68	F85 Police exc. V.C.	3186967	2	13.25	SHOCK
68	5400, 5600, 6400, 6600 exc. H.D.	3192496	2	13.25	SHOCK
68-70	Tor.	3192975	2	13.25	SHOCK (vertical)
68-69	F85 exc. 442, S.W., V.C., Rally Susp., Police or firm ride	3192872	2	13.25	SHOCK (std.)
68-69	S.W. exc. V.C. or Police	3192872	2	13.25	SHOCK (std.)
68-71	4400	3197677	2	13.25	SHOCK
69-70	3200, 3667-77-87 w/Rallye Susp.	3197677	2	13.25	SHOCK
69	V.C.	3166582	2	13.25	SHOCK
69	5400, 6400, 6600 exc. Police	3197660	2	13.25	SHOCK
69	5400, 6400, 6600 City Cruiser	3186998	2	13.25	SHOCK
69	98	3192876	2	13.25	SHOCK
70-71	3100, 3200, 3500, 3600, 4200 exc. S.W., H.D. or Rallye	3197672	2	13.25	SHOCK
70-71	4800	3166582	2	13.25	SHOCK
70	5400, 6400, 6600 exc. Pol. or H.D.	3192876	2	13.25	SHOCK
70	5400, 6400, 6600 Hwy. Patrol	3197660	2	13.25	SHOCK
70	98 exc. H.D.	3192876	2	13.25	SHOCK
70	3535, 3635 exc. H.D.	3192872	2	13.25	SHOCK (std.)
70	4200 w/Rallye Susp.	3197677	2	13.25	SHOCK
71	3536, 3636 exc. H.D.	3192872	2	13.25	SHOCK (std.)
71-72	F85 2 Drs. H.D.	3197677	2	13.25	SHOCK
71	5400, 6400, 6600, 98 exc. H.D.	3197682	2	13.25	SHOCK
71-72	5400, 6400, 6600 Pol.	3197684	2	13.25	SHOCK
71-72	6800 exc. H.D.	3197683	2	13.25	SHOCK
71-72	6800 H.D.	3197685	2	13.25	SHOCK
71	Tor. H.D.	3192361	2	13.25	SHOCK
72	3200, 3600, 4200	3197672	2	13.25	SHOCK
72	4800	3192968	2	13.25	SHOCK
72	5400, 6439-57-69, 6800, 98	3197682	2	13.25	SHOCK
72	6467	3197684	2	13.25	SHOCK
72	6800 exc. H.D. or Firm Ride	3197682	2	13.25	SHOCK
72	Tor.	4949831	2	13.25	SHOCK

(*1) 1967 1st type - Used up to vehicle identification No. 7M226988.

(*2) 1967 2nd type - Used after vehicle identification No. 7M226987.

7.345 SHOCK PKG., REAR SHOCK ABSORBER (FIRM RIDE)

68-69	V.C. exc. Police	3192968	2	13.25	SHOCK
68-72	F85 exc. 442 or V.C.	3197672	2	13.25	SHOCK (firm ride-FG2 Opt.)
68	Exc. F85 or Tor.	3197654	2	13.25	SHOCK
69	Exc. F85 or Tor.	3197660	2	13.25	SHOCK
70	5400, 6400, 6600, 98	3197660	2	13.25	SHOCK
71-72	4800	3192968	2	13.25	SHOCK (firm ride)
71	5400, 6400, 6600, 98	3197684	2	13.25	SHOCK (H.D. or firm ride)
71	5400, 6400, 6600 Pol.	3197684	2	13.25	SHOCK
72	5400-6439-57-69, 6800, 98	3197684	2	13.25	SHOCK (H.D. or firm ride)

7.345 SUPERLIFT PKG., REAR HEAVY DUTY LOAD TYPE (MANUAL FILL)

64	Exc. F85	3166089	1	56.10	SUPERLIFT PKG. (complete)
64-67	F85 exc. V.C.	3196951	1	56.10	SUPERLIFT PKG. (complete)
64-67	V.C.	3166090	1	56.10	SUPERLIFT PKG. (complete)
65-68	Exc. F85, Tor. or Police	3192701	1	56.10	SUPERLIFT PKG. (complete)
66	Tor.	3186457	1	56.10	SUPERLIFT PKG. (complete)
67	Tor.	3186533	1	56.10	SUPERLIFT PKG. (complete)
68	F85 exc. V.C. or Police	3196951	1	56.10	SUPERLIFT PKG. (complete)
68	V.C. exc. Police	3166090	1	56.10	SUPERLIFT PKG. (complete)
68	Tor.	3186584	1	56.10	SUPERLIFT PKG. (complete)
69-72	F85 exc. V.C.	3196951	1	56.10	SUPERLIFT PKG. (complete)
69-72	V.C.	3196952	1	56.10	SUPERLIFT PKG. (complete)
69	5400, 6400, 6600, 98	3192701	1	56.10	SUPERLIFT PKG. (complete)
69-70	Tor.	3196909	1	56.10	SUPERLIFT PKG. (complete)
70	5400, 6400, 6600, 98 exc. Police or Firm Ride	3192701	1	56.10	SUPERLIFT PKG. (complete)
71-72	5400, 6400, 6600, 98	3188936	1	56.10	SUPERLIFT PKG. (complete)
71-72	6800	3188937	1	56.10	SUPERLIFT PKG. (complete)
71-72	Tor. w/G66 Opt.	3192709	1	56.10	SUPERLIFT PKG. (complete)

7.345 SHOCK, REAR SUPERLIFT SHOCK (MANUAL OR AUTOMATIC FILL)

62	Exc. F85	3171614	RH	25.35	SHOCK (superlift)
62	Exc. F85	3171615	LH	25.35	SHOCK (superlift)
63-64	Exc. F85	3178196	RH	25.35	SHOCK (superlift)
63-64	Exc. F85	3178197	LH	25.35	SHOCK (superlift)
65	Exc. F85 or Police	3186854	RH	25.35	SHOCK (superlift)
65	Exc. F85 or Police	3186855	LH	25.35	SHOCK (superlift)
66	Tor.	3186465	2	25.35	SHOCK (vertical-superlift)
64-71	F85 exc. V.C. or Police	3197573	RH	25.35	SHOCK (superlift)
64-71	F85 exc. V.C. or Police	3197574	LH	25.35	SHOCK (superlift)
64-68	V.C.	3186851	RH	25.35	SHOCK (superlift)
64-68	V.C.	3186852	LH	25.35	SHOCK (superlift)
66-68	Exc. F85 or Tor.	3186854	RH	25.35	SHOCK (superlift)
66-68	Exc. F85 or Tor.	3186855	LH	25.35	SHOCK (superlift)
67-68	Tor.	3186559	2	25.35	SHOCK (vertical-superlift)
69-71	V.C.	3197575	RH	25.35	SHOCK (superlift)
69-71	V.C.	3197576	LH	25.35	SHOCK (superlift)
69-70	5400, 6400, 6600, 98	3197550	RH	25.35	SHOCK (superlift)
69-70	5400, 6400, 6600, 98	3197551	LH	25.35	SHOCK (superlift)
69-70	Tor.	3197572	2	25.35	SHOCK (superlift)
71	5400, 6400, 6600, 98	3197690	RH	25.35	SHOCK (superlift)
71	5400, 6400, 6600, 98	3197689	LH	25.35	SHOCK (superlift)
71	6835-45	3197688	RH	25.35	SHOCK (superlift)
71	6835-45	3197687	LH	25.35	SHOCK (superlift)
71	Tor.	3192712	RH	25.35	SHOCK (superlift)
71	Tor.	3192711	LH	25.35	SHOCK (superlift)

7.345 TEE, VACUUM

66	See group 2.760	391779	1	1.13	TEE
----	-----------------	--------	---	------	-----

7.346 BUSHING PKG.-FITTING-NUT-PARTS PKG.-SEAL-SLEEVE-TUBING-VALVE, SUPERLIFT SHOCK ABSORBER (MANUAL FILL)

68-71	V.C.	5544918	2	.49	BUSHING PKG., shock mtg.
68-70	Tor.	5544990	2	.82	BUSHING PKG., shock mtg.
Q					
64-71	All	3176207	4	.53	FITTING, tubing (inc. nut, seal & sleeve)
62-63	All (8.963)	120487	AR	.05	NUT, tubing repair
64-71	All	3178892	AR	.46	NUT, tubing connection (3/8"-24)
65-69	Exc. Tor. or Pol.	5544978	1	3.94	PARTS PKG., installation
66-70	Tor.	5544991	1	.28	PARTS PKG.
64-69	All	3176024	AR	.20	SEAL, tubing connection
62-63	All (8.963)	120488	AR	50/1.00	SLEEVE, tubing repair
64-69	All	3186613	AR	.25	SLEEVE, tubing connection
62-64	All	5544972	1	6.00	TUBING PKG. (3/8" O.D. x 140" long)
65	F85	5544972	1	6.00	TUBING PKG. (3/8" O.D. x 140" long)
65-72	Exc. F85 or Police	3182806	1	3.69	TUBING PKG. (1/2" x 200")
66-71	F85 exc. Police	5544972	1	6.00	TUBING PKG.
62-63	Exc. F85	3178498	1	1.48	VALVE PKG. (inc. stem & cap)
64-71	Exc. Tor., Police or 6800	3178498	1	1.48	VALVE PKG., (inc. stem & cap)
66-70	Tor.	5353609	1	6.50	VALVE PKG.
71-72	6800	5353609	1	6.50	VALVE PKG.

7.346 BRACKET-CONNECTOR-CORE-HOSE-STRAP-TEE-TUBING, SUPERLIFT SHOCK ABSORBER (AUTOMATIC FILL)

66-67	All (4.931)	387832	1	.15	BRACKET, hose
66-67	All (3.278)	1484398	1	.25	CONNECTOR, hose (on air cleaner)
66-67	Exc. Tor.	5540498	2	.51	CORE, regulator valve
66-67	All (10.485)	388489	2	2.10	HOSE, compressor to carb. & air cleaner (rubber)
66-67	All (2.559)	3816659	7	.25	STRAP, tubing retg.
66-67	All (3.278)	1484399	1	.77	TEE, comp. hose to carb.
66-67	All	392878	AR	1.33	TUBING, (Nylon-190")

7.347 PLATE-BOLT-NUT-SCREW-WASHER, SHOCK ABSORBER ATTACHING

73*	All X (7.545)	330259	LH	.18	PLATE, rear spring & shock abs. anchor
73*	All X (7.545)	330260	RH		PLATE, rear spring & shock abs. anchor
59-63	All (8.900)	9409018	AR	.10	BOLT, front
64	Exc. F85 (8.900)	443899	4	.10	BOLT, front shock to spring seat
67-70	Exc. Tor. (8.900)	9420555	4	.10	BOLT, front lower mtg.
69-72	Tor. (8.900)	179913	2	.46	BOLT, front shock to frame
61-62	F85 (8.900)	9417852	2	.25	BOLT, rear upper
61-62	Exc. F85	581490	2	.67	BOLT, rear upper
64	Exc. F85 (8.900)	9422407	2	.51	BOLT, rear upper
64	F85 exc. V.C. (1.427)	385099	4	.10	BOLT, rear
65-67	Exc. V.C. or Tor. (1.427)	385099	4	.10	BOLT, (rear upper)
66-70	Tor. (8.900)	186296	2	.62	BOLT, rear horizontal shock to frame
66	Tor. (8.900)	454947	2	.15	BOLT, rear horizontal to clamp (7/16"-14 x 2")
51-60	Exc. 1951-88A (8.917)	126022	2	.05	NUT, rear upper
51-60	Exc. 1951-88A (8.917)	9422302	4	.15	NUT, rear lower (1/2"-20)
59-62	Exc. F85 or Air/R	577457	4	.20	NUT, front (J type to spring seat)
61-62	F85 (6.172)	581788	2		NUT, rear upper
62-63	F85	587444	8	.15	NUT, front upper & lower (J type)
63	Exc. F85	586880	4	.20	NUT, front lower (U type)
64	Exc. F85	382745	4	.20	NUT, front lower (U type)
64-65	F85	1365067	2	.10	NUT, front upper
64-72	V.C.	1365067	2	.10	NUT (rear upper)
64-66	F85 exc. V.C. (8.915)	120376	4		NUT, (rear upper)
65-66	Tor.	391359	4	.15	NUT (front lower-5/16" J type)
67-71	Exc. Tor.	391359	4	.15	NUT (front lower-J type)
66	Exc. Tor.	394382	2	.20	NUT, (rear lower)
66	Tor. (6.865)	393903	4	.15	NUT, rear (horiz. rear & vert. lower)
66-72	Exc. Tor.	1365067	2	.10	NUT, (front upper)
67-70	Tor. (8.917)	9422301	2	.10	NUT, front shock to frame bolt
66-71	Tor.	1365067	2-4	.10	NUT (vertical shock to underbody, to lower clamp)
66-72	Tor. (8.917)	9422303	4	.30	NUT, shock absorber to frame & lower cont. arm
67-71	Exc. Tor.	391359	4	.15	NUT, (front lower-J type)
67-70	Tor. (8.917)	9422299	2	.15	NUT, (horizontal-rear)
64-72	All (8.915)	9421085	AR	.15	NUT, shock absorber lower mtg.-1/2"-20
69-70	Exc. V.C. or Tor. (8.915)	102634	4	.10	NUT, rear shock upper mtg. bolt
70	Exc. V.C. or Tor. (8.900)	9423701	4	.10	SCREW, rear shock upper mtg.
71-72	Exc. 4800 (8.900)	9423701	4	.10	SCREW, rear shock upper mtg.
68-69	Tor.	3954735	2	.10	WASHER, (horizontal-front)
71-72	Tor.	409065	2	.10	WASHER, shock to lower arm

7.377 GROMMET, SHOCK ABSORBER

64	F85	381957	4	.15	GROMMET, front upper
65-72	Exc. Tor. (7.244)	381957	4	.15	GROMMET (front-upper)
64-72	V.C. (7.244)	381957	4	.15	GROMMET (rear-upper)
66-70	Tor.	396645	4	.15	GROMMET (rear-upper)
68-70	Tor. (7.244)	381957	4	.15	GROMMET, rear shock to clamp

7.388 GROMMET, SHOCK ABSORBER

71-72	Pol. exc. F85	6270704	8	.20	GROMMET
-------	---------------	---------	---	-----	---------

7.389 RETAINER, SHOCK ABSORBER LINK BUSHING

49-50	All	5383574	4	.08	RETAINER, rear
51	88A	5383574	4	.08	RETAINER, rear

7.395 BRACKET-EXTENSION-PLATE-RETAINER-RETAINER PKG., SHOCK ABSORBER MOUNTING

59-60	Exc. S.W. or Air/R	575157	LH	2.72	BRACKET (rear)
61-62	Exc. F85	384686	RH	3.64	BRACKET ASSY. (upper)
61-62	Exc. F85	384687	LH	3.64	BRACKET ASSY. (upper)
61-62	Exc. F85	582877	2	.72	BRACKET (rear-upper)
71-72	5400, 6400, 6600, 98	3981240	RH	1.54	BRACKET, rear spring & shock abs. seat

71-72	5400, 6400, 6600, 98	3981239	LH	1.54	BRACKET, rear spring & shock abs. seat
66-67	F85 Auto. Superlift exc. V.C. or Police	9776474	RH	2.72	EXTENSION (lower)
66-67	F85 Auto. Superlift exc. V.C. or Police	9776475	LH	2.72	EXTENSION (lower)
61-62	Exc. F85	584769	2	.15	PLATE, rear shock upper brkt.
55-56	All (7.245)	396797	8	.10	RETAINER, front upper
64	F85 (7.245)	396797	4	.10	RETAINER, front upper
64-65	F85	382840	1	.62	RETAINER PKG., front upper
61-72	Exc. Tor. (7.245)	396797	4	.10	RETAINER (front)
64-71	V.C. (7.245)	396797	4	.10	RETAINER (rear-upper)
65-69	Exc. Tor.	382840	1	.62	RETAINER PKG. (front w/nuts & grommets)
66-70	Tor. (7.245)	396797	AR	.10	RETAINER, rear vert. shock to underbody-on clamp
70-72	F85	382840	1	.62	RETAINER PKG. (front)

7.412 BAR, FRONT TORSION BAR

66-68	Tor.	390702	RH	25.85	BAR
66-68	Tor.	390703	LH	25.85	BAR
69-70	Tor. exc. H.D. Susp.	403954	RH	28.75	BAR
69-70	Tor. exc. H.D. Susp.	403955	LH	28.75	BAR
70	Tor. H.D. Susp.	390702	RH	25.85	BAR
70	Tor. H.D. Susp.	390703	LH	25.85	BAR
71-72	Tor. exc. H.D.	408422	RH	27.10	BAR
71-72	Tor. exc. H.D.	408423	LH	27.10	BAR
71-72	Tor. H.D.	408424	RH	30.25	BAR (F41 Opt.)
71-72	Tor. H.D.	408425	LH	30.25	BAR (F41 Opt.)

NOTE-For torsion bar parts see group 7.105, adjusting parts group 7.428, sealing parts group 7.436.

7.412 SPRING, FRONT SUSPENSION COIL (STANDARD CAR)

59-60	88, S88 Export, Taxi	575132	2	22.20	SPRING
64	F85 4 D.S., S.W. & 442	384117	2	30.85	SPRING (383 lb. Rate)
64	F85 442	384121	2	19.60	SPRING (410 lb. Rate)

7.412 SPRING, FRONT SUSPENSION COIL (EXC. AIR CONDITIONING)

59	Converted Air/R	574428	RH	22.20	SPRING
59-60	S.T. exc. Conv.	574428	LH	22.20	SPRING
59-60	88, S88 H.T. exc. Conv.	574428	RH	22.20	SPRING
59-60	88, S88 Conv.	575132	LH	22.20	SPRING
59-60	98 Conv.	575132	2	22.20	SPRING
61	88, S88 exc. Conv. or S.W.	574427	RH		SPRING
61	88, S88 exc. Conv. or S.W.	574428	LH	22.20	SPRING
61	98 exc. Conv.	574428	RH	22.20	SPRING
61	98 Conv.	575132	LH	22.20	SPRING
61-62	88, S88 S.W.	582776	RH	21.40	SPRING
61-62	88, S88 S.W.	582777	LH	21.40	SPRING
62	88, S88, S/Fire exc. S.W. or Conv.	584600	RH	22.80	SPRING
62	88, S88, S/Fire exc. S.W. or Conv.	584601	LH	22.80	SPRING
62	88, S/Fire Conv.	584603	RH	18.25	SPRING
62	98 exc. Conv.	584601	RH	22.80	SPRING
62-63	F85 Conv., J/Fire exc. P.S.	580430	2	14.15	SPRING
62-63	F85 Conv., J/Fire P.S.	582033	2	15.20	SPRING
63	88, S88, S/Fire, H.C.	407504	RH	22.35	SPRING
63	88, S88 H.S., S88 4 D.S. exc. P.S.	407504	RH	22.35	SPRING
63	88, S88 H.S., S88 4 D.S.	586796	LH	18.75	SPRING
63	88, S/Fire Conv.	586795	RH	18.00	SPRING
63	88, S/Fire Conv.	586787	LH	19.15	SPRING
63	88, S88 S.W.	407503	RH	23.70	SPRING
63	88, S88 S.W.	586794	LH	18.25	SPRING
63	98 H.C., 4 D.S.	586796	LH	18.75	SPRING
63	98 L.S., S.S.	586796	RH	18.75	SPRING
63	98 L.S., S.S.	586796	LH	18.75	SPRING
63	98 Conv.	586787	RH	19.15	SPRING
63	98 Conv.	586797	LH	18.75	SPRING
64	F85 V6 C.C., S.C., S.W. exc. Police	383909	2	15.10	SPRING
64	F85 V6 4 D.S. exc. Police	383910	2	15.10	SPRING
64	F85 V8 C.C., std. 4 D.S., Cut. Cpe. J.T. exc. 442 or Police	381940	2	17.55	SPRING

64	F85 V8 Dix. 4 D.S., Cut. H.C., Conv. J.T. exc. 442 or Police	381946	2	16.35	SPRING
64	F85 V8 S.W. exc. Police	381940	2	17.55	SPRING
64	F85 V8 Dix. 4 D.S., Cut. H.C., Conv. S.T. exc. 442 or Police	388283	2	15.80	SPRING
64	V.C.	388283	2	15.80	SPRING
64	F85 V8 C.C., Std. 4 D.S., Cut. Cpe. S.T. exc. 442 or Police	388283	2	15.80	SPRING
64	J88 Conv.	407502	2	21.20	SPRING
64	D88, S88 exc. Conv., S.W. or Police	407502	RH	21.20	SPRING
64	D88, S88 exc. Conv., S.W. or Police	407504	LH	22.35	SPRING
64	Conv. exc. F85 or J88	586794	RH	18.25	SPRING
64	Conv. exc. F85 or J88	586795	LH	18.00	SPRING
64	D88 S.W. exc. Police	407503	LH	23.70	SPRING
64	J/Star I	407502	2	21.20	SPRING
64	S/Fire H.C.	407502	RH	21.20	SPRING
64	S/Fire H.C.	407504	LH	22.35	SPRING
64	98 4 D.S., H.C., S.C.	407502	RH	21.20	SPRING
64	98 4 D.S., H.C., S.C.	407504	LH	22.35	SPRING
64	98 L.S., S.S.	407504	RH	22.35	SPRING
64	98 L.S., S.S.	407505	LH	23.70	SPRING
65	V6 C.C., S.C.	383909	2	15.10	SPRING
65	V6 4 D.S., S.W.	383910	2	15.10	SPRING
65	F85 V8 C.C., S.T.	388283	2	15.80	SPRING
65	F85 V8 C.C., J.T.	381940	2	17.55	SPRING
65	F85 V8 4 D.S., Cut. H.C., S.C., S.T.	388283	2	15.80	SPRING
65	F85 V8 4 D.S., Cut. H.C., S.C. J.T.	381946	2	16.35	SPRING
65	F85 Conv. S.T.	384752	2	15.80	SPRING
65	F85 Conv. J.T.	388283	2	15.80	SPRING
65	F85 V8 S.W. exc. V.C.	381946	2	16.35	SPRING
65	F85 V.C.	384752	2	15.80	SPRING
65	F85 V8 442	389421	2	16.35	SPRING
65	J88 Conv., J/Star I, S/Fire H.C.	407501	2	20.15	SPRING
65	D88 Conv.	407502	2	21.20	SPRING
65	D88, Delta exc. Conv. or Police	407502	2	21.20	SPRING
65	98 Conv.	407502	2	21.20	SPRING
66	L6 2 Doors exc. Police	383909	2	15.10	SPRING
66	L6 4 Doors exc. Police	383910	2	15.10	SPRING
66-67	3407-69, 3607-17-39- 69, 3817-39-69 S.T.	388283	2	15.80	SPRING
66	5400	391891	2	18.30	SPRING
66	5600, 5800 exc. Conv. or Police	391892	2	18.30	SPRING
66	5667, 5867	391895	2	19.30	SPRING
66	98 exc. Conv.	391893	2	18.00	SPRING
66	8467	391896	2	19.85	SPRING
66-67	F85 V8 J.T., T.H. exc. Conv., S.W., Police or 442	381946	2	16.35	SPRING
66-67	F85 V8 S.T. exc. Conv., S.W. or 442	388283	2	15.80	SPRING
66-67	3667, 3867 V8 J.T. exc. 442	388283	2	15.80	SPRING
66-67	3667, 3867 V8 S.T. exc. 442	384752	2	15.80	SPRING
66-67	3435, 3635 exc. Police	381946	2	16.35	SPRING
66-67	V.C.	388285	2	15.65	SPRING
66-67	F85 442	389421	2	16.35	SPRING
67	L6 exc. Police	383910	2	15.10	SPRING
67	5200 exc. Police	397955	2	17.80	SPRING
67	5400, 5600, 5800, 98	407502	2	21.20	SPRING
68	L6 exc. Club Coupe, Sport Coupe, S.W., Rally Susp. or Police	401184	2	19.85	SPRING
68	L6 Club Coupe, Sport Coupe exc. Rally Susp. or Police	401244	2	17.55	SPRING
68	L6 2 Doors Rally Susp. exc. Police	401418	2	17.55	SPRING

68	3200, 3600, 4200 exc. S.W., Rally Susp. or Po- lice	400872	2	13.40	SPRING
68	3535 exc. Police	401244	RH	17.55	SPRING
68	3535 exc. Police	401184	LH	19.85	SPRING
68	3635 exc. Police	400872	RH	13.40	SPRING
68-70	3635 exc. Police	400874	LH	13.00	SPRING
68	442 exc. Police	401420	2	19.85	SPRING
68	V.C. 350 Eng. exc. Police	400975	RH	15.40	SPRING
68	V.C. 350 Eng. exc. Police	401174	LH	16.10	SPRING
68	V.C. 400 Eng.	401421	RH	19.85	SPRING
68	V.C. 400 Eng.	400338	LH	17.55	SPRING
68	5400 exc. Conv. or Police	397955	2	17.80	SPRING
68	5467 350 Eng. exc. Police	400510	2	19.85	SPRING
68	5439-67 455 Eng. exc. Police	407502	2	21.20	SPRING
68	5669-87 455 Eng. exc. Police	407500	2	19.00	SPRING
68	6439-87, 6600 exc. Police	407502	2	21.20	SPRING
68	6469 exc. Police	407500	2	19.00	SPRING
68	8439-67, 8669 exc. Police	407502	2	21.20	SPRING
68	8457-69 exc. Police	407502	2	21.20	SPRING
69	3177, 3577	401244	2	17.55	SPRING
69	3200, 3639-67-69-77- 87, 4200 exc. Rallye ..	400872	2	13.40	SPRING
69	3535	401244	RH	17.55	SPRING
69	3535	401187	LH	14.00	SPRING
69	3539	401187	2	14.00	SPRING
69	3567-69-87	401184	2	19.85	SPRING
69	3635	401186	RH	15.40	SPRING
69	4400	401420	2	19.85	SPRING
69	4800 350,400 Eng.	400975	RH	15.40	SPRING
69	4800 350 Eng.	401174	LH	16.10	SPRING
69	4800 400 Eng.	406361	LH	16.85	SPRING
69	5400 350 Eng.	404434	2	20.65	SPRING
69	5400 455 Eng. exc. Police	403356	2	20.20	SPRING
69	6400, 6600, 8457-69 exc. Police	403356	2	20.20	SPRING
69	8439-67, 8600 exc. Police	407500	2	19.00	SPRING
70	3100, 3577-87 exc. H.D. Susp.	401184	2	19.85	SPRING
70	3200, 3669-77-87, 4257-67 350 Eng. exc. Rallye	400872	2	13.40	SPRING
70	3535 exc. H.D. Susp.	401184	RH	19.85	SPRING
70	3535 exc. H.D. Susp.	400865	LH	12.50	SPRING
70	3539-69 exc. H.D. Susp. .	401187	2	14.00	SPRING
70	3635 350 Eng. exc. H.D. Susp.	400872	RH	13.40	SPRING
70	3635 455 Eng. exc. H.D. Susp.	405929	RH	14.55	SPRING
70	3635 455 Eng. exc. H.D. Susp.	400975	LH	15.40	SPRING
70	3639, 4239 350 Eng.	400874	2	13.00	SPRING
70	3639, 4239-67, 455 Eng. exc. H.D. Susp.	400975	2	15.40	SPRING
70	3669-77-87, 4257 455 Eng.	400974	2	15.45	SPRING
70	4467	400333	2	17.05	SPRING
70	4477-87	400333	2	17.05	SPRING
70	4855 350 Eng. exc. H.D. Susp.	400975	RH	15.40	SPRING
70	4855 350 Eng. exc. H.D. Susp.	401174	LH	16.10	SPRING
70	4865 350 Eng.	400974	RH	15.45	SPRING
70	4865 350 Eng.	401174	LH	16.10	SPRING
70	4855 455 Eng.	400975	RH	15.40	SPRING
70	4855 455 Eng.	406361	LH	16.85	SPRING
70	4865 455 Eng. exc. H.D. Susp.	400975	RH	15.40	SPRING
70	4865 455 Eng. exc. H.D. Susp.	401174	LH	16.10	SPRING

70	5400 350 Eng. exc. H.D. Susp.	407500	2	19.00	SPRING
70	5437-69 455 Eng. exc. H.D. Susp.	407500	2	19.00	SPRING
70	5439-67 455 Eng. exc. H.D. Susp.	407500	2	19.00	SPRING
70	6437 exc. H.D. Susp.	407500	2	19.00	SPRING
70	6439-69, 6600, 8457-69 exc. H.D. Susp.	407500	2	19.00	SPRING
70	8439-67, 8600	407501	2	20.15	SPRING
70-71	4477-87	400333	2	17.05	SPRING
71	3169, 3569	400867	2	17.10	SPRING
71	3187, 3536-77-87	400865	2	12.50	SPRING
71	3269	400883	2	15.50	SPRING
71	3269-87, 3669-87, 4257-67 350 Eng. exc. H.D. or 442 Susp.	400872	2	13.40	SPRING
71	3287	400874	2	13.00	SPRING
71	3569	401187	2	14.00	SPRING
71	3636	400880	RH		SPRING
71	3636	400881	LH	13.10	SPRING
71	3669-77-87, 4257-67	400883	2	15.50	SPRING
71	4269	400885	2	14.10	SPRING
71	4800 350 Eng.	400881	RH	13.10	SPRING
71	4800 350 Eng.	400885	LH	14.10	SPRING
71	4800 455 Eng.	406361	LH	16.85	SPRING
71	4856-66 455 Eng.	401173	RH	13.95	SPRING
71	4856-66 455 Eng.	404856	LH	15.85	SPRING
71-72	5400, 6457-69 350 Eng.	3988104	RH	19.25	SPRING
71-72	5400, 6457-69 350 Eng.	3988106	LH	20.00	SPRING
71-72	5400, 6400, 6600, 8437, 8637 455 Eng. .	3988116	RH	20.00	SPRING
71-72	5400, 6400, 6600, 8437, 8637 455 Eng. .	3988118	LH	20.00	SPRING
71-72	6439 350 Eng.	3988116	RH	20.00	SPRING
71-72	6439 350 Eng.	3988118	LH	20.00	SPRING
71-72	6800, 8439, 8639	3988124	RH	24.80	SPRING
71-72	6800, 8439, 8639	3988126	LH	24.80	SPRING
72	3269, 3669, 4200 350 Eng.	400876	2	14.95	SPRING
72	3287, 3677-87 350 Eng.	400875	2	12.35	SPRING
72	3636 350 Eng.	400880	RH		SPRING
72	3636 350 Eng.	400975	LH	15.40	SPRING
72	4800 350 Eng.	400975	RH	15.40	SPRING
72	4800 350 Eng.	400885	LH	14.10	SPRING
72	3269, 3669, 4239 455 Eng.	400980	2	15.05	SPRING
72	3287, 3677-87 455 Eng.	400883	2	15.50	SPRING
72	3636 455 Eng.	400881	RH	13.10	SPRING
72	3636 455 Eng.	400980	LH	15.05	SPRING
72	4239-67 455 Eng.	400885	2	14.10	SPRING
72	4800 455 Eng.	401174	RH	16.10	SPRING
72	4800 455 Eng.	406361	LH	16.85	SPRING
72	5400, 6400 350 Eng.	3988104	RH	19.25	SPRING
72	5400, 6400 350 Eng.	3988107	LH	18.85	SPRING
72	5439-69, 6439-69 455 Eng.	3988106	RH	20.00	SPRING
72	5457 455 Eng.	3988104	RH	19.25	SPRING
72	5400, 6400 455 Eng.	3988108	LH	20.00	SPRING
72	6800, 98	3988117	RH	23.91	SPRING
72	6800	3988127	LH	24.80	SPRING
72	98	3988119	LH	18.85	SPRING

7.412 SPRING, FRONT SUSPENSION COIL (WITH AIR CONDITIONING)

61	88, S88, S/Fire	575132	2	22.20	SPRING
61-63	F85 P.S. exc. Conv.	582033	2	15.20	SPRING
61-63	F85 exc. P.S. or Conv.	580430	2	14.15	SPRING
62-63	F85 Conv., J/Fire exc. P.S.	585499	2	14.85	SPRING
62-63	F85 Conv., J/Fire, P.S.	585499	2	14.85	SPRING
63	88 Conv., H.S., S88 H.S., 4 D.S. exc. P.S.	586797	2	18.75	SPRING
63	88, S88 H.C., 88 4 D.S. exc. P.S.	586787	2	19.15	SPRING
63	88, S88 H.C., 4 D.S., P.S.	586797	2	18.75	SPRING
63	88, S88 S.W. exc. P.S.	586795	2	18.00	SPRING
63	88, S88 S.W. P.S.	586787	2	19.15	SPRING

63	S/Fire H.C.	586787	2	19.15	SPRING
63	S/Fire Conv.	586797	2	18.75	SPRING
63	98 S.C.	586797	2	18.75	SPRING
64	F85 V6 exc. V.C.	383910	2	15.10	SPRING
64	F85 V8 C.C., 4 D.S. exc. 442 or Police	384752	2	15.80	SPRING
64	F85 V8 S.W. J.T. exc. V.C. or Police	388283	2	15.80	SPRING
64	F85 V8 H.C., S.C., Conv. J.T. exc. 442	388283	2	15.80	SPRING
64	F85 V8 Cutlass S.T. exc. 442	384752	2	15.80	SPRING
64	F85 V8 V.C.	386288	2	15.50	SPRING
64	J88 exc. Police	407502	RH	21.20	SPRING
64	J88 exc. Police	407505	LH	23.70	SPRING
64	D88, S88 exc. Conv., S.W., Police	586795	RH	18.00	SPRING
64	D88, S88 exc. Conv., S.W., Police	384101	LH	19.75	SPRING
64	Conv. exc. F85 or J88	384101	RH	19.75	SPRING
64	Conv. exc. F85 or J88	384099	LH	19.75	SPRING
64	D88 S.W. exc. Police	407503	RH	23.70	SPRING
64	D88 S.W. exc. Police	586794	LH	18.25	SPRING
64	J/Star I	586794	RH	18.25	SPRING
64	J/Star I	586795	LH	18.00	SPRING
64	S/Fire H.C.	586795	RH	18.00	SPRING
64	S/Fire H.C.	384101	LH	19.75	SPRING
64	98 4 D.S., H.C., S.C.	586795	RH	18.00	SPRING
64	98 4 D.S., H.C., S.C.	384101	LH	19.75	SPRING
64	98 L.S., S.S.	384101	RH	19.75	SPRING
64	98 L.S., S.S.	384099	LH	19.75	SPRING
65	V6 4 D.S.	381946	2	16.35	SPRING
65	3327, 3527	383910	2	15.10	SPRING
65	V6 S.W.	381940	2	17.55	SPRING
65	F85 V8 C.C.	384752	2	15.80	SPRING
65	F85 Cutlass H.C., S.C., S.T.	386288	2	15.50	SPRING
65	F85 Cutlass H.C., S.C., J.T.	384752	2	15.80	SPRING
65	F85 V8 4 D.S., Conv., S.W. exc. V.C.	386288	2	15.50	SPRING
65	F85 V8 442	389422	2	16.35	SPRING
65	J88 H.C.	407502	2	21.20	SPRING
65	D88 exc. H.C. or Police	407504	2	22.35	SPRING
65	Delta exc. Police	407504	2	22.35	SPRING
65	D88 H.C., J/Star I, S/Fire	407502	2	21.20	SPRING
65	98 H.C.	407504	2	22.35	SPRING
65	98 exc. H.C.	407505	2	23.70	SPRING
65-67	V.C.	394553	2	18.15	SPRING
66	3307, 3517	383910	2	15.10	SPRING
66	3407, 3617, 3807-17 S.T. exc. Conv., Police or 442	386288	2	15.50	SPRING
66	5239-69	391893	2	18.00	SPRING
66	5237 exc. Police	391892	2	18.30	SPRING
66	5400	391896	2	19.85	SPRING
66	5637 exc. Police	391896	2	19.85	SPRING
66	5600 exc. 5637 or Police	391897	2	19.85	SPRING
66	5800 exc. Police	407504	2	22.35	SPRING
66	8437	391897	2	19.85	SPRING
66	98 exc. 8437	407504	2	22.35	SPRING
66-67	L6 H.S., 4 D.S. exc. Police	381946	2	16.35	SPRING
66-67	L6 S.W. exc. Police	381940	2	17.55	SPRING
66-67	3407, 3617, 3807-17 J.T., T.H. exc. Conv., Police or 442	384752	2	15.80	SPRING
66-67	F85 V8 4 Drs. exc. V.C., Police or 442	386288	2	15.50	SPRING
66-67	F85 Conv. exc. 442	386288	2	15.50	SPRING
66-67	F85 442	389422	2	16.35	SPRING
67	5200 exc. Police	407502	2	21.20	SPRING
67	5487, 5669-87, 5869-87 exc. Police	407503	2	23.70	SPRING
67	5439, 5639-67, 5839- 67, 8469 exc. Police	407504	2	22.35	SPRING
67	98 exc. Town Sed.	407505	2	23.70	SPRING

68	L6 exc. Rally Susp. or Police	401187	2	14.00	SPRING
68	3200, 3677-87	400881	2	13.10	SPRING
68	3600 2 Drs. Rally Susp. exc. Police	400334	2	17.15	SPRING
68	3635-39-67-69, 4200 exc. Rallye Susp.	400975	2	15.40	SPRING
68-69	442 exc. Police	400334	2	17.15	SPRING
68	V.C. 350 Eng. exc. Police	401174	2	16.10	SPRING
68	V.C. 400 Eng.	400338	RH	17.55	SPRING
68	V.C. 400 Eng.	401428	LH	19.85	SPRING
68	5439-67-69 350 Eng. exc. Police	407502	2	21.20	SPRING
68	5487 350 Eng. exc. Police	407500	2	19.00	SPRING
68	5400, 6400, 6687 455 Eng. exc. Police	407503	2	23.70	SPRING
68	6639, 98 exc. Police	407504	2	22.35	SPRING
69	3177, 3577	401186	2	15.40	SPRING
69	3200, 4287	400881	2	13.10	SPRING
69	3200, 3600	400334	2	17.15	SPRING
69	3535	401187	RH	14.00	SPRING
69	3535	400872	LH	13.40	SPRING
69	3539	400872	2	13.40	SPRING
69	3567-69-87	401187	2	14.00	SPRING
69	3635	400880	RH		SPRING
69	3635	400980	LH	15.05	SPRING
69	3639, 4239	400980	2	15.05	SPRING
69	3667-69-77-87, 4269	400975	2	15.40	SPRING
69	4800 350 Eng.	400980	RH	15.05	SPRING
69	4800 350 Eng.	406361	LH	16.85	SPRING
69	4800 400 Eng.	401174	RH	16.10	SPRING
69	4800 400 Eng.	406361	LH	16.85	SPRING
69	5400 350 Eng.	407500	2	19.00	SPRING
69	5400, 6400, 6600, 8457-69, 8669 455 Eng.	407501	2	20.15	SPRING
69	8439-67, 8639	407502	2	21.20	SPRING
70	3100, 3577 exc. H.D. Susp.	401187	2	14.00	SPRING
70	3200, 3669-77-87, 4257 350 Eng. exc. Rallye or H.D. Susp.	400975	2	15.40	SPRING
70	3200, 3677-87 Rallye	400333	2	17.05	SPRING
70	3535 exc. H.D. Susp.	401187	RH	14.00	SPRING
70	3535 exc. H.D. Susp.	400872	LH	13.40	SPRING
70	3539 exc. H.D. Susp.	400872	2	13.40	SPRING
70	3569-87 exc. H.D. Susp.	400872	2	13.40	SPRING
70	3635 350 Eng. exc. H.D. Susp.	400881	RH	13.10	SPRING
70-71	3635 exc. H.D. Susp.	400980	LH	15.05	SPRING
70	3635 455 Eng.	400974	RH	15.45	SPRING
70	3639-69, 4200 455 Eng. exc. H.D. Susp.	400980	2	15.05	SPRING
70	3677-87 455 Eng. exc. Rallye or H.D. Susp.	400975	2	15.40	SPRING
70	3639, 4239-67 350 Eng.	400980	2	15.05	SPRING
70	4257-67 Rallye	400997	2	19.50	SPRING
70	4467	400997	2	19.50	SPRING
70	4477	400334	2	17.15	SPRING
70	4855 350 Eng. exc. H.D. Susp.	401174	RH	16.10	SPRING
70	4855 350 Eng. exc. H.D. Susp.	406361	LH	16.85	SPRING
70	4865 350 Eng. exc. H.D. Susp.	400980	RH	15.05	SPRING
70	4865 350 Eng. exc. H.D. Susp.	406361	LH	16.85	SPRING
70	4800 455 Eng. exc. H.D. Susp.	401174	RH	16.10	SPRING
70	4800 455 Eng. exc. H.D. Susp.	406361	LH	16.85	SPRING
70	5400, 6400, 6600 exc. H.D. Susp.	407503	2	23.70	SPRING
70	8639 exc. H.D. Susp.	407505	2	23.70	SPRING
70	8400, 8669 exc. H.D. Susp.	407503	2	23.70	SPRING
70	8400 exc. H.D. Susp.	407504	2	22.35	SPRING

70	8600 exc. H.D. Susp.	407505	2	23.70	SPRING
71	3100, 3569-77-87	400874	2	13.00	SPRING
71	3269, 3669-77-87	400885	2	14.10	SPRING
71	3287	400883	2	15.50	SPRING
71	3536	400867	LH	17.10	SPRING
71	3636	400881	RH	13.10	SPRING
71	3636	400883	LH	15.50	SPRING
71	4257-67-69	400885	2	14.10	SPRING
71	4257-67 455 Eng.	404856	2	15.85	SPRING
71	4467-87	400997	2	19.50	SPRING
71	4400	400337	2	18.10	SPRING
71	4856-66	401174	RH	16.10	SPRING
71	4856 455 Eng.	406361	LH	16.85	SPRING
71	4856-66 350 Eng.	404856	LH	15.85	SPRING
71	4866 455 Eng.	404856	RH	15.85	SPRING
71	4866 455 Eng.	406361	LH	16.85	SPRING
71-72	5400, 6457 350 Eng.	3988116	RH	20.00	SPRING
71-72	5400, 6457 350 Eng.	3988118	LH	20.00	SPRING
71-72	5400, 6457-69 455 Eng.	3988124	RH	24.80	SPRING
71-72	5400, 6457-69 455 Eng.	3988126	LH	24.80	SPRING
71-72	6439-69 350 Eng.	3988124	RH	24.80	SPRING
71-72	6439-69 350 Eng.	3988126	LH	24.80	SPRING
71-72	6439, 6600, 8437-39, 8637 455 Eng.	3988126	RH	24.80	SPRING
71-72	6439, 6600, 8400, 8637 455 Eng.	3988127	LH	24.80	SPRING
71-72	6800	3988136	RH	15.90	SPRING
71-72	6800	3988138	LH	17.00	SPRING
71-72	8639	3988138	2	17.00	SPRING
72	3200 350 Eng.	400980	2	15.05	SPRING
72	3636 350 Eng.	400881	RH	13.10	SPRING
72	3636 350 Eng.	400980	LH	15.05	SPRING
72	3669-77-87 350 Eng.	400980	2	15.05	SPRING
72	4239-67 350 Eng.	400885	2	14.10	SPRING
72	4257 350 Eng.	400980	2	15.05	SPRING
72	4800 350 Eng.	401174	RH	16.10	SPRING
72	4800 350 Eng.	406361	LH	16.85	SPRING
72	3269 455 Eng.	404856	2	15.85	SPRING
72	3287 455 Eng.	401174	2	16.10	SPRING
72	3636 455 Eng.	400980	RH	15.05	SPRING
72	3636 455 Eng.	404856	LH	15.85	SPRING
72	3669-77-87, 4257 455 Eng.	404856	2	15.85	SPRING
72	4239-67 455 Eng.	406361	2	16.85	SPRING
72	4800 455 Eng.	404856	RH	15.85	SPRING
72	4800 455 Eng.	409714	LH	16.85	SPRING
72	5400, 6400 350 Eng.	3988117	RH	23.91	SPRING
72	5400, 6400 350 Eng.	3988119	LH	18.85	SPRING
72	5400, 6400 455 Eng.	3988118	RH	20.00	SPRING
72	5439-69, 6439-69 455 Eng.	3988127	LH	24.80	SPRING
72	5457, 6457-67 455 Eng.	3988119	LH	18.85	SPRING
72	6800	3988119	RH	18.85	SPRING
72	6800, 98	3988277	LH	22.30	SPRING
72	98	3988126	RH	24.80	SPRING
65-70	5400, 6400, 6600, 98 (7.345)	231048	1	19.15	SPRING PKG., front shock helper
7.412 SPRING, POLICE FRONT SUSPENSION COIL (EXC. AIR CONDITIONING)					
59-60	Police	575132	2	22.20	SPRING
61-62	Police exc. F85	575132	LH	22.20	SPRING
63	88 Police Cruiser exc. S.W.	586787	RH	19.15	SPRING
63	88 Police Cruiser exc. S.W.	586797	LH	18.75	SPRING
63	88 S.W. Police Cruiser ..	586795	RH	18.00	SPRING
63	88 S.W. Police Cruiser ..	586787	LH	19.15	SPRING
63-64	Police Pursuit exc. F85, J88	532891	2	18.30	SPRING
64	F85 4 D.S. Police	384117	2	30.85	SPRING
64	F85 Police	384121	2	19.60	SPRING
64	J88 4 D.S., H.C., H.S. Police Cruiser	407502	RH	21.20	SPRING
64	J88 4 D.S., H.C., H.S. Police Cruiser	407502	LH	21.20	SPRING
64	D88 4 D.S., H.C., H.S. Police Cruiser	586794	RH	18.25	SPRING

64	D88 4 D.S., H.C., H.S. Police Cruiser	586795	LH	18.00	SPRING
64	D88 S.W. Police Cruiser	407503	2	23.70	SPRING
65	V6 Police	384117	2	30.85	SPRING
65	D88, Delta Police Hwy. Patrol	532891	2	18.30	SPRING
65	F85 V8 Police	389421	2	16.35	SPRING
65	J88 Police Cruiser exc. Conv.	407501	2	20.15	SPRING
65	D88, Delta Police Cruiser exc. Conv.	407502	2	21.20	SPRING
66	5200 Police	391892	2	18.30	SPRING
66	5600, 5800 Police Cruiser	391897	2	19.85	SPRING
66	5600, 5800 Police Hwy. Patrol	532891	2	18.30	SPRING
66-67	L6 Police	384117	2	30.85	SPRING
66-67	F85 Police	389421	2	16.35	SPRING
67	5200 Police	407502	2	21.20	SPRING
67	5600, 5800 Police Hwy. Patrol	397961	2	27.00	SPRING
67	5600, 5869-87 Police Cruiser	407503	2	23.70	SPRING
67	5839 Police Cruiser	407504	2	22.35	SPRING
67	98	407502	2	21.20	SPRING
68	L6 Police exc. S.W.	401418	2	17.55	SPRING
68	3200, 3600, 4200 350 Eng. Police exc. S.W.	401420	2	19.85	SPRING
68	3635 Police	400997	2	19.50	SPRING
68	3200, 3600, 4200 400 Eng. Police exc. S.W.	400333	2	17.05	SPRING
68	V.C. 350 Eng. Police	400997	2	19.50	SPRING
68	5439 350 Eng. Police Cruiser	407502	2	21.20	SPRING
68	5467-69-87 350 Eng. Police Cruiser	407500	2	19.00	SPRING
68	5400, 6400 455 Eng. Police Cruiser	407503	2	23.70	SPRING
68	98 Police Cruiser	407504	2	22.35	SPRING
68	5400, 6400 455 Eng. Hwy. Patrol	397961	2	27.00	SPRING
69	5437-39-67 350 Eng. City Cruiser	407501	2	20.15	SPRING
69	5437-39-67 455 Eng. City Cruiser	407502	2	21.20	SPRING
69-70	5400, 6400, 6600 Hwy. Patrol	403363	2	27.10	SPRING
69	5469 City Cruiser	407501	2	20.15	SPRING
69	6400, 6600 City Cruiser	407502	2	21.20	SPRING
70	8439, 8600 Police	407503	2	23.70	SPRING

NOTE 1972 - 5400, 6400, 6800, 98 Police "B07 Opt." springs are the same as Heavy Duty.

7.412 SPRING, POLICE FRONT SUSPENSION COIL (WITH AIR CONDITIONING)

63	88 S.W. Police Cruiser	586797	2	18.75	SPRING
64	J88 4 D.S., H.C., H.S. Police Cruiser	407504	RH	22.35	SPRING
64	J88 4 D.S., H.C., H.S. Police Cruiser	407505	LH	23.70	SPRING
64	D88 4 D.S., H.C., H.S. Police Cruiser	384101	RH	19.75	SPRING
64	D88 4 D.S., H.C., H.S. Police Cruiser	384099	LH	19.75	SPRING
64	D88 S.W. Police Cruiser	586794	RH	18.25	SPRING
64	D88 S.W. Police Cruiser	586795	LH	18.00	SPRING
65	F85 V8 Police	389422	2	16.35	SPRING
65	D88 H.C. Police Cruiser	407504	2	22.35	SPRING
65	D88 H.S., 4 D.S., Delta Police Cruiser	407505	2	23.70	SPRING
66	5200 Police	391893	2	18.00	SPRING
66	5600, 5800 Police Cruiser	407504	2	22.35	SPRING
66-67	F85 Police	389422	2	16.35	SPRING
67	5200 Police	407502	2	21.20	SPRING
67	5600, 5800 Police Cruiser	407505	2	23.70	SPRING
68	3269, 3600, 4200 350 Eng. Police exc. S.W.	400334	2	17.15	SPRING
68	3277 350 Eng. Police	400333	2	17.05	SPRING

68	3200, 3600, 4200 400 Eng. Police exc. S.W. ...	400997	2	19.50	SPRING
68	3635 Police	400997	2	19.50	SPRING
68	V.C. 350 Eng. Police	401421	2	19.85	SPRING
68	5400 350 Eng. Police Cruiser	407502	2	21.20	SPRING
68	5400, 6469, 6687 455 Eng. Police Cruiser	407504	2	22.35	SPRING
68	6439-87, 98 Police Cruiser	407505	2	23.70	SPRING
69	5437-69, 6469 455 Eng. City Cruiser	407503	2	23.70	SPRING
69	5437-69, 6469 455 Eng. City Cruiser	407502	2	21.20	SPRING
69	5437-39-67 350 Eng. City Cruiser	407503	2	23.70	SPRING
69	5439-67, 6437-39, 6600 455 Eng. City Cruiser	407504	2	22.35	SPRING
69	5437-39-67 350 Eng. City Cruiser	407502	2	21.20	SPRING
69	5469 350 Eng. City Cruiser	407502	2	21.20	SPRING
69-70	5400, 6400, 6600 Hwy. Patrol	403363	2	27.10	SPRING (B07 opt.)

NOTE 1972 - 5400, 6400, 6800, 98 Police "B07 Opt." springs are the same as Heavy Duty.

7.412 SPRING, HEAVY DUTY FRONT SUSPENSION COIL (EXC. AIR CONDITIONING)

68	3667-77-87 Rally Susp.	401420	2	19.85	SPRING
69-70	3200, 3667-77-87 w/Rallye Susp.	401420	2	19.85	SPRING (FE2 opt.)
70	3100, 3539-69-77-87 H.D. Susp.	405929	2	14.55	SPRING
70	3200, 3669-77-87, 4257 H.D. Susp.	400975	2	15.40	SPRING
70	4257-67 Rallye	400333	2	17.05	SPRING (FE2 opt.)
70	3535 H.D. Susp.	405929	RH	14.55	SPRING
70	3535 H.D. Susp.	400975	LH	15.40	SPRING
70	3635 H.D. Susp.	405929	RH	14.55	SPRING
70	3635 H.D. Susp.	400980	LH	15.05	SPRING
70	3639, 4239-67 H.D. Susp.	400975	2	15.40	SPRING
70	4855 H.D. Susp.	400980	RH	15.05	SPRING
70	4855 H.D. Susp.	406361	LH	16.85	SPRING
70	4865 H.D. Susp.	400975	RH	15.40	SPRING
70	4865 H.D. Susp.	406361	LH	16.85	SPRING
70	5400, 6400, 6600, 8457-67-69 H.D. Susp.	407503	2	23.70	SPRING
70	8439, 8600 H.D. Susp.	407503	2	23.70	SPRING
71	3169-87 H.D. Susp.	402061	2	12.45	SPRING
71	3269-87 H.D. Susp.	401174	2	16.10	SPRING
71	3287, 3677-87, 4257 w/442 Susp.	400333	2	17.05	SPRING
71	3536-87 H.D. Susp.	402061	2	12.45	SPRING
71	3636 H.D. Susp.	402061	RH	12.45	SPRING
71	3636 H.D. Susp.	401173	LH	13.95	SPRING
71	3669-77-87 H.D. Susp.	401174	2	16.10	SPRING
71	4239 H.D. Susp.	404856	2	15.85	SPRING
71	4257-67 H.D. Susp.	401174	2	16.10	SPRING
71	4257 w/442 Susp.	400333	2	17.05	SPRING
71	4267 w/442 Susp.	400335	2	16.10	SPRING
71	4856-66	401174	RH	16.10	SPRING
71	4856 H.D. Susp.	404856	LH	15.85	SPRING
71	4866 350 Eng. H.D. Susp.	406361	LH	16.85	SPRING
71	4800	406361	LH	16.85	SPRING
71-72	5400, 6457 350 Eng.	3988136	2	15.90	SPRING
71-72	5400, 6400, 6600 455 Eng.	3988136	RH	15.90	SPRING
71-72	5400, 6400, 6600, 6800 455 Eng.	3988138	LH	17.00	SPRING
71-72	6400 350 Eng.	3988136	RH	15.90	SPRING
71-72	6400 350 Eng.	3988138	LH	17.00	SPRING
71-72	6800 H.D. Susp.	3988136	RH	15.90	SPRING
71-72	6800 H.D. Susp.	3988138	LH	17.00	SPRING
71-72	98	3988138	2	17.00	SPRING
72	3200, 3669-77-87, 4257 350 Eng.	401174	2	16.10	SPRING (F41 opt.)

72	3636 350 Eng.	402061	RH	12.45	SPRING (F41 opt.)
72	3636 350 Eng.	400980	LH	15.05	SPRING (F41 opt.)
72	4239-67 350 Eng.	401174	2	16.10	SPRING (F41 opt.)
72	4800 350 Eng.	401174	RH	16.10	SPRING (F41 opt.)
72	4800 350 Eng.	406361	LH	16.85	SPRING (F41 opt.)
72	3269, 3669, 4239-67 455 Eng.	404856	2	15.85	SPRING (F41 opt.)
72	3287, 3677-87, 4257 455 Eng.	401174	2	16.10	SPRING (F41 opt.)
72	3636 455 Eng.	400980	RH	15.05	SPRING (F41 opt.)
72	3636 455 Eng.	404856	LH	15.85	SPRING (F41 opt.)
72	4800 455 Eng.	404856	RH	15.85	SPRING (F41 opt.)
72	4800 455 Eng.	409714	LH	16.85	SPRING (F41 opt.)
72	3287, 3677-87 350 Eng.	400333	2	17.05	SPRING (FE2 opt.)
72	4257 350 Eng.	400334	2	17.15	SPRING (FE2 opt.)
72	4267 350 Eng.	400335	2	16.10	SPRING (FE2 opt.)
72	3287, 3677-87, 4257 455 Eng.	400997	2	19.50	SPRING (FE2 opt.)
72	4267 455 Eng.	400337	2	18.10	SPRING (FE2 opt.)
72	5439, 6439-69 350 Eng.	3988136	RH	15.90	SPRING (F41 & B07)
72	5400, 6400 350 Eng.	3988137	LH	16.20	SPRING (F41 & B07)
72	5457-69, 6457-67 350 Eng.	3988135	RH	15.10	SPRING (F41 & B07)
72	5400, 6400 455 Eng.	3988136	RH	15.90	SPRING (F41 & B07)
72	5439-69, 6439-69 455 Eng.	3988138	LH	17.00	SPRING (F41 & B07)
72	5457, 6457-67 455 Eng.	3988137	LH	16.20	SPRING (F41 & B07)
72	6800	3988137	RH	16.20	SPRING (F41 & B07)
72	6800, 98	3988139	LH	17.00	SPRING (F41 & B07)
72	98	3988138	RH	17.00	SPRING (F41 & B07)

7.412 SPRING, HEAVY DUTY FRONT SUSPENSION COIL (WITH AIR CONDITIONING)

68	3667-77-87 Rally Susp.	400334	2	17.15	SPRING
69	3200, 3600 Rally Susp.	400334	2	17.15	SPRING
70	3100, 3539-69-77-87 H.D. Susp.	405929	2	14.55	SPRING
70	3200, 3677-87 H.D. Susp.	400980	2	15.05	SPRING
70	3200, 3677-87 Rallye Susp.	400333	2	17.05	SPRING (FE2 opt.)
70	3535 H.D. Susp.	405929	RH	14.55	SPRING
70	3535 H.D. Susp.	400975	LH	15.40	SPRING
70	3635 H.D. Susp.	400975	RH	15.40	SPRING
70	3635 H.D. Susp.	401174	LH	16.10	SPRING
70	5437 455 Eng. H.D. Susp.	407504	2	22.35	SPRING
70	5439-67-69, 6437-69, 6600 H.D. Susp.	407504	2	22.35	SPRING
70	3639-69, 4200 H.D. Susp.	401174	2	16.10	SPRING
70	4800 H.D. Susp.	401174	RH	16.10	SPRING
70	4800 H.D. Susp.	406361	LH	16.85	SPRING
70	5437 350 Eng. H.D. Susp.	407503	2	23.70	SPRING
70	5439-67-69 350 Eng. H.D. Susp.	407503	2	23.70	SPRING
70	5437 455 Eng. H.D. Susp.	407503	2	23.70	SPRING
70	6437-69, 6600 H.D. Susp.	407503	2	23.70	SPRING
70	6439, 98 H.D. Susp.	407505	2	23.70	SPRING
71	3169 H.D. Susp.	401173	2	13.95	SPRING
71	3269-87 H.D. Susp.	404856	2	15.85	SPRING
71	3287, 3677-87, 4257 w/442 Susp.	400335	2	16.10	SPRING
71	3536	400975	LH	15.40	SPRING
71	3536 H.D. Susp.	402061	RH	12.45	SPRING
71	3536 H.D. Susp.	401173	LH	13.95	SPRING
71	3569-77-87 H.D. Susp.	401173	2	13.95	SPRING
71	3636 H.D. Susp.	401173	RH	13.95	SPRING
71	3636 H.D. Susp.	404856	LH	15.85	SPRING
71	3669-77-87 H.D. Susp.	404856	2	15.85	SPRING
71	4239 H.D. Susp.	406361	2	16.85	SPRING
71	4200 w/442 Susp.	400997	2	19.50	SPRING
71	4257-67 H.D. Susp.	404856	2	15.85	SPRING
71	4267 w/442 Susp.	400337	2	18.10	SPRING
71	4856 H.D. Susp.	404856	RH	15.85	SPRING

71	4866 350 Eng. H.D. Susp.	406361	RH	16.85	SPRING
71	4866 H.D. Susp.	406361	LH	16.85	SPRING
71-72	4856-66 350 Eng. H.D. Susp.	409715	LH	25.55	SPRING
71-72	5400, 6400 350 Eng. H.D. Susp.	3988136	RH	15.90	SPRING
71-72	5400, 6400 350 Eng. H.D. Susp.	3988138	LH	17.00	SPRING
71-72	5400, 6400, 6600	3988138	2	17.00	SPRING
71-72	6800 H.D. Susp.	3988136	RH	15.90	SPRING
71-72	6800 H.D. Susp.	3988138	LH	17.00	SPRING
71-72	8400, 8600	3988127	2	24.80	SPRING
72	3269, 3669, 4239-67 350 Eng.	404856	2	15.85	SPRING (F41 opt.)
72	3287, 3677-87, 4257 350 Eng.	401174	2	16.10	SPRING (F41 opt.)
72	3636 350 Eng.	400980	RH	15.05	SPRING (F41 opt.)
72	3636 350 Eng.	404856	LH	15.85	SPRING (F41 opt.)
72	4800 350 Eng.	404856	RH	15.85	SPRING (F41 opt.)
72	4800 350 Eng.	409714	LH	16.85	SPRING (F41 opt.)
72	3200, 3669-77-87, 4257 455 Eng.	406361	2	16.85	SPRING (F41 opt.)
72	3636 455 Eng.	401174	RH	16.10	SPRING (F41 opt.)
72	3636 455 Eng.	406361	LH	16.85	SPRING (F41 opt.)
72	4239-67 455 Eng.	409714	2	16.85	SPRING (F41 opt.)
72	4800	406361	RH	16.85	SPRING (F41 opt.)
72	4800	409715	LH	25.55	SPRING (F41 opt.)
72	3287, 3677-87, 4257 350 Eng.	400997	2	19.50	SPRING (FE2 opt.)
72	4267 350 Eng.	400337	2	18.10	SPRING (FE2 opt.)
72	3287, 3677-87, 4257-67 455 Eng.	401421	2	19.85	SPRING (FE2 opt.)
72	5400, 6400 350 Eng.	3988137	RH	16.20	SPRING (F41 or B07)
72	5439, 6439-69 350 Eng.	3988139	LH	17.00	SPRING (F41 or B07)
72	5457-69, 6457-67 350 Eng.	3988138	LH	17.00	SPRING (F41 or B07)
72	5439, 6439-69 455 Eng.	3988138	RH	17.00	SPRING (F41 or B07)
72	5457-69, 6457-67 455 Eng.	3988137	RH	16.20	SPRING (F41 or B07)
72	5400, 6400 455 Eng.	3988139	LH	17.00	SPRING (F41 or B07)
72	6800	3988136	RH	15.90	SPRING (F41 or B07)
72	6800, 8400, 8637	3988138	LH	17.00	SPRING (F41 or B07)
72	98	3988137	RH	16.20	SPRING (F41 or B07)
72	8639	3988139	LH	17.00	SPRING (F41 or B07)

7.420 INSULATOR-SHIM-SPACER, FRONT COIL SPRING

50-64	Exc. F85	562147	2	.51	INSULATOR (rubber 5 ¹³ / ₃₂ " O.D.)
68	3535, 3635 exc. Police	400360	1	1.03	SHIM (L.H.-5" O.D. x 1/8" thk.)
55-57	Conv. C.A.C. (*2)	567189	2	4.56	SPACER, upper (malleable iron)
58-59	C.A.C.	567189	2	4.56	SPACER, upper (malleable iron)
64	Police Pursuit C.A.C. exc. F85	567189	2	4.56	SPACER, upper (malleable iron)
66	5200, 5400, 5600, 5800, 98 dealer installed C.A.C.	388127	2	7.25	SPACER (upper-iron-7/16" thick)
65-66	5600, 5800 Police Hwy. Patrol C.A.C. (*3)	388127	2	7.25	SPACER (upper-iron-7/16" thick)
66	5200, 5600, 5800 Police Cruiser C.A.C. or Export Springs	391922	2	3.02	SPACER (upper-iron)
67	5200, 5639-69-87, 5839-69-87 Police Cruiser C.A.C. or Export	391922	2	3.02	SPACER (upper)
68-70	Exc. F85 or Tor. (*1)	388127	2	7.25	SPACER (upper-iron - 3/2" I.D. x 7/16" thick)
68-70	Exc. F85 or Tor. (*1)	391922	2	3.02	SPACER (upper-iron - 4" I.D. x 3/32" thick)

(*2) This spacer is used on all 1955-57 models when air conditioning package is installed by dealer.

(*3) This spacer is used on 1965 models (exc. F85) when air conditioning is installed by dealer.

7.428 BOLT-NUT, FRONT TORSION BAR ADJUSTER

66	Tor.	391698	2	.62	BOLT, adj. (5/8"-18 x 2 1/2")
67-70	Tor.	395042	2	.51	BOLT, adjuster
71-72	Tor.	407764	2	.56	BOLT
66	Tor.	391699	2	.62	NUT, adjuster bolt
67-72	Tor.	395043	2	.67	NUT

7.436 SEAL-RETAINER, FRONT TORSION BAR					
66-68	Tor. (*1)	392034	2	.62	SEAL (rear)
66-68	Tor. (*1)	392036	2	.46	RETAINER, seal
(*1) NOTE 1968 1st type used on 1st type arms listed in group 7.105. 2nd type arms do not require a seal or retainer					
7.447 CONNECTOR-TEE, SUPERLIFT SHOCK ABSORBER COMPRESSOR					
66-71	L6 C.A.C. exc. P.B.	3891523	1	.87	CONNECTOR, inlet manifold vacuum
68-70	L6 C.A.C. P.B.	3920994	1	1.33	CONNECTOR
71	L6 C.A.C. P.B. 1st Type	3920994	1	1.33	CONNECTOR, power cyl. hose to intake mflid.
66-67	See Group 4.931	3891525	1	.67	TEE
7.450 PULLEY, AIR RIDE COMPRESSOR					
59	All (1.062)	577217	1-2	13.70	PULLEY, idler (w/brg. & shaft-3/4")
7.452 BRACKET-BOLT-INSULATOR-SLEEVE-SUPPORT, SUPERLIFT SHOCK ABSORBER COMPRESSOR MOUNTING (AUTOMATIC FILL)					
66-67	F85	393518	1	1.13	BRACKET (upper)
66-67	Exc. F85 or Tor.	393522	1	1.24	BRACKET (upper front)
66-67	All	392934	1	.20	BRACKET (rear lower)
66-67	All	3162743	3	.30	BOLT, reservoir retg.
66-67	Exc. Tor.	5345624	3	1.23	INSULATOR, lower brkt. to supt. (rubber)
66-67	Exc. Tor.	5345623	2	.51	SLEEVE NUT, upper brkt. to comp.
66-67	F85	393075	1	.77	SUPPORT (lower)
66-67	Exc. F85 or Tor.	392935	1	.56	SUPPORT (rear lower)
7.455 COMPRESSOR ASSY.-HOUSING-PISTON, SUPERLIFT SHOCK ABSORBER					
66-67	Exc. Tor.	3176006	1	68.75	COMPRESSOR, (inc. reservoir & regulator)
66-67	Exc. Tor.	5345809	1	21.20	HOUSING (1st stage)
66-67	Exc. Tor.	5345808	1	19.05	HOUSING (2nd stage)
66-67	Exc. Tor.	5345886	1	28.40	PISTON (w/diaphragm & check valve)
7.457 GASKET-O RING-SEAL PKG., SUPERLIFT SHOCK ABSORBER COMPRESSOR COVER					
66-67	Exc. Tor.	5345989	1	.67	GASKET
66-67	Exc. Tor.	5345759	1	2.67	O RING, compressor to reservoir
66-67	Exc. Tor.	3188819	1	4.51	SEAL PKG., compressor piston (inc. seals & "O" rings)
7.460 ARM PKG.-DIAPHRAGM PKG.-PISTON-SEAL PKG.-REGULATOR PKG.-REPAIR PKGS.-VALVE PKG., SUPERLIFT SHOCK ABSORBER COMPRESSOR ASSY.					
66-67	Exc. Tor.	5355549	1	11.75	ARM PKG., distributor (inc. arms bushings, screws, gasket & spring)
66-67	Exc. Tor.	3188818	1	6.10	DIAPHRAGM PKG., (inc. diaphragm, retainer & washer)
58	All	5549610	2	11.80	PISTON, PIN & CONN. ROD ASSY.
66-67	Exc. Tor.	5353828	1	4.05	SEAL PKG., comp. (inc. gasket & "O" rings)
66-67	Exc. Tor.	3188822	1	20.90	REGULATOR PKG. (inc. reg. & "O" ring)
66-67	Exc. Tor.	3188816	1	4.36	REPAIR PKG. (inc. arms, bushings & pins)
58	All	5543261	2	.97	VALVE PKG., suction (w/cyl. head gasket)
66-67	Exc. Tor.	3188817	1	8.45	VALVE PKG. (inc. int. & check valves, springs, retainer, "O" ring & washer)
66-67	Exc. Tor.	5355548	1	5.85	VALVE PKG., distributor (inc. valve, bushings, screw & spring)
7.465 ADAPTER ASSY.-O RING, SUPERLIFT SHOCK ABSORBER COMPRESSOR (ON REGULATOR)					
66-67	Exc. Tor.	3187089	1	1.64	ADAPTER (w/"O" ring & valve core)
66-67	Exc. Tor. (7.476)	5549030	2	.25	O RING, adapter to housing
7.475 ADAPTER PKG. -VALVE ASSY., SUPERLIFT SHOCK ABSORBER HEIGHT CONTROL (AUTOMATIC FILL)					
66-67	Exc. Tor.	5353829	1	3.90	ADAPTER PKG., control valve (inc. adapter & screen)
66-67	Exc. V.C. or Tor.	3188808	1	46.05	VALVE
66-67	V.C.	5353855	1	46.05	VALVE
7.476 CHECK VALVE-CAP-GASKET-O RING, SUPERLIFT SHOCK ABSORBER HEIGHT CONTROL VALVE (AUTOMATIC FILL)					
66-67	Exc. Tor.	5353314	1	4.61	CHECK VALVE PKG., cont. valve (inc. check valve "O" ring & filter)
66-67	Exc. Tor. (5.875)	3171598	1	.15	CAP, valve (3/8")
59	All	5549018	3	.20	GASKET, valve body cover
66-67	See Group 7.465	5549030	2	.25	O RING

7.477 ROD ASSY., SUPERLIFT SHOCK ABSORBER HEIGHT CONTROL VALVE

66-67	3369, 3469, 3539-69, 3639-69, S.W.	393077	1	4.20	ROD
66-67	3307, 3407, 3517, 3617, 3800	393076	1	4.15	ROD
66-67	S.W. exc. V.C.	393078	1	4.20	ROD
66-67	V.C.	393079	1	4.20	ROD
66-67	5200	392939	1	4.41	ROD
66-67	5400, 5600, 5800, 98 ..	392940	1	3.54	ROD

(*1) This kit contains cores, O rings, gasket, clip, stop & washer.

7.482 GASKET, AIR RIDE PRESSURE PIPE

58-59	All	572870	AR	.10	GASKET, pipe to fitting (3/16")
-------	-----------	--------	----	-----	---------------------------------	-------

7.503 SPRING, REAR SUSPENSION (LEAF TYPE)

57-58	88, S88 2 D.S. & H.C. ...	576009	LH	45.95	SPRING
57-58	88, S88 4 D.S. & H.S. ...	576009	RH	45.95	SPRING
57-58	98 exc. Conv.	576009	RH	45.95	SPRING
57-58	88, S88 Fleet, Police, Taxi exc. Conv., H.W. or S.W.	576009	RH	45.95	SPRING
59	88, S88 2 D.S. & H.C. ...	576009	LH	45.95	SPRING
59	88, S88 4 D.S. & H.S. ...	576009	RH	45.95	SPRING
59	88, S88 Conv.	576629	RH	50.85	SPRING
59	98 exc. Conv.	576012	LH	39.08	SPRING
59-60	88, S88 Fleet, Police, Taxi	576012	LH	39.08	SPRING
60	88, S88 2 D.S. & H.C. C.A.C.	576009	RH	45.95	SPRING
60	88, S88 4 D.S. & H.S. ...	576009	LH	45.95	SPRING
60	88, S88 4 D.S. & H.S. exc. C.A.C.	576009	RH	45.95	SPRING
60	88, S88 Conv.	576629	LH	50.85	SPRING
60	88, S88 Conv. exc. C.A.C.	576629	RH	50.85	SPRING
60	98 exc. Conv. C.A.C.	576012	RH	39.08	SPRING

7.503 SPRING, REAR SUSPENSION (LEAF TYPE)

66	Tor.	390745	2	38.20	SPRING
67	Tor.	396653	2	37.75	SPRING
68	Tor.	401123	2	40.80	SPRING
69-70	Tor. exc. H.D. Susp.	407338	2	46.00	SPRING
70	Tor. H.D. Susp.	407517	2	55.95	SPRING
71	6835	487784	2	53.50	SPRING
71	6845 exc. H.D.	487785	2	48.65	SPRING
71	6800 H.D.	486389	2	17.15	SPRING (w/bushing)
72	6800 exc. H.D.	489267	2		SPRING
72	6845 exc. H.D.	487384	2	48.65	SPRING
72	6800 H.D.	487786	2	17.15	SPRING (F41 or B07 opt.)

7.503 SPRING, REAR SUSPENSION (LEAF TYPE) (EXPORT)

57-58	88, S88 exc. Conv., H.W. or S.W.	576009	RH	45.95	SPRING
59	88, S88	576012	LH	39.08	SPRING

7.503 SPRING, REAR SUSPENSION (COIL TYPE) (STANDARD LOAD)

58-59	Converted Air/R, C.A.C. ...	581627	2	15.60	SPRING
61	88 2 D.S., H.C. & S88 H.C.	397967	2	20.95	SPRING
61	88, S88 4 D.S., H.S., Conv.	397967	2	20.95	SPRING
61	98 H.C.	397967	2	20.95	SPRING
61	98 Conv.	397967	2	20.95	SPRING
61-62	F85 4 D.S.	585538	2	15.85	SPRING
61-62	F85 C.C., Cutlass	585538	2	15.85	SPRING
61-62	88, S88 S.W.	581627	2	15.60	SPRING
62	88, S88, S/Fire exc. S.W. or Conv.	397965	2	16.65	SPRING
62	98 exc. Conv.	584610	2	15.43	SPRING
62	S/Fire, 98 Conv.	397965	2	16.65	SPRING
63	98 Conv.	397965	2	16.65	SPRING
63	88, S88 H.S.	397965	2	16.65	SPRING
63	98 S.C.	397965	2	16.65	SPRING
63	88, S88, S/Fire H.C.	392884	2	20.85	SPRING
63	88, S88 4 D.S.	397965	2	16.65	SPRING
63	3829-39	392255	2	15.90	SPRING
64	F85 V6 4 D.S. exc. C.A.C. or Police	9773807	2	9.63	SPRING

64	F85 4 D.S. V8 J.T. exc. Police	9773808	2	11.80	SPRING
64	F85 V6 4 D.S. C.A.C. exc. Police	9773808	2	11.80	SPRING
64	F85 V8 2 Drs. J.T. exc. 442	9773999	2	11.30	SPRING
64	F85 V8 Cut. Cpe., H.C. S.T. C.A.C. exc. 442	9776360	2	10.60	SPRING
64	F85 V8 S.T. exc. S.W., 442, Police or C.A.C.	9775691	2	11.70	SPRING
64	J88, D88 4 D.S. exc. Police	588540	2	13.45	SPRING
64	J88, D88 H.S. exc. Police	392884	2	20.85	SPRING
64	J88, D88 H.C. exc. Police	384090	2	13.00	SPRING
64	J88, D88 Conv.	384093	2	11.60	SPRING
64	J/Star I, S/Fire H.C.	588540	2	13.45	SPRING
64	S88 4 D.S.	392884	2	20.85	SPRING
64	S88 H.S.	397965	2	16.65	SPRING
64	S/Fire Conv.	392884	2	20.85	SPRING
64	98 S.C.	588540	2	13.45	SPRING
64	98 H.C.	392884	2	20.85	SPRING
64	98 4 D.S.	397965	2	16.65	SPRING
64	98 L.S., S.S.	384091	2	13.37	SPRING
64	98 Conv.	384094	2	14.18	SPRING
64-65	F85 V6 2 Drs. exc. Police	9773999	2	11.30	SPRING
64-65	F85 V8 Cust. 2 Seat V.C.	9774693	2	14.45	SPRING
64-65	F85 V8 3 Seat S.W. S.T. exc. Police	9774694	2	13.35	SPRING
65	F85 V8 S.T. exc. S.W. or Police	9775691	2	11.70	SPRING
65	F85 442	9777517	2	15.95	SPRING
65	F85 V8 2 Drs. J.T. exc. Police	9773999	2	11.30	SPRING
65	F85 V6 4 D.S.	9773807	2	9.63	SPRING
65	F85 V8 4 D.S. J.T. exc. Police	9773808	2	11.80	SPRING
65	J88 H.S. exc. Police	387432	2	14.45	SPRING
65	D88 H.C. T.H. exc. Police	387431	2	14.45	SPRING
65	J88, D88 4 D.S., T.H. Delta, S/Fire H.C. T.H. exc. Police	397965	2	16.65	SPRING
65	J88 H.C. exc. Police	387431	2	14.45	SPRING
65	D88 H.S. T.H. exc. Police	387432	2	14.45	SPRING
65	Delta H.S., 4 D.S. T.H. exc. Police	387432	2	14.45	SPRING
65	J/Star I, D88, Delta H.C., D88 4 D.S. S.T. exc. Police	397967	2	20.95	SPRING
65	D88 H.S., Conv. S.T. exc. Police	388063	2	18.60	SPRING
65	Delta H.S., 4 D.S. S.T. exc. Police	388063	2	18.60	SPRING
65	S/Fire S.T.	388063	2	18.60	SPRING
65	98 H.C., 4 D.S.	397965	2	16.65	SPRING
65	98 L.S., S.S.	388436	2	15.45	SPRING
65	J88 Conv.	388438	2	14.08	SPRING
65	D88, S/Fire Conv. T.H.	388438	2	14.08	SPRING
65	98 Conv.	390357	2	16.30	SPRING
66	3307, 3517 exc. Police	9773999	2	11.30	SPRING
66	3369, 3539-69 exc. Police	9773808	2	11.80	SPRING
66	S.W. exc. V.C. or Police	9773806	2	23.70	SPRING
66	3865 exc. Police	9774693	2	14.45	SPRING
66	F85 V8 J.T. exc. S.W., Police or 442	9773999	2	11.30	SPRING
66	F85 V8 442	9777517	2	15.95	SPRING
66	F85 V8 S.T. exc. S.W. Police or 442	9775691	2	11.70	SPRING
66	5237 exc. Police	392884	2	20.85	SPRING
66	5239 exc. Police	397965	2	16.65	SPRING
66	5269 exc. Police	392253	2	16.20	SPRING
66	5400 T.H.	392251	2	15.90	SPRING
66	5637 T.H. exc. Police	392884	2	20.85	SPRING
66	5639	397965	2	16.65	SPRING
66	5839-69 T.H. exc. Police	397965	2	16.65	SPRING
66	5667, 5867 T.H.	387434	2	15.45	SPRING
66	5669	392253	2	16.20	SPRING
66	5837 T.H. exc. Police	392253	2	16.20	SPRING

66	5457, 5637-69, 5837 S.T. exc. Police	397967	2	20.95	SPRING
66	5639-67, 5839-67-69 S.T. exc. Police	392259	2	16.45	SPRING
66	8437, 8469	392255	2	15.90	SPRING
66	8439, 8669	397965	2	16.65	SPRING
66	8467	388439	2	13.78	SPRING
67	3369, 3469, 3539-67- 69, 3639-67-69 J.T. exc. 442 or Police	9787043	2	12.60	SPRING
67	3800 J.T. exc. V.C., 442 or Police	9787043	2	12.60	SPRING
67	3335, 3435, 3535, 3635 exc. Pol.	9787051	2	20.05	SPRING
67	3855 exc. Police	9787053	2	12.40	SPRING
67	3307, 3407, 3517, 3617 J.T. exc. Police	9777794	2	15.65	SPRING
67	3465, 3865 exc. Police	9787054	2	14.25	SPRING
67	F85 V8 S.T. exc. S.W., V.C. Police or 442	9787048	2	12.60	SPRING
67	F85 442	9787050	2	10.80	SPRING
67	5200	397962	2	15.75	SPRING
67	5639-69-87, 5887 T.H. exc. Police	397962	2	15.75	SPRING
67	5400, 5839-69 T.H. exc. Pol.	397963	2	15.75	SPRING
67	5667, 5867, T.H.	397964	2	15.90	SPRING
67	5439 S.T.	397967	2	20.95	SPRING
67	5487, 5600, 5800 S.T. exc. Pol.	396349	2	15.78	SPRING
67	8439-67-69, 8669	397965	2	16.65	SPRING
67	8457	397964	2	15.90	SPRING
68	3169, 3269, 3567-69 exc. Police, Rally Susp. or H.D.	9777794	2	15.65	SPRING
68	3539, 3639-69, 4239-69 exc. Police or H.D.	9787043	2	12.60	SPRING
68	3177, 3577 exc. Police, Rally Susp. or H.D.	9777794	2	15.65	SPRING
68	3277, 3587, 3667-77- 87, 4287 exc. Police, Rally Susp. or H.D.	9777794	2	15.65	SPRING
68	4239 exc. Police or H.D.	9787043	2	12.60	SPRING
68	S.W. exc. V.C., Police or H.D.	9787051	2	20.05	SPRING
68	2 Seat V.C. exc. Police or H.D.	9787053	2	12.40	SPRING
68	3 Seat V.C. exc. Police or H.D.	9789092	2	13.00	SPRING
68	3500, 3600 2 Door Rally Susp.	9788589	2	11.75	SPRING
68	442 T.H. exc. H.D.	9792489	2		SPRING
68	442 S.T. exc. H.D.	9797319	2	12.40	SPRING
68	5439 350 Eng. exc. Police	397963	2	15.75	SPRING
68	5467 350 Eng. exc. Police	397964	2	15.90	SPRING
68	5469-87 350 Eng. exc. Police	397962	2	15.75	SPRING
68	5439-69-87, 6469-87, 6687 455 Eng. T.H. exc. Police	397962	2	15.75	SPRING
68	5467 455 Eng. T.H. exc. Police	397964	2	15.90	SPRING
68	6439, 6639 T.H. exc. Police	397963	2	15.75	SPRING
68	5400, 6400, 6600 S.T. 455 Eng. exc. Police	396349	2	15.78	SPRING
68	98 exc. Police	397965	2	16.65	SPRING
69	3177, 3577 exc. H.D.	9777794	2	15.65	SPRING
69	3200, 3567-87, 3677-87 exc. H.D. or Rallye Susp.	9777794	2	15.65	SPRING
69	3200, 3667-77-87 S.T. w/Rallye Susp.	9797319	2	12.40	SPRING
69	3200, 3667-77-87 A.T. w/Rallye Susp.	9788448	2	12.00	SPRING
69	3535, 3635 exc. H.D.	9787051	2	20.05	SPRING

69	3539, 3639-69, 4239-69 exc. H.D.	9787043	2	12.60	SPRING
69	3569, 3667, 4287 exc. H.D. or Rallye Susp. ...	9777794	2	15.65	SPRING
69	3639, 4239	9787043	2	12.60	SPRING
69	442 S.T. exc. H.D.	9797319	2	12.40	SPRING
69	442 T.H. exc. H.D.	9788448	2	12.00	SPRING
69	4855 exc. H.D.	9787052	2	14.25	SPRING
69	4865 exc. H.D.	9787053	2	12.40	SPRING
69	5439-67-69, 6439-69 exc. H.D.	404176	2	15.25	SPRING
69	5437, 6437, 6600 exc. H.D. or Police	405992	2	14.45	SPRING
69	8439-67, 8600 exc. H.D.	403375	2	15.30	SPRING
69	8457-69	404432	2	15.00	SPRING
70	3100, 3577-87, 3200, 3677-87 exc. Rallye or H.D. Susp.	9777794	2	15.65	SPRING
70	3539, 3639, 4239 exc. H.D. Susp.	9787043	2	12.60	SPRING
70	3535, 3635 exc. H.D. Susp.	9787052	2	14.25	SPRING
70	4257-67 exc. Rallye or H.D. Susp.	9777794	2	15.65	SPRING
70	3539-69, 3639-69, 4239 exc. H.D. Susp.	9787043	2	12.60	SPRING
70	3200, 3600, 4200 A.T. Rallye	9788448	2	12.00	SPRING
70	3200, 3677-87, 4257-67 S.T. Rallye	546167	2	15.40	SPRING
70	4400 A.T. exc. H.D. Susp.	9788448	2	12.00	SPRING
70	4400 S.T. exc. H.D. Susp.	546167	2	15.40	SPRING
70	4855 exc. H.D.	9787052	2	14.25	SPRING
70	4865 exc. H.D.	9787053	2	12.40	SPRING
70	5437, 6437, 6600 exc. H.D. Susp.	405992	2	14.45	SPRING
70	5439-67-69, 6439-69 exc. H.D. Susp.	405992	2	14.45	SPRING
70	98 exc. H.D.	406849	2	15.90	SPRING
71	3169, 3569, 4267 350 Eng. exc. C.A.C.	9787261	2	12.60	SPRING
71	3169, 3569, 4267 455 Eng. or C.A.C.	9787043	2	12.60	SPRING
71	3187, 3287, 3577-87, 3677-87, 4257	9787043	2	12.60	SPRING
71	3269, 3669, 4239	9787261	2	12.60	SPRING
71	3536, 3636, 4856	9787054	2	14.25	SPRING
71	4400 S.T.	9792801	2	12.70	SPRING
71	4865	9787053	2	12.40	SPRING
71	4865	9787053	2	12.40	SPRING (F41 opt.)
71	4866	9792943	2	14.30	SPRING
71	5400, 6400, 6600	485104	2	14.60	SPRING
71	98	485163	2	15.75	SPRING
71	Tor.	485113	2	15.75	SPRING
72	3077-87, 4257 350 Eng. Eng.	9787043	2	12.60	SPRING
72	3269, 3669, 4267 350 Eng.	9787261	2	12.60	SPRING
72	3287 350 Eng.	9787043	2	12.60	SPRING (exc. C.A.C.)
72	3636, 4856 350 Eng. ...	9787053	2	12.40	SPRING
72	4239 350 Eng.	9792853	2	12.30	SPRING
72	4866 350 Eng.	9787054	2	14.25	SPRING
72	3269, 3669, 4239 455 Eng.	9792853	2	12.30	SPRING
72	3287, 3669-87, 4257-67 455 Eng.	9787261	2	12.60	SPRING
72	3636, 4856 455 Eng. ...	9787054	2	14.25	SPRING
72	4866 455 Eng.	9792943	2	14.30	SPRING
72	5400, 6457-69 350 Eng.	482065	2	15.45	SPRING
72	6439-67 350 Eng.	482066	2	16.70	SPRING
72	5400, 6457-69 455 Eng.	482065	2	15.45	SPRING
72	6439-67, 8437 455 Eng.	482066	2	16.70	SPRING
72	8439, 8600	482067	2	16.70	SPRING
72	Tor.	485113	2	15.75	SPRING
72	3200, 4267 350 Eng. ...	9787043	2	12.60	SPRING (w/C.A.C.)
72	3636, 4866 350 Eng. ...	9787054	2	14.25	SPRING (w/C.A.C.)
72	3669, 4239 350 Eng. ...	9787261	2	12.60	SPRING (w/C.A.C.)
72	4856 350 Eng.	9787053	2	12.40	SPRING (w/C.A.C.)
72	3269, 3669 455 Eng. ...	9787261	2	12.60	SPRING (w/C.A.C.)

72	3287, 3677-87, 4257-67				
	455 Eng.	9787043	2	12.60	SPRING (w/C.A.C.)
72	3636, 4856 455 Eng. ...	9787054	2	14.25	SPRING (w/C.A.C.)
72	4239 455 Eng.	9792853	2	12.30	SPRING (w/C.A.C.)
72	4866 455 Eng.	9792943	2	14.30	SPRING (w/C.A.C.)

7.503 SPRING, REAR SUSPENSION COIL (POLICE USAGE)

61-63	Police exc. F85	397967	2	20.95	SPRING
63	Police H.C. or 4 D.S.	537045	2	15.70	SPRING
64	J88, D88 4 D.S., H.C., H.S. Police Cruiser	397967	2	20.95	SPRING
64	D88 4 D.S., S.W., H.C., H.S. Police Cruiser	537045	2	15.70	SPRING
65	F85 Police	9777517	2	15.95	SPRING
65	J88, D88, Delta H.C., D88 4 D.S. Police Cruiser	397967	2	20.95	SPRING
65	J88, D88, Delta H.S., J88, Delta 4 D.S. Police Cruiser	388063	2	18.60	SPRING
65	D88, Delta Police Hwy. Patrol	388326	2	21.40	SPRING
66	F85 V8 Police exc. S.W. or V.C.	9777517	2	15.95	SPRING
66	5200, 5600, 5800 Police Cruiser	392259	2	16.45	SPRING
66	5600, 5800 Police Hwy. Patrol	388326	2	21.40	SPRING
67	F85 S.W. Police	9787057	2	12.90	SPRING
67	F85 Police exc. S.W.	9787050	2	10.80	SPRING
67	5269-87, 5669-87 Police Cruiser	397967	2	20.95	SPRING
67	5600, 5800 Police	397970	2	22.15	SPRING
67	5239, 5639, 5839-69-87 Police Cruiser	397968	2	17.60	SPRING
68	F85 Police Cruiser exc. 4239 S.W. or V.C.	9788589	2	11.75	SPRING
68-69	F85 Hwy. Patrol exc. S.W. or V.C.	9793915	2	14.05	SPRING
68	S.W. Police Cruiser exc. V.C.	9778687	2	15.65	SPRING
68	4239 Police Cruiser	9788590	2	11.67	SPRING
68	V.C. Police Cruiser	9792802	2	13.35	SPRING
68	5439, 6439 Police Cruiser	397968	2	17.60	SPRING
68	5469-87, 6469-87 Police Cruiser	397967	2	20.95	SPRING
68	5400, 6400 Police Hwy. Patrol	397970	2	22.15	SPRING
69-70	5400, 6400, 6600 Hwy. Patrol	403379	2	22.70	SPRING
69	5437, 6437, 6600 City Cruiser	403375	2	15.30	SPRING
69	5439-67-69, 6439-69 City Cruiser	403376	2	12.75	SPRING

NOTE For 1972 Police Usage - see Heavy Duty usage for 5400, 6400, 6800, 98.

7.503 SPRING, REAR SUSPENSION COIL (HEAVY DUTY & TRAILER HAULING)

61-62	Exc. S.W. or F85	581627	2	15.60	SPRING
64-65	F85 exc. S.W.	9775963	2	17.60	SPRING
64-65	F85 2 Seat S.W.	9774694	2	13.35	SPRING
64-65	F85 3 Seat S.W.	9776246	2	20.15	SPRING
65	Exc. F85	388327	2	20.60	SPRING
66	F85 exc. S.W.	9775963	2	17.60	SPRING (exc. auto. superlift shocks)
66	F85 S.W.	9774694	2	13.35	SPRING (exc. auto. superlift shocks)
66	3855	9774694	2	13.35	SPRING (exc. auto. superlift shocks)
66	3865	9776246	2	20.15	SPRING (exc. auto. superlift shocks)
66	Exc. F85 or Tor.	388327	2	20.60	SPRING (exc. auto. superlift shocks)
66	F85 2 Doors	9776457	2	15.30	SPRING (w/auto. superlift shocks)
66	F85 4 Doors exc. S.W.	9773999	2	11.30	SPRING (w/auto. superlift shocks)
66	S.W. exc. V.C.	9773806	2	23.70	SPRING (w/auto. superlift shocks)
66	3855	9773806	2	23.70	SPRING (w/auto. superlift shocks)
66	5237	392882	2	18.25	SPRING (w/auto. superlift shocks)
66	5457, 5637 T.H.	392882	2	18.25	SPRING (w/auto. superlift shocks)
66	5239, 5639, 5839-69 ...	392884	2	20.85	SPRING (w/auto. superlift shocks)
66	5269	392883	2	20.85	SPRING (w/auto. superlift shocks)
66	5669-5837 T.H.	392883	2	20.85	SPRING (w/auto. superlift shocks)
66	5667, 5867 T.H.	392885	2	20.85	SPRING (w/auto. superlift shockers)

66	5457, 5637, 5837-69 S.T.	392886	2	17.20	SPRING (w/auto. superlift shocks)
66	5639-67, 5839-67-69 S.T.	392887	2	14.37	SPRING (w/auto. superlift shocks)
66	8437-69	392251	2	15.90	SPRING (w/auto. superlift shocks)
66	8467	387434	2	15.45	SPRING (w/auto. superlift shocks)
66	8439-8669	392253	2	16.20	SPRING (w/auto. superlift shocks)
67	F85 exc. S.W.	9793156	2	12.60	SPRING
67	3335, 3435, 3535, 3635, 3855	9787054	2	14.25	SPRING
67	3465-3865	9789093	2	13.60	SPRING
67-68	Exc. F85 98 or Tor.	398897	2	15.75	SPRING
68	F85 exc. S.W. or V.C.	9793915	2	14.05	SPRING
68	S.W.	9792803	2	15.90	SPRING
68	V.C.	9792804	2	16.80	SPRING
67-68	98	398898	2	15.75	SPRING
69	F85 exc. S.W. or V.C.	9793915	2	14.05	SPRING
69	3535, 3635	9797508	2	18.50	SPRING
69	V.C.	479873	2	17.35	SPRING
69	5400, 6400, 6600, 8457-67-69	403377	2	14.60	SPRING
69	8439, 8600	407167	2	17.85	SPRING
70	3535, 3635 H.D. Susp.	479873	2	17.35	SPRING (F41 opt.)
70	3100, 3200, 3539-69-77-87, 3639-69-77-87, 4200 H.D.	9793156	2	12.60	SPRING (F41 opt.)
70	4400 A.T. H.D. Susp.	546167	2	15.40	SPRING
70	4800 H.D.	479873	2	17.35	SPRING (F41 opt.)
70	5400, 6400, 6600 H.D.	407166	2	17.85	SPRING (F41 Opt.)
70	8400 H.D.	407167	2	17.85	SPRING (F41 Opt.)
70	8600 H.D.	407168	2	17.85	SPRING (F41 Opt.)
71	3100, 3287, 3569-77-87, 3677-87, 4257-67 H.D.	9787044	2	12.70	SPRING
71	3269, 3669, 4239 350 Eng. H.D. exc. C.A.C.	9792491	2	16.00	SPRING
71	3269, 3669, 4239 455 Eng. H.D. & C.A.C.	9787044	2	12.70	SPRING
71	3287, 3677-87, 4257-67 S.T. 442 Susp.	9792801	2	12.70	SPRING
71	3287, 3677-87, 4257-67, 4400 A.T. & 442 Susp.	9788589	2	11.75	SPRING
71-72	3536, 3636, 4800 H.D.	484164	2	18.00	SPRING
71	5400, 6400, 6600 H.D.	485109	2	15.75	SPRING
71	98 H.D.	485110	2	16.45	SPRING
71	Tor. H.D.	485114	2	18.00	SPRING
72	3269, 3669, 4239 exc. C.A.C.	9792491	2	16.00	SPRING (F41 opt.)
72	3287, 3677-87, 4257-67 exc. C.A.C.	9787044	2	12.70	SPRING (F41 opt.)
72	3636, 4856 exc. C.A.C.	9792804	2	16.80	SPRING (F41 opt.)
72	4866 exc. C.A.C.	484165	2	16.35	SPRING (F41 opt.)
72	3269, 3669 C.A.C.	9787044	2	12.70	SPRING (F41 opt.)
72	3287, 3677-87, 4257-67 C.A.C.	9793156	2	12.60	SPRING (F41 opt.)
72	3636, 4856 C.A.C.	9792804	2	16.80	SPRING (F41 opt.)
72	4239 C.A.C.	9792491	2	16.00	SPRING (F41 opt.)
72	4866 C.A.C.	484165	2	16.35	SPRING (F41 opt.)
72	3287, 3677-87, 4257 S.T.	546167	2	15.40	SPRING (FE2 opt.)
72	3287, 3677-87, 4257 A.T.	9788448	2	12.00	SPRING (FE2 opt.)
72	4267 S.T.	9792801	2	12.70	SPRING (FE2 opt.)
72	4267 A.T.	9797507	2	11.75	SPRING (FE2 opt.)
72	5400, 6457-69 350 Eng.	482081	2	14.30	SPRING (F41 or B07 opt.)
72	6439-67 350 Eng.	482082	2	18.80	SPRING (F41 or B07 opt.)
72	5439, 6439-67-69 455 Eng.	482082	2	18.80	SPRING (F41 or B07 opt.)
72	5457-69, 6457 455 Eng.	482081	2	14.30	SPRING (F41 or B07 opt.)
72	98	482083	2	15.30	SPRING (F41 or B07 opt.)
72	Tor.	482079	2	16.15	SPRING (F41 opt.)

7.503 SHIM PKG., REAR LEAF SPRING

71-72	6800	488368	1	2.87	SHIM PKG., 2 degree
71-72	6800	488369	1	2.87	SHIM PKG., 3 degree

7.504 BOLT-BUSHING-REPAIR KIT-NUT, REAR LEAF SPRING

66-70	Tor. (8.900)	9423371	2	.54	BOLT, rear spring to frame (front) (1/2"-13 x 4 3/4")
71-72	6800 (8.900)	9432568	4	.62	BOLT, spring shackle to frame
71-72	6800	9432580	2	.15	BOLT, bushing to spring-front
51	98	559630	8	.51	BUSHING (rear) (plain type)
51	98	560399	4	.51	BUSHING (front) (ribbed type)
51-52	88	559630	12	.51	BUSHING (front & rear) (plain type)
52	98 exc. Conv.	559630	12	.51	BUSHING (front & rear) (plain type)
52	98 Conv.	559630	8	.51	BUSHING (rear) (plain type)
52	98 Conv.	560399	4	.51	BUSHING (front) (ribbed type)
53-60	All	559630	8	.51	BUSHING (rear) (plain type)
53-60	Exc. 1959-60 S.W.	560399	4	.51	BUSHING (front) (ribbed type)
59-60	S.W.	559630	4	.51	BUSHING (front) (plain type)
66	Tor.	392686	2	4.41	BUSHING (front)
66	Tor.	389741	4	.56	BUSHING, shackle (upper rear)
66-70	Tor.	390642	4	.72	BUSHING, shackle (lower rear)
67-70	Tor.	397225	4	.67	BUSHING, shackle (upper rear)
67-70	Tor.	397605	2	4.41	BUSHING (front)
71-72	6800	483275	2	2.41	BUSHING, leaf spring-front
71-72	6800	485872	4	6.40	REPAIR KIT, rear spring shackle (incl. shackle, sleeve, bushing)
66-72	Tor. (8.917)	9422301	2	.10	NUT, spring to frame (front)

7.516 U BOLT, REAR SUSPENSION LEAF SPRING TO AXLE HOUSING

51-56	Exc. 1951-88A	559610	4	.97	U BOLT (for std. load springs)
59-60	Exc. S.W. or Conv.	574040	4	1.49	U BOLT (for std. load springs)

7.518 CLAMP-BOLT-NUT, REAR SUSPENSION LEAF SPRING

64-66	F85	537047	2	.46	CLAMP
67-70	Tor.	396416	RH	9.30	CLAMP (to axle)
67-70	Tor.	396417	LH	9.30	CLAMP (to axle)
69-70	Tor. (8.900)	179841	8	.10	BOLT, spring clamp to spring seat
69	Tor. (8.915)	9414034	8		NUT, spring clamp to seat bolt
70	Tor. (8.917)	9422297	8	.15	NUT, spring clamp to seat bolt

7.523 SHACKLE, REAR LEAF SPRING

51-60	Exc. 1951-88A	560168	2	1.38	SHACKLE (rear end)
66	Tor.	391326	2	2.92	SHACKLE (inner)
66	Tor.	390646	2	.67	SHACKLE (outer)
67-70	Tor.	396655	2	3.59	SHACKLE
67-70	Tor.	396657	2	.77	SHACKLE (outer)
71-72	6800	483481	4	.55	SHACKLE

7.529 BOLT-NUT, REAR COIL SPRING CLAMP

51-60	Exc. 1951-88A	562106	2	1.13	BOLT, rear spring to frame (front)
65-66	F85 (8.900)	427565	2	.45	BOLT, clamp to lower arm
61	Exc. F85 (5.812)	554544	4	.20	NUT, upper & lower

7.545 BRACKET-CLAMP-CUSHION-INSULATOR-PLATE-SEAT-NUT-WASHER, REAR SPRING

71-72	5400, 6400, 6600, 98 (7.395)	3981240	RH	1.54	BRACKET, rear spring seat
71-72	5400, 6400, 6600, 98 (7.395)	3981239	LH	1.54	BRACKET, rear spring seat
73*	All X	330255	LH		BRACKET, rear spring bumper
73*	All X	330256	RH		BRACKET, rear spring bumper
62-64	Exc. F85	585295	4	.51	CLAMP
65	D88, Delta Police H.D.	585295	2	.51	CLAMP
71-72	6800	477818	2	.82	CUSHION, upper spring
71-72	6800	483732	2	.56	CUSHION, lower spring
51-60	Exc. 1951-88A	568206	4	1.13	INSULATOR, rear spring seat (rubber)
61-63	F85	578828	2	.41	INSULATOR (upper)
64-66	F85	9775680	2	.51	INSULATOR (upper)
65-69	Exc. F85 or Tor.	1366500	2	.36	INSULATOR (lower)
66	Tor.	389789	2	.97	INSULATOR (upper)
66	Tor.	389792	2	1.54	INSULATOR (lower)
67-70	Exc. Tor.	1366500	2	.36	INSULATOR (upper)
67-70	Tor.	395971	2	1.08	INSULATOR (upper)
67-70	Tor.	395973	2	1.54	INSULATOR (lower)

71-72	All	1366500	AR	.36	INSULATOR, spring seat-rubber
71-72	6800	480139	RH	3.79	PLATE, lower spring
71-72	6800	480140	LH	3.79	PLATE, lower spring
73*	All X	330259	LH	.18	PLATE, rear spring & shock abs. anchor
73*	All X	330260	RH		PLATE, rear spring & shock abs. anchor
71-72	6800	480142	2	.97	SEAT
66-70	Tor. (8.917)	9422299	4	.15	NUT, rear spring shackle pin
64-66	F85	1305797	2	.10	WASHER, clamp to arm
7.632 BOLT-CAP-RETAINER-ROD, SPARE WHEEL					
61-63	F85 2 Seat S.W.	580431	1	.62	BOLT (for 13" wheel)
61-64	Exc. S.W., Conv., F85 or J88	581260	1	.30	BOLT
61-64	Conv.	581545	1	.46	BOLT
61-64	F85 exc. J/Fire, S.W.	581545	1	.46	BOLT
64	F85 exc. S.W.	9777719	1	.46	BOLT
64-65	F85 S.W.	9793438	1	.82	BOLT, whl. carrier clamp
65	Exc. F85	581545	1	.46	BOLT
65-69	F85 exc. S.W., 442 Spare wh/Lock	1386521	1	.51	BOLT (clamp 7 $\frac{3}{4}$ " long)
65-67	W/spare wh/lock exc. 442 S.W., V.C. or Tor.	1239379	1	.51	BOLT, clamp ($\frac{3}{8}$ " x 8 $\frac{1}{2}$ " long)
65-70	Conv. exc. F85	1239379	1	.51	BOLT, clamp ($\frac{3}{8}$ " x 8 $\frac{1}{2}$ " long)
66-70	Exc. Conv., Spare wh/Lock, F85 or Tor.	1386521	1	.51	BOLT, clamp (7 $\frac{3}{4}$ " long)
66-72	F85 S.W. & V.C.	3839826	1	.62	BOLT, clamp (10 $\frac{1}{2}$ " long)
66-69	5467, 5667, 8467	1239379	1	.51	BOLT, clamp ($\frac{3}{8}$ " x 8 $\frac{1}{2}$ " long)
66-70	Tor.	396236	1	.51	BOLT, clamp (14 $\frac{1}{2}$ " long)
67	F85, 442 or Turnpike Opt.	1239379	1	.51	BOLT, clamp ($\frac{3}{8}$ " x 8 $\frac{1}{2}$ " long)
68-69	F85 Disc Brakes or 442	1239379	1	.51	BOLT, clamp ($\frac{3}{8}$ " x 8 $\frac{1}{2}$ " long)
69	3100, 3200, 3500, 3600, 4200 Radial Ply Tires exc. Disc Brakes or Cust. Trim	1239379	1	.51	BOLT, clamp ($\frac{3}{8}$ " x 8 $\frac{1}{2}$ " long)
70	3100, 3200, 3500, 3600, 4200, exc. S.W., V.C. or Custom Sport Wh.	1239379	1	.51	BOLT, clamp ($\frac{3}{8}$ " x 8 $\frac{1}{2}$ " long)
71-72	F85 exc. S.W. or V.C. or Custom Trim	1239379	1	.51	BOLT, clamp ($\frac{3}{8}$ " x 8 $\frac{1}{2}$ " long)
71-72	Custom Trim Wh.	1386521	1	.51	BOLT, clamp (7 $\frac{3}{4}$ " long)
71-72	5400, 6400, 6600, 98 exc. Conv., Custom Wh.	3986982	1	.62	BOLT, spare wheel
71	6667, Tor.	3884933	1	.77	BOLT, spare wheel
71-72	6800	3991124	1	.82	BOLT, spare wheel
72	5467	3884933	1	.77	BOLT, spare wheel
72	Tor.	411460	1	.77	BOLT, spare wheel
61-63	F85 C.C. (12.981)	4805842	1	.15	CAP, bolt (rubber)
63	F85 4 D.S. (12.981)	4805842	1	.15	CAP, bolt (rubber)
65	F85 exc. S.W. (12.981)	4805842	1	.15	CAP, bolt (rubber)
66-70	Tor.	390596	1	.82	RETAINER, clamp bolt
65	W/Spare Wheel Lock exc. S.W. or Chrome Wheel	389738	1	.51	ROD
66	Exc. S.W., Chrome/wh. or Tor.	389738	1	.51	ROD, spare wheel lock
66	Tor. W/Jack Case	389738	1	.51	ROD, spare wheel lock
68-69	Exc. S.W. or V.C.	389738	1	.51	ROD, spare wheel lock
7.633 NUT-WASHER, SPARE WHEEL CLAMP BOLT					
59-64	Exc. F85 or 1964 Conv.	575480	1	.62	NUT (wing type)
61-64	F85	581190	1	.36	NUT (wing type)
64	Conv.	581190	1	.36	NUT (wing type)
64-72	F85 S.W. or V.C.	3818748	1	.10	NUT, clamp bolt retaining (hex)
65-70	F85 Chrome	391888	1	.82	NUT, wheel retaining (hex)
65-70	Exc. Chrome Wheel or Cust. Sport Wheel	9785616	1	.36	NUT, wheel retaining (wing)
69-72	F85 Cust. Sport Wheels	391888	1	.82	NUT, wheel retaining
71	F85 exc. Cust. Trim Wh.	9785616	1	.36	NUT, clamp bolt
71-72	F85 Cust. Trim Wh.	391888	1	.82	NUT, spare wheel

71	5400, 6400, 6647 w/P05								
		409672	1	.87	NUT, spare wheel				
71	Exc. F85, S.W. or 3667	9785616	1	.36	NUT, spare tire clamp bolt				
71	6667, Tor.	9785616	1	.36	NUT, spare tire clamp bolt				
71	5400, 6400, 6600, 98,								
	Tor.	9785616	1	.36	NUT, clamp bolt				
71	Exc. Cust. Trim or Tor.	9785616	1	.36	NUT, spare tire clamp bolt				
72	5400, 6439-57-69								
	w/P05	409672	1	.87	NUT, spare wheel				
72	Exc. Custom Trim	9785616	1	.36	NUT, spare wheel				
72	6467, Tor.	9785616	1	.36	NUT, spare wheel				
71	F85 exc. Cust. Trim Wh.								
	(8.929)	120388	AR		WASHER, spare wheel nut				

7.675 CYLINDER ASSY., SPARE WHEEL LOCK

67	Exc. S.W., V.C. or								
	Chrome Wheel	7033203	1	3.79	CYLINDER				
65-66	Exc. S.W., V.C. or								
	Chrome Wheel	7029781	1	1.69	CYLINDER, (uncoded)				

7.800 BRACKET-BUMPER-NUT-TRIM PANEL-SCREW-SUPPORT, LICENSE PLATE MOUNTING

NOTE For rear license plate mounting see fuel filler door in group 8.208.

60	All	577500	1	.87	BRACKET (front)				
62	Exc. F85	583566	1	.41	BRACKET (front)				
63	F85	583566	1	.41	BRACKET (front)				
71-72	6800	3874534	2	.10	BUMPER (rear)				
73*	All X	517850	2	.15	BUMPER, frt.-rubber				
73*	All C	411810	1		GUARD & SUPPORT, rear license				
49-61	All (8.921)	564019	AR	.10	NUT, lic. plate clamp (14-10)				
60	All	577499	2-6	.15	NUT (front or rear nylon)				
61-62	F85	577499	2-6	.15	NUT (front or rear nylon)				
62	Exc. F85 (8.921)	445120	2-4	.10	NUT, spring (front)				
63	F85 (8.921)	564019	AR	.10	NUT, lic. plate clamp (14-10)				
63-64	Exc. F85	380370	2	.15	NUT, rear (upper)				
64	See Group 2.729	3830312	8	.10	NUT				
64-66	F85 S.W.	380370	4	.15	NUT (rear)				
66	See Group 11.898	4755299	4	.10	NUT				
63-72	All (8.921)	445120	2-4	.10	NUT, spring-flat				
71	All (7.831)	410421	AR	.05	INSTRUCTION, directions for drilling V36 opt.				
68-69	All (8.921)	445141	8	.10	NUT, spring-flat				
68-71	F85 S.W., V.C.	3907444	4	.10	NUT (plastic)				
68-71	Tor.	3907444	4	.10	NUT (plastic)				
72	All	3907444	4	.10	NUT (plastic)				
71-72	Tor.	408186	1	3.84	TRIM PANEL, frt. license plate				
42-59	All	584429	4	.10	SCREW, lic. plate (14-10 x 1/2")				
57-58	All (8.977)	162087	2	.05	SCREW, lic. plate (14-10 x 7/8")				
60	All (8.977)	9417636	4	.05	SCREW (front & rear) (10-24 x 3/8")				
61-62	F85 (8.977)	9417636	4	.05	SCREW (front & rear) (10-24 x 3/8")				
61-70	All exc. 1966 S.W. rear	584429	AR	.10	SCREW (14-10 x 1/2")				
62	Exc. F85 (8.977)	162087	2	.05	SCREW (front) (14-10 x 1")				
63-64	Exc. F85 (8.977)	9415482	4	.05	SCREW, rear plate				
68-69	All	401140	8	.10	SCREW				
71-72	All	584429	AR	.10	SCREW, license plate				
71-72	Tor. (8.977)	9432348	4	.05	SCREW, trim panel to lic. support				
66	Tor.	389389	1	1.69	SUPPORT (front)				
67	F85	394224	1	.87	SUPPORT (front)				
67	Exc. F85 or Tor.	394116	1	.62	SUPPORT (front)				
67	Tor.	395557	1	1.90	SUPPORT (front)				
68-69	F85	398575	1	.41	SUPPORT (front)				
68	Exc. F85 or Tor.	400948	1	.62	SUPPORT (front)				
68-69	Tor.	398907	1	1.08	SUPPORT (front)				
69	Exc. F85 or Tor.	403866	1	1.18	SUPPORT (front)				
70	F85	405335	1	.72	SUPPORT (front)				
70-71	Exc. F85 or Tor.	401963	1	.67	SUPPORT (front)				
70	Tor.	405581	1	1.44	SUPPORT (front)				
71-72	F85	406779	1	.77	SUPPORT (front)				
71-72	Tor.	408191	1	1.38	SUPPORT (front)				

72	5400, 6400, 6800, 98 exc. V36 Opt.	401963	1	.67	SUPPORT (front)
72	5400, 6400, 6800, 98 w/V36 Opt.	410710	1	.67	SUPPORT
73*	All A	413123	1		SUPPORT (front)
73*	All B, C	412736	1		SUPPORT (front)
7.828 GUARD PKG., FRONT BUMPER GUARD					
71-72	F85	983231	1	15.40	GUARD PKG., frt. bumper
73*	AF, AG	983375	1		GUARD PKG.
73*	AJ	983376	1		GUARD PKG.
7.828 GUARD-INSERT-BRACKET-NUT, FRONT BUMPER GUARD					
57	All	570400	1	27.10	GUARD (center front)
61-62	F85	578872	RH	4.10	GUARD (front)
61-62	F85	578873	LH	4.10	GUARD (front)
70	Tor.	406474	RH	11.15	GUARD ASSY., front bumper
70	Tor.	406475	LH	11.15	GUARD ASSY., front bumper
71-72	F85	408944	RH	4.61	GUARD, front (V36 opt.)
71-72	F85	408945	LH	4.61	GUARD, front (V36 opt.)
71	Exc. F85 or Tor.	408972	RH	7.35	GUARD, front outer (V36 opt.) (horizontal)
71	Exc. F85 or Tor.	408973	LH	7.35	GUARD, front outer (V36 opt.) (horizontal)
71	Exc. F85 or Tor.	408986	1	9.55	GUARD, front center (V36 opt.) (horizontal)
72	5400, 6400, 6800, 98 ..	410698	RH	7.35	GUARD, frt. (V36 opt.)
72	5400, 6400, 6800, 98 ..	410699	LH	7.35	GUARD, frt. (V36 opt.)
73*	AF, AG	412266	RH		GUARD (V36 Opt.)
73*	AF, AG	412267	LH		GUARD (V36 Opt.)
73*	AJ	412156	RH		GUARD (V36 opt.)
73*	AJ	412157	LH		GUARD (V36 opt.)
73*	All B, C	412180	RH		GUARD (V36 opt.)
73*	All B, C	412181	LH		GUARD (V36 opt.)
73*	All E	412274	RH		GUARD
73*	All E	412275	LH		GUARD
71-72	F85	408960	RH	4.10	INSERT, front guard (V36 opt.)
71-72	F85	408961	LH	4.10	INSERT, front guard (V36 opt.)
71	Exc. F85 or Tor.	408959	2	3.54	INSERT, front guard (V36 opt.)
71	Exc. F85 or Tor.	408989	1	5.70	INSERT, front center guard (V36 opt.)
72	5400, 6400, 6800, 98 ..	410566	1	10.75	INSERT, frt. bar (VE5 opt.)
72	5400, 6400, 6800, 98 ..	410702	RH	5.70	INSERT, frt. guard (V36 opt.)
72	5400, 6400, 6800, 98 ..	410703	LH	5.70	INSERT, frt. guard (V36 opt.)
72	Tor.	408941	1	19.75	INSERT, frt.-center
72	Tor.	408942	2	12.50	INSERT, frt.-outer
73*	AF, AG	412294	RH		INSERT, guard (V36 opt.)
73*	AF, AG	412295	LH		INSERT, guard (V36 opt.)
73*	AF, AG	412155	1		INSERT, bumper bar
73*	AJ	412158	RH		INSERT, guard (V36 opt.)
73*	AJ	412159	LH		INSERT, guard (V36 opt.)
73*	AJ	412154	1		INSERT, bumper bar
73*	All B, C	412182	RH		INSERT, guard (V36 opt.)
73*	All B, C	412183	LH		INSERT, guard (V36 opt.)
73*	All B, C	412129	1		INSERT, bumper bar
73*	All E	412273	2		INSERT, bumper bar
73*	All E	412538	RH		INSERT, bumper outer
73*	All E	412539	LH		INSERT, bumper outer
73*	All E	412537	1		INSERT, bumper center
61-62	F85	578871	2	.82	BRACKET, front guard
72	5400, 6400, 6800, 98 ..	410700	RH	.36	BRACKET, frt. (V36 opt.)
72	5400, 6400, 6800, 98 ..	410701	LH	.36	BRACKET, frt. (V36 opt.)
61-62	F85 (8.921)	1196207	2	.15	NUT, front guard brkt. to cross bar (5/16"-18 special) ..
7.828 GUARD PKG., REAR BUMPER GUARD					
71-72	F85 exc. S.W. or V.C.	983232	1	15.40	GUARD PKG., rear bumper
73*	AF, AG, AJ29-57	983377	1		GUARD PKG.
73*	AJ35	983378	1		GUARD PKG.
7.828 GUARD-INSERT-FILLER, REAR BUMPER GUARD					
61	Exc. F85	579900	RH	18.40	GUARD (outer-rear)
61	Exc. F85	579901	LH	18.40	GUARD (outer-rear)
61	Exc. F85	579874	2	4.10	GUARD (inner-rear)
61-62	F85	579082	2	4.10	GUARD (rear)
62	88, S88 S.W.	579900	RH	18.40	GUARD (outer-rear)
62	88, S88 S.W.	579901	LH	18.40	GUARD (outer-rear)
62	88, S88 S.W.	579874	2	4.10	GUARD (inner-rear)
71-72	F85 exc. S.W. or V.C.	408926	RH	4.31	GUARD, rear (V36 opt.)
71-72	F85 exc. S.W. or V.C.	408927	LH	4.31	GUARD, rear (V36 opt.)
71	5400, 6400, 6600	408924	RH	4.36	GUARD, rear (V36 opt.)

71	5400, 6400, 6600	408925	LH	4.36	GUARD, rear (V36 opt.)
71-72	6800	410789	2	1.03	GUARD, rear bumper edge-stainless steel
72	5400, 6400	411318	RH	4.36	GUARD, rear (V36 opt.)
72	5400, 6400	411319	LH	4.36	GUARD, rear (V36 opt.)
73*	AF, AG, AJ29-57	411254	RH		GUARD (V36 opt.)
73*	AF, AG, AJ29-57	411255	LH		GUARD (V36 opt.)
73*	AJ35	413124	RH		GUARD (V36 opt.)
73*	AJ35	413125	LH		GUARD (V36 opt.)
73*	BL, BN	412136	RH		GUARD (V36 opt.)
73*	BL, BN	412137	LH		GUARD (V36 opt.)
73*	BQ, BR	412552	2		GUARD
73*	All E	412214	1		GUARD & SUPPORT
69	F85 exc. S.W. or V.C.	401471	1	2.87	INSERT, rear bar (VE5 opt.)
71-72	F85 exc. S.W. or V.C.	408871	2	3.79	INSERT, rear bumper guard (V36 opt.)
71-72	5400, 6400, 6600	408881	2	3.79	INSERT, rear bumper guard (V36 opt.)
71	6800	408884	1	10.60	INSERT, rear bumper (V36 opt.)
71	98	408885	1	10.60	INSERT, rear bumper (V36 opt.)
72	5400, 6400	410800	RH	3.84	INSERT, rear bar (VE5 opt.)
72	5400, 6400	410801	LH	3.84	INSERT, rear bar (VE5 opt.)
72	5400, 6400	410308	1	3.33	INSERT, rear bar-center (VE5 opt.)
72	98	410129	1	10.60	INSERT, rear bumper
73*	AF, AG, AJ29-57	411006	1		INSERT, bar
73*	AF, AG, AJ29-57	411766	RH		INSERT, guard (V36 opt.)
73*	AF, AG, AJ29-57	411767	LH		INSERT, guard (V36 opt.)
73*	AJ35	413126	2		INSERT, guard (V36 opt.)
73*	BL, BN	412203	1		INSERT, bar
73*	BL, BN	412130	2		INSERT, guard (V36 opt.)
73*	All C	411906	1		INSERT, bar
73*	CV	411814	2		INSERT, guard
73*	All E	412309	1		INSERT, bar
73*	All E	412522	1		INSERT, bar
73*	All E	412784	RH		FILLER, bumper to 1/4 panel-Black
73*	All E	412785	LH		FILLER, bumper to 1/4 panel-Black

7.831 BAR, FRONT PRIMARY BUMPER BAR

59	All	574537	LH	11.20	BAR, front upper outer
60	All	577507	1	55.85	BAR, front lower
62	Exc. F85	583314	1	52.00	BAR, front upper
62	Exc. F85	583793	1	72.00	BAR, front lower
63	F85	586931	1	85.00	BAR, front
63	Exc. F85	587389	1	123.75	BAR, front
64	F85	380281	1	85.00	BAR, front
64	Exc. F85	588634	1	123.75	BAR, front
65	F85	386286	1	85.00	BAR, front
65	Exc. F85	589751	1	123.75	BAR, front
66	F85	390292	1	85.00	BAR
66	Exc. F85 or Tor.	390717	1	63.50	BAR (center)
66	Exc. F85 or Tor.	390718	RH	33.05	BAR (outer)
66	Exc. F85 or Tor.	390719	LH	33.05	BAR (outer)
66-67	Tor. (*1)	395246	1	86.10	BAR (center)
66-67	Tor.	388690	RH	37.65	BAR (outer)
66-67	Tor.	388691	LH	37.65	BAR (outer)
67	F85	393618	1	85.00	BAR
67	5200, 5600, 98	393948	1	69.95	BAR (center)
67	5400, 5800	394159	1	69.20	BAR (center)
68	F85	397688	1	94.55	BAR
68	Exc. F85 or Tor.	397827	1	119.40	BAR
69	F85	403281	1	105.30	BAR
69	Exc. F85 or Tor.	401611	1	128.65	BAR
68-69	Tor.	402866	1	167.00	BAR
70	F85 exc. Rally 350	404002	1	97.90	BAR
70	3200, 3600 Rally 350 (W45 Opt.)	408068	1	121.25	BAR, painted
70	5400, 6400, 6600, 98	405302	1	134.55	BAR
70	Tor.	405398	RH	22.30	BAR, to parking lamp trim panel
70	Tor.	405399	LH	22.30	BAR, to parking lamp trim panel
70	Tor.	405932	1	112.25	BAR, center
71-72	F85	407151	1	92.50	BAR
71	5400, 6400, 6600, 6800, 98 exc. V36	407645	1	134.55	BAR
71	5400, 6400, 6600, 6800, 98 w/V36	409241	1	131.25	BAR (pierced)
71-72	Tor.	407188	1	58.95	BAR, front bumper center lower
71-72	Tor. exc. inserts	407198	1	56.40	BAR, front bumper center upper (not pierced)
72	5400, 6400, 6800, 98	410613	1	89.75	BAR, frt.-upper (pierced for VE5 opt.)

72	5400, 6800, 98 exc. VE5 opt.	411960	1	92.00	BAR, frt. upper (not pierced)
72	5400, 6400, 6800, 98	410340	1	64.75	BAR, frt.-lower
72	Tor.	409140	1	58.95	BAR, frt. center-upper
73*	AF, AG	411697	1		BAR
73*	AJ	411595	1		BAR
73*	All B, C	411709	1		BAR
73*	All E	412176	1		BAR, upper
73*	All E	412112	RH		BAR, lower
73*	All E	412113	LH		BAR, lower
73*	All E	412204	1		BAR, lower center

7.831 BAFFLE-BUMPER-EXTENSION-INSERT-FILLER-PANEL-RETAINER-SCREW-SEAL-BOLT-NUT-WASHER, FRONT PRIMARY BUMPER BAR

71-72	Tor. exc. 1972 C.A.C.	409629	1	4.31	BAFFLE, front bumper bar
61	Exc. F85	579534	RH	7.25	EXTENSION, front outer
61	Exc. F85	579535	LH	7.25	EXTENSION, front outer
63	Exc. F85	586936	RH	7.55	EXTENSION, front outer
63	Exc. F85	586937	LH	7.55	EXTENSION, front outer
65	Exc. F85	589752	RH	12.80	EXTENSION, outer
65	Exc. F85	589753	LH	12.80	EXTENSION, outer
67	Exc. F85 or Tor.	393952	RH	32.05	EXTENSION (outer)
67	Exc. F85 or Tor.	393953	LH	32.05	EXTENSION (outer)
67	Exc. F85 or Tor.	394458	1	3.43	EXTENSION (upper-plastic)
71-72	Tor. exc. VE5	407248	RH	42.30	EXTENSION, frt. bumper (not pierced)
71-72	Tor. exc. VE5	407249	LH	42.30	EXTENSION, frt. bumper (not pierced)
72	Tor. w/VE5	409142	RH	43.30	EXTENSION, frt. bumper (pierced)
72	Tor. w/VE5	409143	LH	43.30	EXTENSION, frt. bumper (pierced)
73*	All E	412120	RH		EXTENSION, lower
73*	All E	412121	LH		EXTENSION, lower
70	Tor.	230913	2	1.59	INSERT, frt. bumper outer (Black)
62	Exc. F85	5B3602	RH	2.05	FILLER (upper-Black)
62	Exc. F85	5B3603	LH	2.05	FILLER (upper-Black)
62	Exc. F85	5B3794	RH	1.33	FILLER (to fender-rubber)
62	Exc. F85	5B3795	LH	1.33	FILLER (to fender-rubber)
63	Exc. F85	5B7010	RH	1.08	FILLER (to fender-rubber)
63	Exc. F85	5B7011	LH	1.08	FILLER (to fender-rubber)
64	F85	5B8974	RH	1.59	FILLER (rubber)
64	F85	5B8975	LH	1.59	FILLER (rubber)
64	Exc. F85	5B9012	RH	1.95	FILLER (rubber)
64	Exc. F85	5B9013	LH	1.95	FILLER (rubber)
65	F85	3B7546	RH	1.49	FILLER (rubber)
65	F85	3B7547	LH	1.49	FILLER (rubber)
65	Exc. F85	5B9968	RH	1.69	FILLER (rubber)
65	Exc. F85	5B9969	LH	1.69	FILLER (rubber)
66	F85	390450	RH	.62	FILLER (rubber)
66	F85	390451	LH	.62	FILLER (rubber)
66	Exc. F85 or Tor.	391264	RH	.72	FILLER (rubber)
66	Exc. F85 or Tor.	391265	LH	.72	FILLER (rubber)
66-67	Tor.	3B9239	2	.46	FILLER (center-plastic)
66-67	Tor.	392620	RH	4.25	FILLER (upper-rubber)
66-67	Tor.	392621	LH	4.25	FILLER (upper-rubber)
66-67	Tor.	393316	RH	1.64	FILLER (lower-rubber)
66-67	Tor.	393317	LH	1.64	FILLER (lower-rubber)
67	F85	394142	RH	.62	FILLER (rubber)
67	F85	394143	LH	.62	FILLER (rubber)
68	F85	398442	RH	.67	FILLER (to fender)
68	F85	398443	LH	.67	FILLER (to fender)
68-69	Tor.	399474	RH	1.23	FILLER (to fender)
68-69	Tor.	399475	LH	1.23	FILLER (to fender)
69	F85	402162	RH	.77	FILLER (rubber)
69	F85	402163	LH	.77	FILLER (rubber)
69	Exc. F85 or Tor.	402332	RH	.92	FILLER (rubber)
69	Exc. F85 or Tor.	402333	LH	.92	FILLER (rubber)
70	Tor.	406184	RH	1.33	FILLER, frt. fdr. to bumper
70	Tor.	406185	LH	1.33	FILLER, frt. fdr. to bumper
73*	AF, AG	412870	RH		FILLER, bar to frt. end panel-Black
73*	AF, AG	412871	LH		FILLER, bar to frt. end panel-Black
73*	AF, AG	412905	1		FILLER, bar to frt. end panel-Black-center
73*	AJ	412718	RH		FILLER, bar to frt. end panel-Black
73*	AJ	412719	LH		FILLER, bar to frt. end panel-Black
73*	AJ	412646	1		FILLER, bar to frt. end panel-center-Black
73*	All B, C	412400	1		FILLER, bar to frt. end panel-center-Black

73*	All B, C	412418	RH		FILLER, bar to frt. end panel-Black
73*	All B, C	412419	LH		FILLER, bar to frt. end panel-Black
73*	All E	412566	RH		FILLER, bar to frt. end panel-Black
73*	All E	412567	LH		FILLER, bar to frt. end panel-Black
70	Tor.	405658	RH	29.95	PANEL, parking & turn signal lamp (chrome)
70	Tor.	405659	LH	29.95	PANEL, parking & turn signal lamp (chrome)
73*	All E	412680	4		PLATE, bumper topping
73*	All E	412679	1		REINF., bumper
70	Tor.	407176	RH	.92	RETAINER, filler to fender upper
70	Tor.	407177	LH	.92	RETAINER, filler to fender upper
73*	AF, AG	412978	RH		SUPPORT, filler-inner
73*	AF, AG	412979	LH		SUPPORT, filler-inner
73*	AF, AG	413016	RH		SUPPORT, filler-outer
73*	AF, AG	413017	LH		SUPPORT, filler-outer
73*	AJ	412936	RH		SUPPORT, filler-inner
73*	AJ	412937	LH		SUPPORT, filler-inner
73*	AJ	412938	RH		SUPPORT, filler-outer
73*	AJ	412939	LH		SUPPORT, filler-outer
72	5400, 6400 VE5	9422207	4	.10	SCREW, center insert to bumper
72	Tor.	411347	2	.36	SEAL, bumper lwr. bar to grille
51-52	All	560137	2	.36	BOLT, bumper bar to reinf. bar (chrome)
59-64	Exc. F85	584268	4	.46	BOLT (7/16"-18 x 1 1/2")
61-62	F85 2nd Type	581930	2	.46	BOLT, bar to gravel shield side (chrome-3/8"-16 x 1 1/2")
61-64	Exc. F85	581437	4	.43	BOLT, bumper bar to supt.
62	Exc. F85	560137	2	.36	BOLT, frt. bumper bar to reinf. bar (chrome)
62-63	Exc. F85 (8.903)	9425343	4	.15	BOLT, reinf. to bar (upper)
63	F85	560137	2	.36	BOLT, frt. bumper bar to reinf. bar (chrome)
63	F85	381805	2	.30	BOLT, bar to fdr. (3/8"-16 x 2")
63	F85	587047	2	.41	BOLT, bar end plug
64	F85	384057	4	.15	BOLT, reinf. to brkt. (1/2"-13 x 1")
64	Exc. F85 (8.903)	9425343	AR	.15	BOLT (7/16"-14 x 1")
65	All (8.903)	9425343	AR	.15	BOLT (7/16"-14 x 1")
65	F85 (8.900)	454991	4	.36	BOLT, bar to brkt.
66	F85	390612	2	.20	BOLT (7/16"-14 x 5/8" chrome rd. hd.)
66-72	All (8.903)	9425343	AR	.15	BOLT (7/16"-14 x 1" chrome rd. hd.)
72	5400, 6400, 6800, 98 (8.900)	9420692	2	.10	BOLT, strap to frame
70	Tor.	404756	AR	.10	NUT, U shape spring
50	98	419913	2	.15	NUT, frt. bumper bar end plug spring
51-53	All	419913	2	.15	NUT, frt. bumper bar end plug spring
72	5400, 6400, 6800, 98 (8.921)	9419845	2	.10	NUT, strap to frame
71-72	F85 (8.915)	451523	2	.15	NUT, center brace to bar-7/16-14
63	F85 (6.515)	3954735	AR	.10	WASHER, bar to fdr.

7.831 BAR, REAR PRIMARY BUMPER BAR

60	88, S88	577571	1	28.20	BAR, lower (paint)
61	Exc. S.W., S/Fire or F85	580049	1	28.20	BAR, lower (paint)
61	Exc. S.W. or F85	579781	1	65.10	BAR, upper
61-62	F85	579221	1	48.45	BAR
62	Exc. S.W. or F85	584094	1	113.00	BAR
62	S.W. exc. F85	583521	1	75.10	BAR, lower
63	F85	586757	1	53.25	BAR
63	88, S88, S/Fire exc. S.W.	587476	1	113.00	BAR
63	98	587402	1	82.95	BAR, center
63	98	586674	RH	23.05	BAR, outer
63	98	586675	LH	23.05	BAR, outer
63-64	S.W. exc. F85	587477	1	113.00	BAR
64	F85 exc. S.W.	380834	1	75.10	BAR
64	Exc. F85, 98 or S.W.	588630	1	113.00	BAR
64	98	588605	1	106.10	BAR
64-65	F85 S.W.	380835	1	77.65	BAR
65	F85 exc. S.W.	589750	1	75.10	BAR
65	Exc. F85, S/Fire, 98	387242	1	113.00	BAR
65	S/Fire	386932	1	113.00	BAR
65	98	386287	1	128.65	BAR

66	F85 exc. S.W. or V.C.	389657	1	75.10	BAR
66	5200, 5400, 5600, 5800	390158	1	113.00	BAR
66	98	390848	1	128.65	BAR
66	Tor.	388840	1	121.45	BAR
66-67	S.W., V.C.	389175	1	74.55	BAR
67	3300, 3400, 3500, 3600 exc. S.W. or V.C.	393701	1	78.40	BAR
67	3800 exc. S.W. or V.C.	393702	1	78.40	BAR
67	5200, 5600, 5800	393619	1	113.00	BAR
67	5400	395682	1	113.00	BAR
67	Tor.	388840	1	121.45	BAR
67-68	98	395459	1	125.30	BAR
68	F85 exc. S.W., V.C. or 442	397889	1	88.10	BAR
68	442	398336	1	87.05	BAR
68	5400, 5600, 6400, 6600 (*2)	397697	1	113.00	BAR (less name plate)
(*2) When used on 6400 & 6600 it is necessary to drill bumper bar for name plate.					
6B	Tor. exc. D.E.	399084	1	122.50	BAR
68	Tor. D.E.	399903	1	122.50	BAR
69	F85 exc. S.W., V.C. or 442	401083	1	89.95	BAR (Std.)
69	F85 Exc. S.W., V.C. or 442	40169B	1	91.50	BAR (dlx-use w/rubber insert-VE 1 opt.)
69	442	401697	1	91.50	BAR (std.)
69	442	401699	1	91.50	BAR (dlx-use w/rubber insert-VE 1 opt.)
68-69	S.W., V.C. exc. Dual act. T.G.	403146	1	87.05	BAR
69	S.W. or V.C. w/dual Act. T.G.	403078	1	89.95	BAR
69	5400, 6400, 6600	401919	1	113.00	BAR
69-70	98	402467	1	125.30	BAR
69	Tor.	402843	1	124.05	BAR
70	F85 exc. S.W., V.C., 442, 4257-67 w/Y79 Opt. or W45 Opt.	404675	1	101.40	BAR
70	3200, 3600 Rally Pack (W45 Opt.)	408070	1	130.50	BAR, painted
70	44D0 & 4257-67 w/Y79 Opt.	404676	1	101.40	BAR (with dual exhaust)
70	S.W. & V.C. exc. Dual Act. T.G.	404399	1	96.85	BAR
70	S.W. & V.C. w/Dual Act. T.G.	404473	1	94.15	BAR
70	5400, 6400, 6600	404265	1	117.90	BAR
70	Tor. exc. Perf. Eng.	405305	1	124.05	BAR
71	4400	407152	1	95.85	BAR
70	Tor. w/Perf. Eng.	406834	1	124.05	BAR
71	L6, 3200, 3600, 4200 exc. S.W. or Cutlass Perf. Eng.	406730	1	95.85	BAR
71-72	F85 S.W., V.C.	404473	1	94.15	BAR
71	4257-67 w/Perf. Eng.	407152	1	95.85	BAR (Y79 opt.)
71	5400, 6400, 6600 exc. V36	407128	1	117.90	BAR
71	5400, 6400, 6600 w/V36	409248	1	117.90	BAR (pierced)
71-72	6800	408160	1	113.00	BAR
71	98	408163	1	125.30	BAR
71-72	Tor.	407190	RH	37.65	BAR, rear bumper outer
71-72	Tor.	407191	LH	37.65	BAR, rear bumper outer
71-72	Tor.	409357	1	85.00	BAR, rear bumper center
72	F85 exc. S.W., V.C. or W29 w/455 Eng.	406730	1	95.85	BAR
72	3287, 3677-87, 4267 w/W29 & 455 Eng.	407152	1	95.85	BAR
72	4257-67 Hurst	407152	1	95.85	BAR
72	5400 exc. VE5 opt.	411958	1	117.90	BAR (not pierced-plain)
72	5400, 6400 w/VE5 opt.	410211	1	117.90	BAR (pierced for VE5 opt-less insert)
72	98 exc. VE5 opt.	408163	1	125.30	BAR (not pierced-plain)
72	98 w/VE5 opt.	410435	1	125.30	BAR (pierced for VE5 opt-less insert)
73*	BL, BN	411447	1		BAR, upper
73*	BL, BN	412300	1		BAR, lower
73*	BQ, BR	413367	1		BAR
73*	All C	411448	1		BAR
73*	All C	411412	RH		BAR, outer
73*	All C	411413	LH		BAR, outer
73*	All E	412046	1		BAR

**7.831 BAFFLE-EXTENSION-FILLER-PAD-BOLT-FASTENER-NUT-J NUT-SPRING
NUT-PLUG-RETAINER, REAR PRIMARY BUMPER BAR**

68-70	S.W., V.C. exc. dual action T.G.	401569	1	5.60	BAFFLE (plastic 45")
71-72	Tor.	409629	1	4.31	BAFFLE
64	98	588582	RH	7.70	EXTENSION, outer upper
64	98	588583	LH	7.70	EXTENSION, outer upper
61-62	88, S88 S.W.	582756	RH	.77	FILLER, upper bar (rubber)
62	Exc. S.W. or F85	584598	RH	1.08	FILLER, bar to body (rubber)
62	Exc. S.W. or F85	584599	LH	1.08	FILLER, bar to body (rubber)
63	88, S88, S/Fire	588198	RH	.92	FILLER, bar to body (rubber)
63	88, S88, S/Fire	588199	LH	.92	FILLER, bar to body (rubber)
63	98	588160	RH	1.44	FILLER, bar to body (rubber)
63	98	588161	LH	1.44	FILLER, bar to body (rubber)
64	S.W. exc. F85	588198	RH	.92	FILLER, bar to body (rubber)
64	S.W. exc. F85	588199	LH	.92	FILLER, bar to body (rubber)
64	Exc. F85, 98 or S.W.	589026	RH	2.15	FILLER (rubber)
64	Exc. F85, 98 or S.W.	589027	LH	2.15	FILLER (rubber)
64	98	589424	RH	1.33	FILLER, upper (rubber)
64	98	589425	LH	1.33	FILLER, upper (rubber)
64	98	589044	RH	1.13	FILLER, lower (rubber)
64	98	589045	LH	1.13	FILLER, lower (rubber)
64	F85	588886	RH	.62	FILLER (rubber)
64	F85	588887	LH	.62	FILLER (rubber)
65	F85 S.W.	588886	RH	.62	FILLER (rubber)
65	F85 S.W.	588887	LH	.62	FILLER (rubber)
65	F85 exc. S.W.	388118	RH	2.82	FILLER (rubber)
65	F85 exc. S.W.	388119	LH	2.82	FILLER (rubber)
65	Exc. F85, 98	386694	RH	1.33	FILLER (rubber)
65	Exc. F85, 98	386695	LH	1.33	FILLER (rubber)
65	98	386696	RH	1.44	FILLER (rubber)
65	98	386697	LH	1.44	FILLER (rubber)
66	F85 exc. S.W.	390396	RH	.41	FILLER (rubber)
66	F85 exc. S.W.	390397	LH	.41	FILLER (rubber)
66	F85 S.W.	391362	RH	1.13	FILLER (rubber)
66	F85 S.W.	391363	LH	1.13	FILLER (rubber)
66	5200, 5400, 5600, 5800	390910	RH	.62	FILLER (rubber)
66	5200, 5400, 5600, 5800	390911	LH	.62	FILLER (rubber)
66	98	391192	RH	.62	FILLER (rubber)
66	98	391193	LH	.62	FILLER (rubber)
66-67	Tor.	393054	RH	1.33	FILLER (rubber)
66-67	Tor.	393055	LH	1.33	FILLER (rubber)
67	F85 exc. S.W. or V.C.	394488	RH	.67	FILLER (rubber)
67	F85 exc. S.W. or V.C.	394489	LH	.67	FILLER (rubber)
67	F85 S.W. or V.C.	391362	RH	1.13	FILLER (rubber)
67	F85 S.W. or V.C.	391363	LH	1.13	FILLER (rubber)
67	5200, 5400, 5600, 5800	395090	RH	.62	FILLER (rubber)
67	5200, 5400, 5600, 5800	395091	LH	.62	FILLER (rubber)
67-68	98	394222	RH	.62	FILLER (rubber)
67-68	98	394223	LH	.62	FILLER (rubber)
68	F85 exc. S.W. or V.C.	399476	RH	.46	FILLER (outer)
68	F85 exc. S.W. or V.C.	399477	LH	.46	FILLER (outer)
68-72	F85 S.W., V.C.	399910	RH	1.33	FILLER (outer)
68-72	F85 S.W., V.C.	399911	LH	1.33	FILLER (outer)
68	5400, 6400, 6600	399570	RH	.82	FILLER (outer)
68	5400, 6400, 6600	399571	LH	.82	FILLER (outer)
68-70	Tor.	398702	RH	1.23	FILLER (outer)
68-70	Tor.	398703	LH	1.23	FILLER (outer)
68	Tor.	401862	1	3.84	FILLER (center)
69	F85 exc. S.W. or V.C.	403012	RH	.62	FILLER (rubber)
69	F85 exc. S.W. or V.C.	403013	LH	.62	FILLER (rubber)
69-70	5400, 6400, 6600	402820	RH	1.13	FILLER (rubber)
69-70	5400, 6400, 6600	402821	LH	1.13	FILLER (rubber)
69-70	5400, 6400, 6600	403680	1	3.79	FILLER (rubber-61")
69-70	98	402784	RH	.82	FILLER (rubber)
69-70	98	402785	LH	.82	FILLER (rubber)
69-70	Tor.	402817	1	4.92	FILLER, bumper to body (58½")
70-71	3100, 3200, 3500, 3600, 4239, 4477-87 exc. S.W.	405936	RH	1.03	FILLER, bumper to body
70-71	3100, 3200, 3500, 3600, 4239, 4477-87 exc. S.W.	405937	LH	1.03	FILLER, bumper to body
70-71	4257-67, 4467	405938	RH	1.03	FILLER, bumper to body
70-71	4257-67, 4467	405939	LH	1.03	FILLER, bumper to body

71-72	6800	408990	RH	.67	FILLER, bumper to body
71-72	6800	408991	LH	.67	FILLER, bumper to body
71	98	408992	RH	.46	FILLER, bumper to body
71	98	408993	LH	.46	FILLER, bumper to body
71-72	Tor.	409423	1	.67	FILLER, bumper to body-center
71-72	Tor.	408946	RH	1.33	FILLER, bumper to body
71-72	Tor.	408947	LH	1.33	FILLER, bumper to body
72	3200, 3669-77-87, 4239	405936	RH	1.03	FILLER, bumper to body
72	3200, 3669-77-87, 4239	405937	LH	1.03	FILLER, bumper to body
72	4257-67	405938	RH	1.03	FILLER, bumper to body
72	4257-67	405939	LH	1.03	FILLER, bumper to body
73*	AF, AG, AJ29-57	411807	1		FILLER, bumper to body
73*	AJ35	331753	1		FILLER, bumper to body-center
73*	AJ35	331752	RH		FILLER, bumper to body-center
73*	AJ35	331751	LH		FILLER, bumper to body-center
73*	BL, BN	411948	1		FILLER, upper pri. bar
73*	All C	411792	1		FILLER, bumper to body
73*	All C	412052	1		FILLER, rear bumper outer bezel to lamp
73*	All C	412836	RH		FILLER, bar to 1/4 panel-Black-paint to match
73*	All C	412837	LH		FILLER, bar to 1/4 panel-Black-paint to match
71	All	410421	AR	.05	INSTRUCTIONS, for bumper drilling V36 opt.
71	5400, 6400, 6600	408193	1	1.03	PAD, rear bumper center
71-72	98	408100	1	1.03	PAD, rear bumper center
72	5400, 6400	408193	2	1.03	PAD, rear bumper center
61	Exc. F85	581437	4	.43	BOLT, bumper to frame
62-64	Exc. F85	581437	4	.43	BOLT, outer supt. to brkt.
63	F85	587047	2	.41	BOLT, rear end plug
63	F85	560137	4	.36	BOLT, bumper to brkt.
64	F85 (8.903)	9420595	4	.15	BOLT, bar to center reinf.
64-65	F85 (8.903)	9425343	6	.15	BOLT, bar to brkt. & brace
65	Exc. F85 (8.903)	9420595	4	.15	BOLT, bar to center reinf.
65	J88, D88, Delta, J/Star I, S/Fire (8.903)	9425343	2	.15	BOLT, bar to brace
65	Exc. F85 (8.900)	454991	4	.36	BDLT, bar to brkt.
66	All (8.903)	9425343	AR	.15	BOLT (7/16"-14 x 1" chrome rd. hd.)
66	Exc. F85 or Tor. (8.903)	9420595	2	.15	BOLT, bar to center reinf.
67	F85 or Tor. (8.903)	9425343	AR	.15	BOLT (7/16"-14 x 1" chrome rd. hd.)
67	Exc. F85, 98 or Tor. (8.903)	9425343	6	.15	BOLT (7/16"-14 x 1" stainless hd.)
68-72	F85 (8.903)	9425343	4	.15	BOLT (7/16"-14 x 1" stainless hd.)
70	98 (8.903)	9420744	2	.10	BOLT, bumper to outer brace
70	Tor. (8.903)	9420744	1	.10	BOLT, support to bumper
71-72	F85 (8.900)	9420595	2	.15	BDLT, bumper to center brace
71	6800 (7.874)	3955019	6	.25	BOLT, bumper to crossbar (7/16"-14 x 1 1/2")
71-72	6800 (7.874)	3955019	6	.25	BOLT, bumper to rear cross bar
71	6800 (8.903)	9420744	1	.10	BOLT, outer brace to bumper
48	98	419913	2	.15	NUT, bumper bar end plug spring
49-52	All	419913	2	.15	NUT, bumper bar end plug spring
54	All	419913	2	.15	NUT, bumper bar end plug spring
71	98, Tor. (8.921)	145486	AR	.05	NUT, insert to rear bumper
61-62	F85 (8.921)	9416030	4	.05	SPRING NUT, rear bumper bolt
66	Tor. (8.921)	9422265	10	.10	NUT, filler to frt. bumper
69-70	S.W., V.C. exc. dual act. T/Gate (8.921)	9424837	1	.10	NUT, rear bumper to baffle
70-71	All (8.915)	9414511	AR	.12	NUT, bumper brace & brkt. to frame
71	F85 (8.915)	451523	2	.15	NUT, center brace to bumper
71-72	6800	3764238	2	.15	"J" NUT, bumper to rear cross bar
71-72	6800	409281	2	.30	PLUG, rear bumper bolt hole
68-70	Tor. (10.695)	4876498	8	.10	FASTENER, center filler
69	5400, 6400, 6600 (10.695)	4876498	8	.10	FASTENER, body to rear center bumper filler
73*	All A	410166	1		REINF.
71	5400, 6400, 6600, 98	408099	2	.82	RETAINER, rear bumper center pad
73	BL, BN, C (1.274)	480534	AR	.10	RETAINER, filler to bar
73*	All E	413132	RH		RETAINER, bar to body-center
73*	All E	413133	LH		RETAINER, bar to body-center

(*1) When ordering for cars that do not have dual exhaust system also order (2) 568623 ornaments listed in group 7.832.

(*2)-This bar used on all 1959-88 models, also used on S88 models that have factory installed bumper ornaments or dealer installed round type back-up lamps.

(*3)-This bar used on all 1959-S88 models with factory installed "U" shaped back-up lamps only.

(*5)-This bar used on all 1959-98 models with factory installed "U" shaped back-up lamps only.

7.832 MOLDING-RETAINER-NUT, FRONT BUMPER

61	Exc. F85	581232	RH	3.33	MOLDING, lower
56	All	568792	8	.25	RETAINER, molding
61	Exc. F85 (8.921)	273811	6	.05	NUT, upper molding to bar

7.832 APPLIQUE-BEZEL-CLIP-EMBLEM-GASKET-INSERT-MOLDING-NAMEPLATE-ORNAMENT-PIN-PANEL-BOLT-RETAINER-NUT, REAR BUMPER BAR

70	6400	404661	1	.82	APPLIQUE, back up lamp bezel (R.H.-Custom)
70	6600	404662	1	1.18	APPLIQUE, back up lamp bezel (R.H.-Oldsmobile)
70	5400	404660	2	.72	APPLIQUE, back up lamp bezel (Plain)
70	6400, 6600	404660	1	.72	APPLIQUE, back up lamp bezel (L.H. only-Plain)
66	F85 V8 442 O.A.I.	397310	RH	16.25	BEZEL, front air intake
66	F85 V8 442 O.A.I.	397311	LH	16.25	BEZEL, front air intake
73*	All C	411912	2		BEZEL, rear bumper outer bar
63	88, S88, S/Fire	587383	2	.62	CLIP ASSY., ornament attach.
64	D88 S.W., 98	587383	2	.62	CLIP ASSY., ornament attach.
68	Tor.	230459	1	8.95	EMBLEM PKG., (front)
6B	Tor.	399632	1	.51	GASKET, front emblem
69	F85 exc. S.W. or V.C.	401471	1	2.87	INSERT, rear bar
65	S/Fire	386244	RH	4.41	MOLDING, lamp opening
65	S/Fire	386245	LH	4.41	MOLDING, lamp opening
65	98	386246	RH	4.25	MOLDING, lamp opening
65	98	386247	LH	4.25	MOLDING, lamp opening
66	98	390738	RH	5.02	MOLDING, B.U. lamp opening
66	98	390739	LH	5.02	MOLDING, B.U. lamp opening
67-68	98	394146	RH	3.90	MOLDING, tail lamp opening
67-68	98	394147	LH	3.90	MOLDING, tail lamp opening
71-72	6800, 98	407551	2	4.10	MOLDING, rear bumper lamp opening
68	6400, 6600	230407	1	9.35	NAMEPLATE PKG., rear ("Oldsmobile")
64	F85 (2.697)	589014	2	1.44	ORNAMENT
65	F85 S.W. (2.697)	589014	2	1.44	ORNAMENT
65	F85 exc. S.W.	3B666B	RH	1.69	ORNAMENT
65	F85 exc. S.W.	3B6669	LH	1.69	ORNAMENT
65	Exc. F85	387396	RH	1.54	ORNAMENT
69	F85 exc. S.W. or V.C.	401472	14	.15	PIN, filler retg.
69-70	Tor.	401943	1	25.50	PANEL, rear bumper center
71-72	Tor.	407583	1	26.65	PANEL, rear bumper center
71	Tor.	407584	2	.20	BOLT, center panel to rear bumper
65	F85 exc. S.W.	3B6442	2	.46	RETAINER, ornament
62	3200, 3500, 3600, 3800 (8.917)	9411638	8	.05	NUT, frt. bumper to brace & fender
63	88, S88, S/Fire (1.266)	569796	2	.10	NUT, orn. to bumper
64	D88 S.W., 98 (1.266)	569796	2	.10	NUT, orn. to bumper
65	S/Fire, 98 (8.921)	273329	2	.10	NUT, lamp opening mldg.
67	98 (8.921)	9419B41	8	.05	NUT, mldg. to bumper (stamped)
71-72	6800, 98 (8.921)	9419B41	10	.05	NUT, mldg. to rear bumper
72	F85 V36 (8.921)	9419B41	AR	.05	NUT, insert to bumper guard
72	Tor. (8.921)	9419B41	AR	.05	NUT, insert to bumper

7.833 BUMPER-DEFLECTOR-EXTENSION-FILLER-CLIP-LINER-MOLDING-PANEL-NUT-RETAINER-SCREW-SEAL-SHIELD, FRONT BUMPER GRAVEL

69	F85	402877	1	.10	BUMPER, center stone shield (rubber)
60	All	577370	1	9.35	DEFLECTOR, front gravel
61	F85	579284	1	24.10	DEFLECTOR (front)
61	Exc. F85	579934	1	21.60	DEFLECTOR, front gravel
62	F85 exc. J/Fire C.A.C.	5B414B	1	24.70	DEFLECTOR (front)
62	Exc. F85	583446	1	13.25	DEFLECTOR, front gravel
63	Exc. F85	587183	1	11.00	DEFLECTOR, front gravel (alum.)
63	F85	587118	1	18.55	DEFLECTOR (front)
64	F85	5B9240	1	10.85	DEFLECTOR (front)
64	Exc. F85	3B4379	1	19.40	DEFLECTOR (front)

65	F85	589902	RH	4.46	DEFLECTOR (front)
65	F85	589903	LH	4.46	DEFLECTOR (front)
66	F85	390754	RH	5.40	DEFLECTOR (lower)
66	F85	390755	LH	5.40	DEFLECTOR (lower)
66	F85	390866	RH	3.64	DEFLECTOR (upper)
66	F85	390867	LH	3.64	DEFLECTOR (upper)
66	98	390913	1	7.40	DEFLECTOR
61	Exc. F85	579932	RH	6.90	EXTENSION, front deflector
61	Exc. F85	579933	LH	6.90	EXTENSION, front deflector
62	Exc. F85	583444	RH	5.15	EXTENSION, front deflector
62	Exc. F85	583445	LH	5.15	EXTENSION, front deflector
63	Exc. F85	587176	RH	3.38	EXTENSION, front deflector
63	Exc. F85	587177	LH	3.38	EXTENSION, front deflector
63	Exc. F85	587178	RH	2.31	EXTENSION, front deflector
63	Exc. F85	587179	LH	2.31	EXTENSION, front deflector
63	F85	587084	RH	1.79	EXTENSION, front shield
63	F85	587085	LH	1.79	EXTENSION, front shield
64	F85	382410	RH	5.85	EXTENSION, front
64	F85	382411	LH	5.85	EXTENSION, front
64	Exc. F85	588608	RH	3.79	EXTENSION, front (upper)
64	Exc. F85	588609	LH	3.79	EXTENSION, front (upper)
64	Exc. F85	588590	RH	3.79	EXTENSION, front (lower)
64	Exc. F85	588591	LH	3.79	EXTENSION, front (lower)
65	F85	589906	RH	5.07	EXTENSION, front deflector
65	F85	589907	LH	5.07	EXTENSION, front deflector
67	F85	393972	RH	2.41	EXTENSION, shield
67	F85	393973	LH	2.41	EXTENSION, shield
67	Exc. F85 or Tor.	397016	RH	3.18	FILLER, shield
67	Exc. F85 or Tor.	397017	LH	3.18	FILLER, shield
72	5400, 6400, 6800, 98 (*2)	411112	RH	3.02	FILLER, bar to park lamp-Black (paint to match)
72	5400, 6400, 6800, 98 (*2)	411113	LH	3.02	FILLER, bar to park lamp-Black (paint to match)
	(*2) When painting use Primer, Elastomeric Paint and Top Coat Paint listed in Group 8.800.				
62	Exc. F85 (8.147)	519730	2	.10	CLIP, deflector to fender
68	Exc. F85 or Tor.	401897	2	.10	CLIP, shield to fender exten. ("U" type 3/8")
72	5400, 6400, 6800, 98	411700	6	.10	CLIP, filler to reinf.-T shaped
71	Exc. F85 or Tor.	407220	RH	2.31	LINER, stone shield to grille
71	Exc. F85 or Tor.	407221	LH	2.31	LINER, stone shield to grille
63	F85	381748	1	9.45	MLDG. PKG., front gravel shield
68-69	Tor.	397976	1	62.25	PANEL, valance-steel
70	Tor. (*1)	405304	1	58.45	PANEL, valance-plastic
	(*1) For repair use Fiberglass Repair Kit listed in Group 8.800.				
63	Exc. F85 (8.143)	586522	10	.10	NUT, deflector to baffle
64	Exc. F85 (8.143)	384085	5	.10	NUT, deflector attach. (1/4"-14)
66	98 (8.921)	9422552	10	.05	J NUT, deflector to grille & extension (8-18)
66	F85 (1.266)	390647	8	.10	NUT, deflector
63-64	S.W. exc. F85	588279	1	8.95	RETAINER, rear bumper seal
71	Exc. F85 or Tor. (1.277)	3960314	2	.10	SCREW, grille to liner to stone shield
63-64	S.W. exc. F85	588278	1	5.60	SEAL, rear bumper (rubber)
67	F85	393970	1	10.80	SHIELD, stone
67	Exc. F85 or Tor.	394574	RH	4.10	SHIELD, stone
67	Exc. F85 or Tor.	394575	LH	4.10	SHIELD, stone
68	Exc. F85 or Tor.	397780	RH	3.90	SHIELD, stone
68	Exc. F85 or Tor.	397781	LH	3.90	SHIELD, stone
68-69	Tor.	398588	RH	5.95	SHIELD, stone (below grille)
68-69	Tor.	398589	LH	5.95	SHIELD, stone (below grille)
69	F85	402086	1	1.49	SHIELD, stone (center)
69	Exc. F85 or Tor.	401742	RH	4.15	SHIELD, stone
69	Exc. F85 or Tor.	401743	LH	4.15	SHIELD, stone
69	Exc. F85 or Tor.	402108	1	2.82	SHIELD, stone (center)
70	Exc. F85 or Tor.	405128	RH	4.00	SHIELD, stone
70	Exc. F85 or Tor.	405129	LH	4.00	SHIELD, stone
70	Tor.	405388	RH	4.20	SHIELD, stone
70	Tor.	405389	LH	4.20	SHIELD, stone
71	Exc. F85 or Tor.	406870	1	10.75	SHIELD, front stone
71-72	F85	410642	1	2.82	SHIELD, stone

7.836 BAFFLE-BAR-BRACE, FRONT BUMPER BAR ATTACHING

64-65	F85	589316	RH	3.02	BAFFLE (to fender)
64-65	F85	589317	LH	3.02	BAFFLE (to fender)
72	5400, 6400, 6800, 98	410419	1	5.65	BAR, frt. bumper tension
62	Exc. F85	583590	RH	2.77	BRACE, bar to frame brkt.
64	F85	589314	RH	1.49	BRACE (outer)
64	F85	589315	LH	1.49	BRACE (outer)
64	Exc. F85	589168	RH	3.08	BRACE (outer)
64	Exc. F85	589169	LH	3.08	BRACE (outer)
65	F85	589984	RH	1.90	BRACE (outer)
65	F85	589985	LH	1.90	BRACE (outer)
65	Exc. F85	388730	RH	3.90	BRACE (outer)
65	Exc. F85	388731	LH	3.90	BRACE (outer)
66	F85 (2.587)	390610	RH	3.49	BRACE
66	F85 (2.587)	390611	LH	3.49	BRACE
66	Exc. F85 or Tor.	393882	RH	4.92	BRACE, (to frame)
66	Exc. F85 or Tor.	393883	LH	4.92	BRACE, (to frame)
66-67	Tor.	393368	RH	2.82	BRACE, (outer)
66-67	Tor.	393369	LH	2.82	BRACE, (outer)
67	F85	396698	RH	4.10	BRACE, (outer)
67	F85	396699	LH	4.10	BRACE, (outer)
67	Exc. F85 or Tor.	394444	RH	3.54	BRACE, (center)
67	Exc. F85 or Tor.	394445	LH	3.54	BRACE, (center)
67	Exc. F85 or Tor.	394236	RH	3.84	BRACE, (to frame)
67	Exc. F85 or Tor.	394237	LH	3.84	BRACE, (to frame)
68	F85	404832	RH	1.74	BRACE, (upper outer)
68	F85	401249	LH	1.85	BRACE, (upper outer)
68	F85	401250	2	.92	BRACE, (lower outer)
68	Exc. F85 or Tor.	397720	RH	3.64	BRACE, (center)
68	Exc. F85 or Tor.	397721	LH	3.64	BRACE, (center)
68	F85	401010	RH	1.69	BRACE, (center)
68	F85	401011	LH	1.69	BRACE, (center)
68	Exc. F85 or Tor.	397722	RH	3.18	BRACE, (outer)
68	Exc. F85 or Tor.	397723	LH	3.18	BRACE, (outer)
68	Tor.	399099	1	4.20	BRACE, (center)
68-69	Tor.	399380	RH	2.92	BRACE (outer)
68-69	Tor.	399381	LH	2.92	BRACE (outer)
68-69	Tor.	400949	1	.87	BRACE, valance panel to supt.
69	F85	401617	2	.82	BRACE (lower outer)
69	F85	401622	RH	1.79	BRACE (brkt. to bar)
69	F85	401623	LH	1.79	BRACE (brkt. to bar)
69	F85	401620	RH	1.54	BRACE (center)
69	F85	401621	LH	1.54	BRACE (center)
69	Exc. F85 or Tor.	402200	RH	5.85	BRACE (bumper to frame-outer)
69	Exc. F85 or Tor.	402201	LH	5.85	BRACE (bumper to frame-outer)
69	Exc. F85 or Tor.	403720	RH	4.25	BRACE (center)
69	Exc. F85 or Tor.	403721	LH	4.25	BRACE (center)
69	Tor.	403892	RH	4.25	BRACE (center)
70-72	F85	404832	RH	1.74	BRACE (upper)
70-72	F85	404833	LH	1.74	BRACE (upper)
70-72	F85	404798	RH	1.59	BRACE (center)
70-72	F85	404799	LH	1.59	BRACE (center)
70	F85	404767	2	.87	BRACE (lower outer)
70	Exc. F85 or Tor.	404980	RH	1.59	BRACE (lower-outer)
70	Exc. F85 or Tor.	404981	LH	1.59	BRACE (lower-outer)
70	Exc. F85 or Tor.	404978	RH	2.15	BRACE (upper-outer)
70	Exc. F85 or Tor.	404979	LH	2.15	BRACE (upper-outer)
70	Tor.	405602	RH	7.25	BRACE (bumper)
70	Tor.	405603	LH	7.25	BRACE (bumper)
70	Tor.	405474	1	4.51	BRACE (center)
71-72	F85	406778	2	.87	BRACE (outer-lower)
71	Exc. F85 or Tor.	407284	RH	1.54	BRACE (outer)
71	Exc. F85 or Tor.	407285	LH	1.54	BRACE (outer)
71	Exc. F85 or Tor.	409252	RH	4.20	BRACE (center)
71	Exc. F85 or Tor.	409253	LH	4.20	BRACE (center)
71-72	Tor.	407278	RH	7.10	BRACE (outer)
71-72	Tor.	407279	LH	7.10	BRACE (outer)
71-72	Tor.	407719	1	3.02	BRACE (center)
72	5400, 6400, 6800, 98	410415	2	5.07	BRACE (outer)
72	5400, 6400, 6800, 98	411506	RH	5.65	BRACE (center)
72	5400, 6400, 6800, 98	411507	LH	5.65	BRACE (center)

7.836 BRACKET, FRONT BUMPER BAR ATTACHING

60	All	577567	LH	5.45	BRACKET, frt. to frame
----	-----	--------	----	------	------------------------

61	Exc. F85	579649	LH	5.85	BRACKET, bumper to frame
61-62	F85	578884	RH	2.15	BRACKET, inner
61-62	F85	578885	LH	2.15	BRACKET, inner
61-62	F85	578886	RH	2.15	BRACKET, outer
61-62	F85	578887	LH	2.15	BRACKET, outer
62	Exc. F85	585297	2	2.15	BRACKET ASSY., brace to fdr.
62-63	Exc. F85	583814	RH	5.50	BRACKET, frt. bar to frame
62-63	Exc. F85	583815	LH	5.50	BRACKET, frt. bar to frame
63	F85	586530	RH	3.69	BRACKET, bumper to rail
63	F85	586531	LH	3.69	BRACKET, bumper to rail
64	F85	589284	RH	6.65	BRACKET
64	F85	589285	LH	6.65	BRACKET
64	Exc. F85	588586	RH	6.40	BRACKET
64	Exc. F85	588587	LH	6.40	BRACKET
65	F85	589982	RH	7.10	BRACKET
65	F85	589983	LH	7.10	BRACKET
65	Exc. F85	386248	RH	7.25	BRACKET
65	Exc. F85	386249	LH	7.25	BRACKET
66	F85	390648	RH	4.72	BRACKET, (to frame)
66	F85	390649	LH	4.72	BRACKET, (to frame)
66	Exc. F85 or Tor.	390766	RH	7.25	BRACKET, (to frame)
66	Exc. F85 or Tor.	390767	LH	7.25	BRACKET, (to frame)
66-67	Tor.	389396	RH	11.60	BRACKET, (to frame)
66-67	Tor.	389397	LH	11.60	BRACKET, (to frame)
67	F85	393778	RH	5.20	BRACKET, (to frame)
67	F85	393779	LH	5.20	BRACKET, (to frame)
67	Exc. F85 or Tor.	393978	RH	8.45	BRACKET, (to frame)
67	Exc. F85 or Tor.	393979	LH	8.45	BRACKET, (to frame)
68	F85	397894	RH	5.60	BRACKET, (to frame)
68	F85	397895	LH	5.60	BRACKET, (to frame)
68	Exc. F85 or Tor.	397594	RH	8.30	BRACKET, (to frame)
68	Exc. F85 or Tor.	397595	LH	8.30	BRACKET, (to frame)
68-69	Tor.	401944	RH	7.95	BRACKET, (to frame)
68-69	Tor.	401945	LH	7.95	BRACKET, (to frame)
69	F85	401618	RH	6.35	BRACKET (to frame)
69	F85	401619	LH	6.35	BRACKET (to frame)
69	Exc. F85 or Tor.	401890	RH	9.55	BRACKET (to frame)
69	Exc. F85 or Tor.	401891	LH	9.55	BRACKET (to frame)
70	F85	404796	RH	7.55	BRACKET (to frame)
70	F85	404797	LH	7.55	BRACKET (to frame)
70	Exc. F85 or Tor.	404800	RH	4.92	BRACKET (to frame)
70	Exc. F85 or Tor.	404801	LH	4.92	BRACKET (to frame)
70	Tor.	405682	RH	7.80	BRACKET (to frame)
70	Tor.	405683	LH	7.80	BRACKET (to frame)
70	Tor.	405476	1	3.08	BRACKET (Valance to center supt.)
71-72	F85	406776	RH	7.45	BRACKET, bumper to frame
71-72	F85	406777	LH	7.45	BRACKET, bumper to frame
71	Exc. F85 or Tor.	407280	RH	4.87	BRACKET, bumper to frame
71	Exc. F85 or Tor.	407281	LH	4.87	BRACKET, bumper to frame
71-72	Tor.	407208	RH	7.70	BRACKET, bumper to frame
71-72	Tor.	407209	LH	7.70	BRACKET, bumper to frame
72	5400, 6400, 6800, 98	410412	RH	5.40	BRACKET, bumper to frame
72	5400, 6400, 6800, 98	410413	LH	5.40	BRACKET, bumper to frame
72	5400, 6400, 6800, 98	410418	1	5.07	BRACKET, bumper-center
73*	All A	411778	2		BRACKET, bumper
73*	All A	411894	RH		BRACKET, energy abs.
73*	All A	411895	LH		BRACKET, energy abs.
73*	All B, C	411780	RH		BRACKET, energy abs.
73*	All B, C	411781	LH		BRACKET, energy abs.
73*	All B, C	412624	2		BRACKET, bumper
73*	All E	412971	2		BRACKET, jacking
73*	All E	412625	2		BRACKET, bumper

7.836 BOLT-CABLE-COVER-NUT-REINFORCEMENT-SHIM-SPACER-SUPPORT-WASHER, FRONT BUMPER BAR ATTACHING

61	Exc. F85 (7.831)	584268	4	.46	BOLT, frame to bumper brkt.
64	F85	384057	4	.15	BOLT, bumper reinf. to bracket (1/2"-13 x 1 1/8")
65-66	All	386923	4	.46	BOLT, bracket (1/2"-13 x 1 1/4")
66-67	Exc. F85 or Tor.	384057	2	.15	BOLT, frame to frt. bumper brace (1/2"-13 x 1 1/8")
65-67	All (8.903)	9425343	6	.15	BOLT, brkt. to bar & brace to exten. (round head)
68	F85	401042	2	.10	BOLT, center brace to primary bar
68-72	F85 (8.900)	427566	2	5/87	BOLT, center brace & brkt. to frame
68-69	Exc. F85 or Tor.	384057	2	.15	BOLT, center brace to frame (1/2"-13 x 1 1/8")
70	Tor. (8.900)	427566	AR	5/87	BOLT, center brace & bracket to frame
71	All (8.900)	427566	AR	5/87	BOLT, center brace & bracket to frame
68-69	Exc. F85 or Tor.	401745	2	.15	BOLT, brace (1/2"-13 x 7/8" rd. head)
68-72	All	384057	4-6	.15	BOLT, bracket to frame

70	F85 (8.900)	179856	2	.15	BOLT, center brace to bumper
70	Tor. (8.903)	9425343	3	.15	BOLT, center brace to frame & outer brace to bracket
70-71	All (8.900)	454932	AR	.15	BOLT, braces & brackets to bumper
70-71	Exc. F85 or Tor. (8.900)	454998	4	.10	BOLT, front bumper bracket to bar
67-72	All (8.903)	9425343	AR	.15	BOLT (7/16"-14 x 1)
71-72	Exc. F85 (8.900)	454932	4	.15	BOLT, brace to frame
71-72	Tor.	384057	2	.15	BOLT, outer brace to frame
71-72	Tor.	384057	2	.15	BOLT, center brace to rad. supt.
72	F85 (8.900)	454932	AR	.15	BOLT, brace & brkt. to bar-7/16"-14 x 1
72	F85, 98, Tor.	384057	4	.15	BOLT
73*	All A, B, C, E	413041	2		BOLT, abs. to bar-5/8-11 x 4.75
72	5400, 6400, 6800, 98	411921	2	1.35	CABLE, bumper to frame
70	Tor.	405819	1	.72	COVER, center reinf.-Polyvinyl
62	Exc. F85 (8.917)	9411638	8	.05	NUT, brkt. to brace & fdr.
67	F85	397785	1	.82	NUT, center support sealing (3/16"-18 thd. x 3/8" thick-rubber clad)
69	5400, 6400, 6600, 98 (8.915)	9424985	AR	.15	NUT, brkt. & support or brace attach.
69	Tor. (1.276)	404492	1	.20	NUT, brace to valance panel
70-72	All (8.915)	9414511	AR	.12	NUT, bumper brace & brkt. to frame (1/2"-13)
70-72	All (8.915)	9424985	AR	.15	NUT, bumper brace & brkt. to frame (7/16"-14)
66-69	Exc. F85 or Tor. (5.812)	554544	2-4	.20	SPRING NUT, brace to frame
63	Exc. F85	586500	RH	7.95	REINF. ASSY.
63	Exc. F85	586501	LH	7.95	REINF. ASSY.
64	F85	588578	RH	3.43	REINF.
64	F85	588579	LH	3.43	REINF.
65	Exc. F85	389074	RH	5.65	REINF., outer
65	Exc. F85	389075	LH	5.65	REINF., outer
66	Exc. F85 or Tor.	393668	2	.30	REINF., center to outer bar
66-67	Tor.	389398	RH	1.33	REINF., outer bar
66-67	Tor.	389399	LH	1.33	REINF., outer bar
67	Exc. F85 or Tor.	394288	RH	1.23	REINF., joint (inner)
67	Exc. F85 or Tor.	394289	LH	1.23	REINF., joint (inner)
67	Exc. F85 or Tor.	397606	RH	1.33	REINF., joint (outer)
67	Exc. F85 or Tor.	397607	LH	1.33	REINF., joint (outer)
69	Exc. F85 or Tor.	402069	1	7.90	REINF. (center)
73*	AF, AG	411768	1		REINF., frt. bar-front
73*	AF, AG	411769	1		REINF., frt. bar-rear
73*	AF, AG	411969	1		REINF.
73*	AJ	411867	1		REINF.
73*	All B, C	411772	1		REINF.
72	5400, 6400, 6800, 98	411386	AR	.20	SHIM, bar to frame-.115"
71	Exc. F85 or Tor.	409515	2	.20	SPACER, outer bumper brace
73*	All A, B, C, E	411830	2		SPACER, absorber to brkt.
63	F85	4886914	RH	.92	SUPPORT, front bumper
63	F85	4886915	LH	.92	SUPPORT, front bumper
66	Exc. F85 or Tor.	393884	RH	1.33	SUPPORT, (to brace)
66	Exc. F85 or Tor.	393885	LH	1.33	SUPPORT, (to brace)
67	F85	398213	1	2.10	SUPPORT, (center)
71-72	Tor.	407196	RH	10.20	SUPPORT, frt. bumper lower grille-painted Black
71-72	Tor.	407197	LH	10.20	SUPPORT, frt. bumper lower grille-painted Black
72	5400, 6400, 6800, 98	411698	RH	.25	SUPPORT, bumper to park lamp filler
72	5400, 6400, 6800, 98	411699	LH	.25	SUPPORT, bumper to park lamp filler
61	Exc. F85	580760	AR		WASHER, bumper to frame
64	Exc. F85	580760	AR		WASHER, bumper to frame
64	F85	1362249	AR	.15	WASHER, brkt. to frame
65-72	All (7.838)	1362249	AR	.15	WASHER (serrated)
69-72	F85 S.W. & V.C. (9.011)	3859708	2	.15	WASHER, center bumper support to frame

7.836 BRACE, REAR BUMPER ATTACHING

64-65	F85 exc. S.W.	588932	2	2.56	BRACE (outer)
64-65	F85 S.W.	588930	RH	2.15	BRACE (outer)
64-65	F85 S.W.	588931	LH	2.15	BRACE (outer)
65	Exc. F85 or 98	589860	RH	3.33	BRACE (outer)
65	Exc. F85 or 98	589861	LH	3.33	BRACE (outer)
66	F85 exc. S.W.	392806	RH	1.59	BRACE (outer)
66	F85 exc. S.W.	392807	LH	1.59	BRACE (outer)
66	5200, 5400, 5600, 5800	390416	RH	3.69	BRACE (outer)
66	5200, 5400, 5600, 5800	390417	LH	3.69	BRACE (outer)

66-67	F85 S.W.	392044	RH	2.56	BRACE (outer)
66-67	F85 S.W.	392045	LH	2.56	BRACE (outer)
67	5200, 5600, 5800	393818	RH	2.36	BRACE (outer)
67	5200, 5600, 5800	393819	LH	2.36	BRACE (outer)
67	5400	393810	RH	2.36	BRACE (outer)
67	5400	393811	LH	2.36	BRACE (outer)
67-68	98	393816	2	2.36	BRACE (outer)
68-69	S.W., V.C.	398710	RH	1.95	BRACE (outer)
68-69	S.W., V.C.	398711	LH	1.95	BRACE (outer)
68	5400, 6400, 6600	399712	RH	1.33	BRACE (outer)
68	5400, 6400, 6600	399713	LH	1.33	BRACE (outer)
69-70	98	402488	2	1.08	BRACE (outer)
70-72	F85 S.W. or V.C.	404870	RH	2.05	BRACE (outer)
70-72	F85 S.W. or V.C.	404871	LH	2.05	BRACE (outer)

7.836 BRACKET, REAR BUMPER ATTACHING

61	S.W. exc. F85	580481	LH	4.61	BRACKET, bumper to frame
61-62	F85	579222	2	2.05	BRACKET
62	Exc. S.W. or F85	583343	LH	3.84	BRACKET, bumper to frame
63	F85 exc. S.W.	586532	RH	3.18	BRACKET
63	F85 exc. S.W.	586533	LH	3.18	BRACKET
63-64	Exc. S.W. or F85	586944	RH	5.55	BRACKET
63-64	Exc. S.W. or F85	586945	LH	5.55	BRACKET
63-64	S.W. exc. F85	380072	RH	7.40	BRACKET
63-64	S.W. exc. F85	587073	LH	5.15	BRACKET
64	F85 exc. S.W.	588620	RH	3.18	BRACKET
64	F85 exc. S.W.	588621	LH	3.18	BRACKET
64	Exc. F85 or S.W.	588589	1	1.03	BRACKET, center support
64-65	F85 S.W.	588622	RH	2.26	BRACKET
64-65	F85 S.W.	588623	LH	2.26	BRACKET
65	F85 exc. S.W.	589976	RH	3.64	BRACKET
65	F85 exc. S.W.	589977	LH	3.64	BRACKET
65	Exc. F85	589856	RH	6.45	BRACKET, outer
65	Exc. F85	589857	LH	6.45	BRACKET, outer
65	Exc. F85	589996	RH	1.49	BRACKET, center
65	Exc. F85	589997	LH	1.49	BRACKET, center
66	F85 exc. S.W.	390394	RH	3.18	BRACKET
66	F85 exc. S.W.	390395	LH	3.18	BRACKET
66	5200, 5400, 5600, 5800	589996	RH	1.49	BRACKET, (to supt.)
66	5200, 5400, 5600, 5800	589997	LH	1.49	BRACKET, (to supt.)
66	5200, 5400, 5600, 5800	390316	RH	9.85	BRACKET, (to frame)
66	5200, 5400, 5600, 5800	390317	LH	9.85	BRACKET, (to frame)
66	98	390542	RH	1.59	BRACKET, (to supt.)
66	98	390543	LH	1.59	BRACKET, (to supt.)
66	98	390784	RH	5.50	BRACKET, (to frame)
66	98	390785	LH	5.50	BRACKET, (to frame)
66-67	F85 S.W.	392042	RH	3.90	BRACKET
66-67	F85 S.W.	392043	LH	3.90	BRACKET
66-67	Tor.	389728	RH	6.85	BRACKET
66-67	Tor.	389729	LH	6.85	BRACKET
67	F85 exc. S.W. or V.C.	393628	RH	3.02	BRACKET, (to frame)
67	F85 exc. S.W. or V.C.	393629	LH	3.02	BRACKET, (to frame)
67	5200, 5600, 5800	393630	RH	8.35	BRACKET, (to frame)
67	5200, 5600, 5800	393631	LH	8.35	BRACKET, (to frame)
67	5200, 5400, 5600, 5800	393635	2	2.61	BRACKET, (center)
67	5400	393808	RH	8.60	BRACKET, (to frame)
67	5400	393809	LH	8.60	BRACKET, (to frame)
67	98	399160	RH	6.90	BRACKET, (to frame)
67	98	399161	LH	6.90	BRACKET, (to frame)
68-70	S.W., V.C. exc. Dual Action Tail Gate	398330	RH	6.75	BRACKET (to frame)
68-72	F85 S.W., V.C.	398331	LH	6.75	BRACKET (to frame)
68	F85 exc. S.W., V.C. or 442	398240	RH	4.66	BRACKET, (to frame)
68	F85 exc. S.W., V.C. or 442	398241	LH	4.66	BRACKET, (to frame)
68	442	399844	RH	5.45	BRACKET, (to frame)
68	442	399845	LH	5.45	BRACKET, (to frame)
68	5400, 6400, 6600	397934	RH	7.85	BRACKET, (to frame)
68	5400, 6400, 6600	397935	LH	7.85	BRACKET, (to frame)
68	98	399160	RH	6.90	BRACKET, (to frame)
68	98	399161	LH	6.90	BRACKET, (to frame)
68	Tor.	398332	RH	6.90	BRACKET, (to body)
68	Tor.	398333	LH	6.90	BRACKET, (to body)
69	F85 exc. 442, S.W. or V.C.	402338	RH	5.60	BRACKET (to frame)

69	F85 exc. 442, S.W. or V.C.	402339	LH	5.60	BRACKET (to frame)
69	442	402366	RH	5.95	BRACKET (to frame)
69	442	402367	LH	5.95	BRACKET (to frame)
69-70	F85 S.W. or V.C., Dual Act. T.G.	403652	RH	9.00	BRACKET (to frame)
69-70	5400, 6400, 6600	402098	RH	6.60	BRACKET (to frame)
69-70	5400, 6400, 6600	402099	LH	6.60	BRACKET (to frame)
69-70	98	401726	RH	7.80	BRACKET (to frame)
69-70	98	401727	LH	7.80	BRACKET (to frame)
69-70	Tor.	402184	RH	8.00	BRACKET (to body)
69-70	Tor.	402185	LH	8.00	BRACKET (to body)
70-72	F85 exc. S.W. or V.C.	404330	RH	6.00	BRACKET, bumper to frame
70-72	F85 exc. S.W. or V.C.	404331	LH	6.00	BRACKET, bumper to frame
71	5400, 6400, 6600	407174	RH	6.65	BRACKET, bumper to frame
71	5400, 6400, 6600	407175	LH	6.65	BRACKET, bumper to frame
71-72	98	407282	RH	7.70	BRACKET, bumper to frame
71-72	98	407283	LH	7.70	BRACKET, bumper to frame
71-72	6800	409124	2	4.61	BRACKET, bumper to body
71-72	Tor.	407340	RH	7.95	BRACKET, bumper to frame
71-72	Tor.	407341	LH	7.95	BRACKET, bumper to frame
71-72	F85 S.W., 4800	403652	RH	9.00	BRACKET, bumper to frame
72	5400, 6400	410060	RH	6.65	BRACKET, bumper to frame
72	5400, 6400	410061	LH	6.65	BRACKET, bumper to frame
73*	All X	327503	LH		BRACKET
73*	All X	327504	RH		BRACKET
73*	AF, AG, AJ29-57	412696	RH		BRACKET
73*	AF, AG, AJ29-57	412697	LH		BRACKET
73*	BL, BN	412694	RH		BRACKET
73*	BL, BN	412695	LH		BRACKET
73*	All C	412698	RH		BRACKET
73*	All C	412699	LH		BRACKET
73*	All E	412700	RH		BRACKET
73*	All E	412701	LH		BRACKET

7.836 BOLT, REAR BUMPER ATTACHING

61-64	Exc. F85 (7.831)	584268	4	.46	BOLT, frame to outer brkt.
64	Exc. F85 or S.W. (8.903)	9420744	2	.10	BOLT, brkts. & supt. to frame
65	Exc. F85 (8.900)	454991	4	.36	BOLT, bar to brkt.
66	F85 exc. S.W. (8.903)	9420595	2	.15	BOLT, brkt. to brace
66	5200, 5400, 5600, 5800	384057	2	.15	BOLT, bumper brace to bracket
66	98 (8.900)	454991	4	.36	BOLT, brkt. (1/2"-13 x 1 1/8" anchor head)
65-67	All	386923	4	.46	BOLT, brace & bracket (1/2"-13 x 1 1/4")
65-67	Exc. F85 or Tor.	384057	2	.15	BOLT, bumper center to frame (1/2"-13 x 1 1/8" rd. hd.)
66-68	Tor. (8.900)	9419107	2	.07	BOLT, rear bumper bracket to frame
66-68	Tor. (8.900)	9419107	2	.07	BOLT, brkt. to frame (1/2"-13 x 2 1/4")
67	Exc. F85 or Tor. (8.903)	9425343	AR	.15	BOLT, brace to bar
68	F85 (8.903)	9425343	8	.15	BOLT, brkt. to bar
68-71	F85 (8.900)	427566	AR	5/87	BOLT, center brace & bracket to frame
68-71	Exc. Tor.	384057	4	.15	BOLT, bumper bracket to frame
69-70	All (8.903)	9425343	4	.15	BOLT, brkt. to bar
70	98 (8.900)	9420744	2	.10	BOLT, outer brace to bar
70	Tor. (8.900)	427566	AR	5/87	BOLT, center brace & bracket to frame
70	Tor. (8.900)	9419107	2	.07	BOLT, rear bumper bracket to frame

7.836 CLIP-NUT-PLUG-SCREW-SHIM, REAR BUMPER ATTACHING

70	Tor. (2.575)	404898	4	.20	CLIP, rear side marker lamp to bumper
70	Tor. (8.900)	9420744	1	.10	BOLT, supt. to rear brkt.
71-72	6800 (8.900)	9420744	2	.10	BOLT, outer brace to bar
61-64	Exc. F85 (8.921)	9416030	1	.05	NUT, center supt. brkt. bolt spring
66-68	Tor. (1.266)	390647	1	.10	NUT, rear bumper to frame
67-68	98	399096	2	.15	NUT, supt. to frame ("U" type)
70-72	All (8.915)	9424985	AR	.15	NUT, 7/16"-14
69-70	98	6277615	2	.36	PLUG, rear end panel access hole to bumper (rubber)
64	F85 exc. S.W.	588614	1	1.33	REINF., center
65	Exc. F85	589855	1	1.59	REINF., center
66	5200, 5400, 5600, 5800	390318	1	1.64	REINF., (center)
66	98	390566	1	1.64	REINF., (center)
67	5200, 5400, 5600, 5800	393636	2	1.85	REINF., (center)
73*	BL, BN	411471	1		REINF.
73*	All C	411436	1		REINF.
73*	All E	412099	1		REINF.

70	S.W. & V.C. exc. dual ac- tion gate (8.977)	9420721	1	.05	SCREW, baffle to bumper
70-71	S.W., V.C. w/C28 Opt. (8.977)	9423284	AR	.05	SCREW, support to bumper & cover assy. to T/gate .
70-71	All (8.977)	9414752	AR	.10	SCREW
66-69	Tor. (6.178)	569033	AR	.20	SHIM, brkt. to frame (.050")
66-69	Tor. (6.178)	569032	AR	.20	SHIM, brkt. to frame (.120")
66-69	Tor. (6.178)	569034	AR	.20	SHIM, brkt. to frame (.020")

7.836 SUPPORT, REAR BUMPER ATTACHING

62	Exc. F85 or S.W.	583344	1	2.00	SUPPORT, center
64	98	588592	1	1.69	SUPPORT, center
65-66	5200, 5400, 5600, 5800	386915	2	.82	SUPPORT, (center)
66	98	391383	2	2.77	SUPPORT, (center)
67-68	98	397263	2	.41	SUPPORT, (lower)
68	5400, 6400, 6600	398830	2	.67	SUPPORT, (to rear cross member)
69-70	S.W. or V.C. Dual Act. T.G.	403583	1	2.00	SUPPORT (Center)
69-72	S.W. or V.C. Dual Act. T.G.	8732952	1	5.50	SUPPORT, filler cap on gate
69-70	Tor.	402139	1	1.13	SUPPORT (center)
71-72	F85 S.W. & V.C.	403583	1	2.00	SUPPORT (center)

7.836 WASHER, REAR BUMPER ATTACHING

64	F85 (7.838)	1362249	AR	.15	WASHER, brkt. to frame
65-70	Exc. Tor. (7.838)	1362249	AR	.15	WASHER (serrated)
66-70	Tor.	389727	4	.25	WASHER (Serrated)
70	Tor.	404304	AR	.20	WASHER, rear bumper brkt. to frame
71-72	All (7.838)	1362249	AR	.15	WASHER, brkt. to frame
71-72	6800	531315	6	.10	WASHER, bumper to rear cross bar

7.865 PAD-WASHER, REAR BUMPER BAR ATTACHING

64-67	S.W. & V.C.	589664	2	.36	PAD, (rubber-on brackets)
67-68	98	396544	2	.72	PAD, (rubber-on bumper bar)
68	F85 Exc. S.W. or V.C.	400768	1	.77	PAD (Center-on bar)
68	F85 exc. S.W. or V.C.	401431	2	.15	PAD, (rubber-on bracket)
64	F85, J88	1362249	AR	.15	WASHER, brkt. to frame-serrated
65-72	All	1362249	AR	.15	WASHER, brkt. to frame-serrated

7.874 BOLT, BUMPER TO FRAME BRACKET ATTACHING

62-63	Exc. F85 (8.903)	9425343	4	.15	BOLT, frt. bumper to reinf.
65	Exc. F85 (8.900)	454991	1	.36	BOLT, frt. bumper to frame brkt. (1/2"-13 x 1 1/8")
65	3300, 3400, 3500, 3600, 3800 (8.900)	454991	4	.36	BOLT, frt. bar to frame brkt.
65-67	Exc. 98 or S.W. (8.903)	9425343	AR	.15	BOLT, frt. outer bar to reinf. & center bar to brkt.
65-67	All (8.903)	9425343	AR	.15	BOLT, frt. bumper to brace
66-70	Tor. (8.903)	9425343	AR	.15	BOLT, frt. outer bar to reinf. & center bar to brkt.
71	6800	3955019	6	.25	BOLT, bumper to crossbar (7/16"-14 x 1 1/2")
71	6800	3955019	4	.25	BOLT, bumper brkt. to rear body pillar
71-72	6800	3955019	4	.25	BOLT, bumper to rear cross bar

7.875 COVER ASSY.-PAD-STEP-SCREW, REAR BUMPER STEP

69-70	S.W. or V.C. Dual Act. T.G.	403557	1	8.55	COVER
71-72	F85 S.W. or V.C.	403557	1	8.55	COVER, rear bumper step
69-72	S.W. or V.C. Dual Act. T.G.	8758326	1	6.90	PAD, rear cross bar to bumper step
69-72	S.W. or V.C. Dual Act. T.G.	8758327	RH	2.82	PAO, rear ctr. bar to filler step
69-72	S.W. or V.C. Dual Act. T.G.	8758328	LH	6.75	PAD, rear ctr. bar to filler step
63-64	3 Seat S.W. exc. F85	587680	RH	14.50	STEP
69-72	S.W. or V.C. Dual Act. T.G. (8.977)	9431918	9	.10	SCREW, rear cross bar to bumper step pad
69-71	S.W. or V.C. Dual Act. T.G.	8761885	9	.10	SCREW, rear cross bar to bumper step pad
72	3636, 4800 (8.977)	9416819	2	.15	SCREW, rear cross bar to bumper step pad

(

(

(