

1951 - 1956 Wide Block Key Specs

Year	No Cyl.	Valves	Valve Size I x E	Carburetion	Bore x Stroke	CID	Compression	Horsepower	Torque
1951	I-6	In Block	1.8125" x 1.5625"	1 barrel	3.5625" x 3.875"	232	6.7:1	112 @ 4000	175 @ 1600
	I-6	In Block	1.8125" x 1.5625"	2 barrel	3.5625" x 4.375"	262	6.7:1	123 @ 4000	195 @ 1600
	I-6	In Block	1.8125" x 1.5625"	2 barrel	3.8125" x 4.500"	308	7.2:1	145 @ 4000	257 @ 1600
1952	I-6	In Block	1.8125" x 1.5625"	1 barrel	3.5625" x 3.875"	232	6.7:1	112 @ 4000	175 @ 1600
	I-6	In Block	1.8125" x 1.5625"	2 barrel	3.5625" x 4.375"	262	6.7:1	123 @ 4000	195 @ 1600
	I-6	In Block	1.8125" x 1.5625"	2 barrel	3.8125" x 4.500"	308	7.2:1	145 @ 4000	257 @ 1600
	I-6	In Block	1.8125" x 1.5625"	2-1 barrels	3.8125" x 4.500"	308	7.2:1	160 @ 4000	257 @ 1600
1953-1954	I-6	In Block	1.8125" x 1.5625"	1 barrel	3.5625" x 3.875"	232	6.7:1	112 @ 4000	175 @ 1600
	I-6	In Block	1.8125" x 1.5625"	2 barrel	3.5625" x 4.375"	262	6.7:1	127 @ 4000	195 @ 1600
	I-6	In Block	1.8125" x 1.5625"	2-1 barrels	3.5625" x 4.375"	262	6.7:1	140 @ 4000	195 @ 1600
	I-6	In Block	1.8125" x 1.5625"	2 barrel	3.8125" x 4.500"	308	7.2:1	145 @ 4000	257 @ 1600
	I-6	In Block	1.8125" x 1.5625"	2-1 barrels	3.8125" x 4.500"	308	7.2:1	160 @ 4000	257 @ 1600
	I-6 7X	In Block	2.000" x 1.687"	2-1 barrels	3.8125" x 4.500"	308	8.7 - 9.2:1	210 @ 4500	300 @ 2400
1955-1956	I-6	In Block	1.8125" x 1.5625"	2-1 barrels	3.8125" x 4.500"	308	7.5:1	160 @ 4000	257 @ 1600
	I-6 7X	In Block	2.000" x 1.687"	2-1 barrels	3.8125" x 4.500"	308	8.7 - 9.2:1	210 @ 4500	300 @ 2400